

15-191-01489-0000

STATE OF KANSAS
STATE CORPORATION COMMISSION

Give All Information Completely
Make Required Affidavit
Mail or Deliver Report to:
Conservation Division
State Corporation Commission
300 Bittling Building
Wichita, Kansas

WELL PLUGGING RECORD

OR

FORMATION PLUGGING RECORD

Strike out upper line
when reporting plug-
ging off formations.

NORTH

		Ø	

Locate well correctly on above
Section Plat

Sumner County Sec 11 Twp 30 Rge. (E) 4 (W)

Location as "NE $\frac{1}{4}$ NW $\frac{1}{4}$ SW $\frac{1}{4}$ " or footage from lines SWc NW/4 NW/4

Lease Owner ~~V. Lygrisse~~ E. B. Shawver

Lease Name V. Lygrisse Well No. 1

Office Address 310 Petroleum Bldg., Wichita, Kansas

Character of Well (completed as Oil, Gas or Dry Hole) dry hole

Date well completed October 26 1949

Application for plugging filed October 27 1949

Application for plugging approved October 27 1949

Plugging commenced October 27 1949

Plugging completed October 28 1949

Reason for abandonment of well or producing formation _____

If a producing well is abandoned, date of last production _____ 19__

Was permission obtained from the Conservation Division or its agents before plugging was commenced? yes

Name of Conservation Agent who supervised plugging of this well W. G. Buffington, Geuda Springs, Kansas

Producing formation _____ Depth to top _____ Bottom _____ Total Depth of Well 4409 $\frac{1}{2}$ Feet

Show depth and thickness of all water, oil and gas formations. (4407 $\frac{1}{2}$ DFM)

OIL, GAS OR WATER RECORDS

CASING RECORD

Formation	Content	From	To	Size	Put In	Pulled Out
				8-5/8"	302	none

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from _____ feet to _____ feet for each plug set.

Well filled with heavy mud from 4409 $\frac{1}{2}$ to bottom of surface casing. Drove wooden plug in bottom of surface casing, and put 10 sax of cement mixed on top of plug. Filled hole with mud and put 10 sax of cement in top of surface pipe. Cellar will be filled with dirt and location leveled off.

RECEIVED
NOV 2 1949
STATE CORPORATION COMMISSION
KANSAS

(If additional description is necessary, use BACK of this sheet)

Correspondence regarding this well should be addressed to E. B. Shawver
Address 310 Petroleum Bldg., Wichita 2, Kansas

STATE OF Kansas, COUNTY OF Sedgwick, ss.
S. D. Batz (employee of owner) of the above-described well,


being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.

(Signature) S D Batz
310 Petroleum Bldg., Wichita, Kansas
(Address)

SUBSCRIBED AND SWORN to before me this 31st day of October, 19 49

Amey Jones
Notary Public.

My commission expires December 16, 1949



Co. John Lindas Oil, Inc.
 Cont. Russell Drilling Co.
 Date Comm. Sept 14, 1949
 Date Compl. Oct. 18, 1949

15-191-01489-0000

WELL LOG

SHERWOOD #1 NW 1/4 Sec 21, Twp 14, R 13. 660' from W Line, 330' from S Line
 RUSSELL COUNTY, KANSAS

Figure Indicates
Bottom of Formation CASING RECORD

1416/14/817 Yellow Clay	8'	12 1/2" @ 191'
Post rock	15	10" @ 437'
Shale Blue	80	8" @ 740'
Shale Brown	125	
Shale Grey	150	
Shale Blue	190	
Shale Grey	205	
Shale Blue	215	
Shale Brown	240	
Shale Blue	254	
Sand	265	
Shale Blue	280	
Sand	315	H.F.W.
Shale Blue	437	
Red Rock	735	
Lime	768	
Red Rock	915	
Shale Blue	925	
Red Rock	930	
Shale Blue	985	
Red Rock	1030	
Shale Blue	1130	
Salt	1425	
Shale & Shells	1485	
Lime	1495	
Shale & Shells	1505	
Lime	1520	
Lime	1535	
Red Rock	1545	
Lime	1580	
Shale & Shells	1600	
Shale & Shells	1650	
Red Rock	1655	
Shale	1680	
Lime	1770	
Shale & Shells	1780	
Lime	1800	
Shale	1815	
Lime	1837	
Shale Blue	1840	
Lime	1855	
Shale & Shells	1885	
Shale Blue	1890	
Shale & Shells	1930	
Red Rock	1940	

COPY

RECEIVED
 PLUGGING
 SEC 21 T 30 R 14W
 BOOK PAGE 122 LINE 1

WELL LOG
SHERWOOD #1

CONTINUED

Figure Indicates
Bottom of Formation

Lime	1947'
Shale & Shells	1985
Lime	2000
Shale & Shells	2009
Blue Shale	2019
Lime	2062
Shale	2080
Lime	2115
Shale	2140
Shale & Shells	2150
Lime	2160
Shale & Shells	2170
Shale	2205
Lime	2211
Shale Blue	2218
Lime	2225
Shale Blue	2258
Lime	2265
Shale Blue	2280
Shale Red	2288
Lime	2292
Shale Blue	2298
Lime	2300
Shale Blue	2310
Red Rock	2315
Shale Sandy	2340
Shale Blue	2372
<u>T.D. 2372</u>	

COPY

OCT 28 1949
STATE COMMISSION
MINERAL RESOURCES

E. B. Shawver's Lygrisse No. 1, SWc NW/4 NW/4 Sec. 11-30S-4W,
Sumner County, Kansas

Owner: E. B. Shawver Drilling commenced Sept. 30, 1949
Contractor: E. B. Shawver Drilling completed Oct. 26, 1949

8-5/8" 302' cemented w/170 sax Elevation: 1390'

soil	6	K.C. lime	3343-3571	slight saturation
red rock & shale	100	Miss. lime	3964-4311	
shale & broken lime	250	Simpson sand	4406-4407 $\frac{1}{2}$	
red rock & shells	302			
shale & shells	877			
lime broken	1155			
lime	1405			
shale & shells	2810			
lime sandy	2850			
shale & shells	3058			
lime sandy	3165			
shale	3343			
K. C. lime	3571			
shale & shells	3757			
lime	3868			
shale	3962			
SLM correction	3962=3964			
chert & lime	4311			
shale	4382			
shale - cored	4406			
Simpson sand-cored	4407 $\frac{1}{2}$	TD		

D & A

(Above log based on
derrick floor measurement)

