TOF KANSAS RATION COMMISSION

Give All Information Completely
Make Required Affidavit
Mail or Deliver Report to:
Conservation Division
State Corporation Commission
211 No. Broadway

WELL PLUGGING RECORD

211 No. Broadway Wichita, Kansas			Morton			wp. 32 Rge.	40 (E)	$\frac{\mathbf{w}}{\mathbf{w}}(\mathbf{w})$
NORTH	Loca	tion as "NE	CNWXSWX"	or footage fro	m lines <u>C</u>	SW NE	1.6	
	'		77 77			n Corpora		
		e Name	Ulysse			it "B"	. Well No	
<u> </u>						Dry Hole		-
		well comp			Dry Hole)		6-14	19 61
X			olugging filed				7-2	19_62
<u> </u>							7-2	19 62
į į	Plug	ging comme	enced6	-28-62				.19
1	Plugs	ging comple	eted 6	<u>-28-62</u>				_19
<u> </u> 	- Reas	on for aban	donment of wel	l or producing	formation	vertex.	No comm	ercial
1					sent.			
1	L I					None_		_19
Locate well correctly on Section Plat	above Was	permission ced? <u>y</u>		the Conserva	ation Division of	or its agents befo	ore plugging v	was com-
Section Plat lame of Conservation Agent	ment who currentes odw			t.t.		·;		-
roducing formation	ne	,g.m.g 01 tans	epth to top	Botton		Total Depth of	Well 56.5	O Fee
how depth and thickness of								
-			-	•		,	PARINIC DEC	יתמטי:
OIL, CAS OR WATER	RECORDS				 		CASING REC	ORD
FORMATION	CON.	TENT	FROM	TE PS	SIZE	PUT IN	PULLED (C	
Council Grove				2530	10-3/4"	702	Non	
Pennsylvania				2950	4-1/2"	3408	864	· •
Morrow	- 			5020	,	 	 	
				 				
						i.		
-,				1				
				<u>.</u>		, <u> </u>	<u> </u>	
	pum_balbal	ped in ance o ded to	30 sack f 4½" ca 30'. se	s of ce sing, c t rock	hecked f bridge t	0' and ulled luid @ 21 o 20' and f cellar.	<u> </u>	
								D)
	: -		_	- 1			OMA	IRZIO.
	PT.II	CCTNC	COMPLETE			CORPO	RATION .	• 9
		<u>ua riva</u>	00112 112 12		-	SIAIL GO	1 2 6 191) <u>!</u>
		•					RATION F ERVATION F Wichita, Kar	WISIG
						·	MOITAVO	1508
				<u> </u>		COME	RVATION Kar	
						_ 		
	 _	/If additional	description is nece	SECURIO DE BACK	of this sheet)			
Name of Plugging Contracte	or KNI	GHT CA	description is necessary SING PUL	LING CO	MPANY"		<u></u> <u></u>	
Address		SE, KA						
			· · · · · · · · · · · · · · · · · · ·					
የተ ለ ጥም ብቻ	KANSAS	COTI	NTY OF R	ICE				
STATE OF		cou Knight				_, ss. Nek nexonenskéh	of the above	door!L
well, being first duly sworn								
above-described well as file							(HC)	UL U
				7	20 2 2	<u> </u>	•	
			(Signature)			Variation	······	
						, Kansas	 .	
SUBSCRIBED AND SWOD						CALLIE CAS I		
MOMO CHIN CHARLES	N TO hefore me this	3rd	day of			7 57	62	
	и то before me this.	3rd	day of		J <u>u</u>	ly , 19_	62	
	n to before me this. May 20.		day of			ly , 19_	62 Lii Notaru	2 20

15-129-10120-2000
PAN AMERICAN PETROLEUM CORPORATION
WELL RECORD

	11)//	j				RECORD			SUPPLEMENTA	L	915
		1 - T	1.]	ASE W.	C. Ligh	nt Ges Uni	lt "B" (en	ITER "X" WHEN	APPLICABL	E)
		-	- -								_ 1 980ft.
	 		- 	4							
		<u> </u>	- 	1							
		1		OF	section 2	<u>1</u> . тоw	'NSHIP <u>3</u>	MONTH	I. RANGE	O 智	AST Vest.
				-	<u>M</u>	COUNTY	-		Ken	BBB TATE	
				E	EVATION:		21 ·				
]						!	Tomp. Ab
						_	_				TORY HOLE
-	LOCATE WEL	L CORREC	TLY	L DF	RILLING COM	MENCED	4-22	_19_ 61 _ c	OMPLETED	6-14	19 <u>61</u>
OPERATING	G COMPANY_	Pan Ar	ericen Po	trolem	Corpora	tion	ADDRESS	<u>ox 507,</u>	Ulyee05,	Konse	<u> </u>
	,	NAME		OIL	OR GAS SA	NDS OR		AME		FROM	то
1 Comic	il Grov			Торя 2530	3	4				ь.	
_		-			+	5			_	-	
Lenns	ylvenia	·		2950			,				
3 Morro)H		 ;	5020	WATER	SANDS		 =		<u> </u>	<u> </u>
	· NAME	<u> </u>	FROM	то	WATER LEVEL		NAME		FROM	то	WATER LEVEL
' None	>	,			_	3			!		
2	·		,	'n	,	4				ı	
	CASING	RECOR DESCRIPTI	D (OVERALL ME	ASUREMENT)	QUANTITY		QUANTITY	$\overline{}$	EN RECORI	1	
CSG, SIZE	WEIGHT	THREADS	MAKE -	GRADE	FEET	SIZE	FEET	ТОР	воттом	MAK	E AND TYPE
10-3/4	32,75	8FC	H-40		697		<u> </u>			<u></u>	
4-1/2	9.5	2MT	J-55		3426	<u> </u>					
				1							*
		•					·	PACKER			
<u>. — - </u>			 			SIZE	LENGTH	SET AT	м	AKE AND T	YPE
-							 				,
	,		CEMENT	NG RECC	IRD.	<u></u>		11	MUDDING	PECOR	 _
SIZE	WHERE SET	SACKS	CEMENT	TYPE	METHO	DD D	FINAL PRESS		(CABLE T	OOLS)	SULTS
10=2 <i>f</i> /r	702	_	Poznik	Bulk	Houco		 		RATION CON	The same	,OLIS
10-3/4	· -	<u>575</u>	FORMER		20000				LE ON CON	icellus	
<u>4-1/2</u>	3408	400	Pozmix	Bulk	Howco	<u> </u>		VIE COBBO	SVIII.	1)-	
			<u> </u>						JL 26 196	بری <u>اد</u> ا۲۱	<u> </u>
									ERVATION I	1588	
WHAT MET	HOD WAS US	SED TO PRO	TECT SANDS	WHEN OUTS	R STRINGS W	ERE PULLE	D1	COLAS	JL 2 6 130 ERVATION I WICHILL		
	*								: BOTTOM HOLE		
IESGO OTIT	'E KIND DE						-	7			
IF'SO, STAT	E KIND, DEF	TH SET, AI	ND RESULTS O			ed 2681	. 6/			:	
ROTARY TO	OLS WERE L	SED FROM	0	FEET	<u>(6 5650)</u>	FEE	T, AND FROM_		FEET TO_	<u>. </u>	FEET
CABLE TOO	LS WERE US	ED FROM	or Comple	tioneet	то	FEE	T. AND FROM		FEET TO_	<u> </u>	FEET
24-HOUR F	RODUCTION	OR POTE	NTIAL TEST	•			•				
		1		_	i		 :	,			
						<u> </u>	<u> </u>		WAT	ER	BBLS.
IF GAS WEI	LL, CUBIC F	EET PER 2	4 HOURS COM	orery :	Nendored -	SHUT-	IN PRESSURE_			LBS. PER	SQUARE IN.
I, THE OFFICE AND 1	UNDERSIGNE	D, BEING FIR	RST DULY SWORN LEDGE AND BELI	I UPON OATH EF.	I, STATE THAT T	HIS WELL RI	ECORD IS TRUE	AND CORRECT	_		
SUBSCRIBE	D AND SWO	RN TO BEF	ORE ME THIS_	5th DA	y or ป็นไ	y		19 OX E AND	TITLE	es For	eman
			comber 3,				9	NOTARY	PUBLIC	.	
							•	70 FT			

DESCRIBE EACH FORMATION DRILLED. INDICATE THICKNESS, CONTENT AND WHETHER DRY, OR OIL, GAS, OR WATER BEARING.

FORMAT	ION		TOP	воттом	:		FORMATIC	,		TÓP	воттом
Send, Redbed Redbed Send Syp, Shelo Anhy, Shelo Shelo, Lime Lime Shelo, Lime	. <u>-</u>		0 475 705 1107 1453 1578 2624 2742 2780,	475 705 1107 1453 1578 2624 2742 2780 4660	: ;	Shalo Sh el o L ⁱ mo	Shelo , Limo , Lius TD	·	-	4660 4828 4974 5372 5480 5509 5611	4828 -4974 5372 5480 5509 5611 5650
-				.1 1. .1			PED	5650° 2681°			
	. ,	,									
· .							. "				
•	•						•	•		,	
		٨			,				,		
			1								
t jude				به مد منین س <u>ت</u>							-
tera. Protector (1980)		±****		, = 01/11 11 11 11 11 11 11 11 11 11 11 11 11				,			-
	; .,		,		, •	·		, •		, 1 .s _. s.	
· •			ŕ				-	;		77.0	!
			·i		・ デジ 。	•		•			
			r						;		
				**************************************	·.		· .		•		