KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

Type Test	t:				(See Instru	ctions on Re	verse Side	e)			
Op	en Flo)W			Test Date				ADI	No. 15		
✓ Deliverabilty ,				09-06-2012			191-22485-0000					
Company 35 Ope	rating	g, Ll	LC				Lease Hembe	erger			#2	Well Number
County Location Sumner NW SW NW				Section 18		TWP 32S			Acres Attributed 40			
Field Love Three				Reservoir Howard					thering Conne Pipeline	ection		
Completion Date 04-13-2011				Plug Bac 2800	k Total Dep	oth		Packer Set at N/A				
Casing Size Weight 10.5#			:	Internal D 3.875	Diameter		Set at 2999		Perforations 2128		то 2136	
ubing Size Weight 3/8 4.6			Internal Diameter 2"		Set at 2159		Perforations N/A		То			
Type Completion (Describe) Pumping			escribe)		Type Fluid Production Salt Water			Pump Unit or Traveling F Pump Unit			Plunger? Yes	/ No
Producing Thru (Annulus / Tubing) Fubing, Casing				% C	arbon Diox	kide	•	% Nitrog	jen	Gas Gr	Gas Gravity - G _g	
/ertical D	Depth(l	H)				Pre	ssure Taps				(Meter	Run) (Prover) Size
ressure	Builde	1b: 	Shut in 09-0)6 20	12 at 8	am	(AM) (PM)	Taken_09	9-08	20	12 _{at} 10 am	(AM) (PM)
Well on L	.ine:		Started	20	at		. (AM) (PM)	Taken		20	at	(AM) (PM)
	r=					OBSERV	ED SURFAC	E DATA	<u>, </u>		Duration of Shut-	inHours
Static / Dynamic Property	Siz	Orifice Size Meter Pressure Differential Inches) psig (Pm) Inches Ha		Differential .	Flowing Well Head Temperature t Tempèrature		Wellhead (P _w) or (F	Casing Weilhead Pressure (P _w) or (P _t) or (P _o)		Tubing Wellhead Pressure (P _w) or (P ₁) or (P _c)		4s CHARGE POINTS
Shut-In		-	150#	7101105 1120			psig	psia psia	psig	psia psia		11 11 11 11 11 11 11 11 11 11 11 11 11
Flow			<u> </u>									SERVATION DIVISION WICHITA, KS
		<u> </u>	Circle one:		i	FLOW ST	REAM ATTR	IBUTES			-	
Plate Coeffiecient (F _b) (F _p) Mcfd		Pro	Meter or over Pressure psla	Press Extension √ P _m x h	Gravity Factor F ₀		Flowing Temperature Factor	Deviation Factor F _{pv}		Metered Flov R (Mcfd)	(Cubic Fe Barrel)	Crowity
 ع		:	(P _w) ² =_	;	OPEN FLI P _a =		VERABILITY % (I	') CALCUL P _e - 14.4) +		:	(P _a) (P _d)	² = 0.207 ² =
$(P_a)^2 - (P_a)^2$ or $(P_o)^2 - (P_d)^2$		(P _o) ² - (P _w) ²		Choose formula 1 or 2: 1. $P_o^2 - P_a^2$ 2. $P_c^2 - P_d^2$ divided by: $P_o^2 - P_w^2$	LOG of formula 1, or 2, and divide by:	P _c ² -P _w ²	Backpre Slo	Backpressure Curve Slope = "n" or Assigned Standard Slope		roe	Antilog	Open Flow Deliverability Equals R x Antilog (Mcfd)
ann Ele	100	<u> </u>		Model @ 44.5			Deliverat	21			Mold @ 44.05	in .
pen Flo				Mcfd @ 14.6				-			Mcfd @ 14.65 ps	
		_	_	behalf of the C				20		ne above repo April	rt and that he ha	s knowledge of, 20 <u>15</u>
								_		>	-	·
			Witness (if	any)			-		- F	For C	ompany	
	_		For Commi	ssion	-	,	_			Chec	ked by	<u> </u>

			ry under the laws 3-304 on behalf of t			uthorized to request
and that	the foreg	oing pressure info	ormation and state	ments containe	ed on this applicatio	n form are true and
of equipm	nent insta	illation and/or upor	n type of completion	n or upon use b	eing made of the gas	s and lease records s well herein named.
		est a one-year exe ounds that said we		iow testing for ti	ne Hemberger #2	
	(Check	one)				
		is a coalbed meth	nane producer			
		is cycled on plun	ger lift due to wate	r		
		is a source of na	cural gas for injection	on into an oil re	servoir undergoing E	ER
		is on vacuum at t	he present time; K0	CC approval Do	cket No	
	√	is not capable of	producing at a dai	ly rate in exces	s of 250 mcf/D	
l furti	her agree	e to supply to the b	est of my ability a	ny and all suppo	orting documents de	eemed by Commission
staff as n	necessary	to corroborate th	is claim for exemp	tion from testin	g.	
Date: <u>04</u> -	-30-2015	<u>_</u> _				KANSAS CORPORATION COM
						CONSERVATION DIVISION WICHITA, KS
			Signature: _			
			Title	Operator		

Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption **IS** denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.