

1 020397

To: STATE CORPORATION COMMISSION
CONSERVATION DIVISION - PLUGGING SECTION
200 COLORADO DERBY BUILDING
WICHITA, KANSAS 67202

API NUMBER 19- 119-20,835 -0000 14R

C NW SW, SEC. 8, T. 33 S, R. 29 W
1980 feet from S section line
4620 feet from E section line

TECHNICIAN'S PLUGGING REPORT

Operator License # 30444

Lease Name Roberts Well # 1

Operator: Charter Production Company

County Meade 208.00

Name & Address 224 E. Douglas, Ste. 400

Well Total Depth 6400 feet

Wichita, KS 67202

Conductor Pipe: Size feet

Surface Casing: Size 8 5/8 feet 1611

Abandoned Oil Well Gas Well Input Well SWD Well O&A X

Other well as hereinafter indicated

Plugging Contractor Eagle Drilling, Inc. License Number 5380

Address P.O. Box 12383, Wichita, KS 67277-2383

Company to plug at: Hour: 1:30 p.m. Day: 8 Month: 9 Year: 19 91

Plugging proposal received from Butch Steinert

(company name) Eagle Drilling, Inc. (phone) 316-945-9935

were: to fill hole with heavy mud and spot cement through drill pipe Anhydrite 1487-1650'
1st plug at 1650' with 50 sx cement, 2nd plug at 700' with 50 sx cement,

3rd plug at 40' with 10 sx cement,

4th plug to circulate rathole with 15 sx cement,

5th plug to circulate mousehole with 10 sx cement.

Plugging Proposal Received by Glenn Barlow (TECHNICIAN)

Plugging Operations attended by Agent?: All Part None X

Operations Completed: Hour: 3 p.m. Day: 8 Month: 9 Year: 19 91

ACTUAL PLUGGING REPORT 1st plug at 1650' with 50 sx cement,

2nd plug at 700' with 50 sx cement,

3rd plug at 40' with 10 sx cement,

4th plug to circulate rathole with 15 sx cement,

5th plug to circulate mousehole with 10 sx cement.

RECEIVED
STATE CORPORATION COMMISSION
SEP 11 1991
CONSERVATION DIVISION
Wichita, Kansas

Remarks: Used 60/40 Pozmix 6% gel by Halliburton.
(If additional description is necessary, use BACK of this form.)

(XXX) did not observe this plugging.

DATE 10-8-91
WELL NO. 33307
9-8

Signed Glenn R. Barlow (TECHNICIAN)

EFFECTIVE DATE: 8-4-91

15-119-20, 835-0000

FORM MUST BE TYPED
FORM C-1 4/90

State of Kansas

NOTICE OF INTENTION TO DRILL

FORM MUST BE SIGNED
ALL BLANKS MUST BE FILLED

Must be approved by the K.C.C. five (5) days prior to commencing well

Expected Spud Date August 10, 1991
month day year

..C. NW.. SW.. Sec 8... Twp 33.. s, Rg .29. W East West

OPERATOR: License # 30444
Name: Charter Production Company
Address: 224 E. Douglas, Suite 400
City/State/Zip: Wichita, KS 67202
Contact Person: Robert C. Spurlock
Phone: (316) 264-2808

1980 feet from South line of Section
4620 feet from East line of Section
(Note: Locate well on Section Plat on Reverse Side)

CONTRACTOR: License #: 5380
Name: Eagle Drilling, Inc.

County: Meade
Lease Name: Roberts Well #: 1
Field Name: Wildcat
Is this a Prorated Field? yes no
Target Formation(s): Morrow/St. Louis
Nearest lease or unit boundary: 660
Ground Surface Elevation: NA feet MSL
Domestic well within 330 feet: yes no
Municipal well within one mile: yes no
Depth to bottom of fresh water: 300
Depth to bottom of usable water: 350
Surface Pipe by Alternate: X 1 2
Length of Surface Pipe Planned to be set: 1600
Length of Conductor pipe required: none
Projected Total Depth: 6400
Formation at Total Depth: Mississippian

Well Drilled For: Well Class: Type Equipment:
Oil Inj Infield X Mud Rotary
X Gas Storage Pool Ext. Air Rotary
CWO Disposal Wildcat Cable
Seismic; # of Holes

Water Source for Drilling Operations:
... well ... farm pond other

If CWO: old well information as follows:
Operator:
Well Name:
Comp. Date: Old Total Depth

DWR Permit #:
Will Cores Be Taken? yes no
If yes, proposed zone:

Directional, Deviated or Horizontal wellbore? yes no
If yes, total depth location:

2x 1-30-92

AFFIDAVIT

MIN. 500' ALT I Reg. RECEIVED

The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55-96101, et. seq.
It is agreed that the following minimum requirements will be met:

STATE CORPORATION COMMISSION

SEP 11 1991

Pusher Outlet INIT. RR

SPUD DATE 8-24-91

LENGTH SURFACE PLANNED _____

RESERVE PIT STATUS- REMOVE FLUID _____ LINED _____
after salt sect. _____ bbls. when done _____ bbls.

RATHOLED AHEAD? Y N SIZE HOLE _____
SURFACE PIPE 8 3/4 @ 16 1/2 CONDUCTOR _____
ANHYDRITE T- 1457 B-1650 ELEVATION _____

TD 6400' FORMATION Miss.

RAN PIPE @ _____ DV TOOL _____ ALT II DONE _____
SX _____ SX Y N

Arbuckle Plug @ _____ Ft. W/ _____ SX

Hug./Council @ _____ Ft. W/ _____ SX

Anhydrite Base @ 1650 Ft. W/ 50 SX

1/2 Base Anhy. @ 700 Ft. W/ 50 SX

1/2, 1/2 Plug @ _____ Ft. W/ _____ SX

Bottom Surface @ 40 Ft. W/ 10 SX

40' Plug @ _____ Ft. W/ _____ SX

RAT HOLE CIRC/W 5 SX MOUSE HOLE W/ 10 SX

WATER WELL _____ SX (Irr. Well _____ Pond _____
Hauling _____)

TECHNICIAN CB DATE 9-6-91

TYPE OF CEMENT 60/40 pos 690

STARTING TIME 1:30 (AM/PM) DATE 9-8-91

COMPLETION TIME 3:00 (AM/PM) DATE 9-8-91

CEMENT COMPANY Halliburton DG