

ORIGINAL

STATE CORPORATION COMMISSION OF KANSAS
OIL & GAS CONSERVATION DIVISION
WELL COMPLETION FORM
ACD-1 WELL HISTORY
DESCRIPTION OF WELL AND LEASE

API NO. 15- 189-21714-00-00

County Stevens

SW - NE - NW Sec. 19 Twp. 33S Rge. 35 X W

3984 Feet from S/N (circle one) Line of Section

3900 Feet from E/W (circle one) Line of Section

Footages Calculated from Nearest Outside Section Corner:
NE, SE, NW or SW (circle one)

Lease Name CP- Nix (SWD) Well # 3-2 SWD

Field Name Hugoton

Producing Formation NA

Elevation: Ground 3000 KB NA

Total Depth 100 PBDT NA

Amount of Surface Pipe Set and Cemented at None Feet

Multiple Stage Cementing Collar Used? NA Yes NA No

If yes, show depth set NA Feet

If Alternate II completion, cement circulated from NA

feet depth to NA w/ NA sx cmt.

Drilling Fluid Management Plan ALT III 2-14-96 JK
(Data must be collected from the Reserve Pit)

Chloride content NA ppm Fluid volume NA bbls

Dewatering method used NA

Location of fluid disposal if hauled offsite:

Operator Name NA

Lease Name NA License No.

NA Quarter Sec. NA Twp. NA S Rng. NA E/W

County NA Docket No. NA

Operator: License # 5208

Name: Mobil Oil Corporation

Address P.O. Box 2173

2319 North Kansas Avenue

City/State/Zip Liberal, KS 67905-2173

Purchaser:

Operator Contact Person: Sharon Cook

Phone (316) 626-1142

Contractor: Name: Cathodic Protection Services

License: 31474

Wellsite Geologist:

Designate Type of Completion

New Well Re-Entry Workover

Oil SWD SLOW Temp. Abd.

Gas ENHR SIGW

Dry X Other (Cone, WSW, Expl., Cathodic, etc)

If Workover:

Operator:

Well Name:

Comp. Date Old Total Depth

Deepening Re-perf. Conv. to Inj/SWD

Plug Back PBDT

Commingle Docket No.

Dual Completion Docket No.

Other (SWD or Inj?) Docket No.

8/6/94 8/6/94 8/6/94
Spud Date Date Reached TD Completion Date

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 200 Colorado Derby Building, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information on side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature Sharon A. Cook Sharon A. Cook

Title Regulatory Assistant Date 11-3-94

Subscribed and sworn to before me this 3rd day of November, 1994.

Notary Public Kathleen R. Poulton

Date Commission Expires August 18, 1998

DEW94601.SAC

NOTARY PUBLIC - State of Kansas
KATHLEEN R. POULTON
My Appl. Exp. 08-18-98

K.C.C. OFFICE USE ONLY
F Letter of Confidentiality Attached
C Wireline Log Received
C Geologist Report Received
Distribution
KCC SWD/Rep NGPA
KGS Plug Other
RECEIVED
KANSAS CORPORATION COMMISSION

Form ACD-1 (7-91)
NOV 04 1994

CONSERVATION DIVISION
WICHITA, KS

SIDE TWO

Operator Name Mobil Oil Corporation Lease Name CP- Nix (SWD) Well # 3-2 SWD

Sec. 19 Twp. 33S Rge. 35 East West County Stevens

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all drill stem tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface during test. Attach extra sheet if more space is needed. Attach copy of log.

Drill Stem Tests Taken Yes No
 (Attach Additional Sheets.)

Samples Sent to Geological Survey Yes No

Cores Taken Yes No

Electric Log Run Yes No
 (Submit Copy.)

List All E.Logs Run:

Electric Resistance Log - Attached

Log Sample
Formation (Top), Depth and Datum

Name Top Datum

SEE ATTACHED DRILLER'S LOG

CASING RECORD <input type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs./Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives


ADDITIONAL CEMENTING/SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate				
<input type="checkbox"/> Protect Casing				
<input type="checkbox"/> Plug Back TD				
<input checked="" type="checkbox"/> Plug Off Zone				
				(1) First plug - Bentonite set at 13' - 3' plug.
				(2) Second plug - Bentonite set at 35' - 33' plug.

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth
First anode set at	75', second anode at 65', third anode at 55'.		

TUBING RECORD		Size	Set At	Packer At	Liner Run	<input type="checkbox"/> Yes <input type="checkbox"/> No	
1" PVC vent from TD to 3' above surface.					NA		
Date of First, Resumed Production, SWD or Inj. Installed 8/6/94				Producing Method NA <input type="checkbox"/> Flowing <input type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)			
Estimated Production Per 24 Hours	Oil Bbls. NA	Gas NA	Mcf NA	Water NA	Bbls. NA	Gas-Oil Ratio	Gravity

Disposition of Gas: **METHOD OF COMPLETION** **Production Interval**

Vented Sold Used on Lease Open Hole Perf. Dually Comp. Commingled
 (If vented, submit ACO-18.) Other (Specify) _____



CATHODIC PROTECTION SERVICES COMPANY

LIBERAL, KANSAS

DATA SHEET NO. I

ORIGINAL

COMPANY MOBIL E&P JOB NO. 801-00370 DATE: 8/6/94
 WELL: Nix 3-2 SWD PIPELINE:
 LOCATION: Sec. 19 Twp. 33 Rge. 50 Co. Stevens State Kansas
 ROTARY 100 FT: CASING FT.

DEEP GROUNDBED LOGGING DATA

DRILL LOG	DEPTH (FT)	ANODE TO STRUCTURE		ANODES		ANODE TO CABLE	ohm	DRILL LOG	DEPTH (FT)	ANODE TO STRUCTURE		ANODES		ANODE TO CABLE	ohm
		EXPLOR	FINAL	NO.	DEPTH					EXPLOR	FINAL	NO.	DEPTH		
	5								205						
	10								210						
	15								215						
	20								220						
	25								225						
	30	.460							230						
	35	.690							235						
	40	.470							240						
	45	.320							245						
	50	.700							250						
	55	1.22		3					255						
	60	.910							260						
	65	1.04		2					265						
	70	1.33							270						
	75	1.13		1					275						
	80	.710							280						
	85	.940							285						
	90	1.20							290						
	95								295						
	100								300						
	105								305						
	110								310						
	115								315						
	120								320						
	125								325						
	130								330						
	135								335						
	140								340						
	145								345						
	150								350						
	155								355						
	160								360						
	165								365						
	170								370						
	175								375						
	180								380						
	185								385						
	190								390						
	195								395						
	200								400						

RECEIVED
 KANSAS CORPORATION COMMISSION
 NOV 04 1994
 CONSERVATION DIVISION
 WICHITA, KS

GROUNDBED RESISTANCE: (1) VOLTS _____ + AMPS = OHMS

(2) VIBROGROUND _____ OHMS

NIX

CATHODIC PROTECTION SERVICES CO.
WELL TYPE GROUND BED DATA

CUSTOMER: MOBIL OIL CORP
LOCATION: 19-33-35

DRILLING COMPANY:
DRILLER:

HOLE DEPTH: 100'
DIAMETER: 6"

CASING TYPE: STEEL PCV
SEAL TYPE: CEMENT BENTONITE

DATE: 4-6-94

DEPTH	CASING	SEAL	FORMATION LOG	H2O	SEAL	DEPTH	CASING	SEAL	FORMATION LOG	H2O	SEAL
5			BROWN SAND			305					
10						310					
15			BROWN CLAY			315					
20						320					
25			BROWN SAND			325					
30						330					
35						335					
40						340					
45						345					
50						350					
55			BROWN CLAY			355					
60						360					
65						365					
70						370					
75						375					
80						380					
85						385					
90						390					
95						395					
100						400					
105						405					
110						410					
115						415					
120						420					
125						425					
130						430					
135						435					
140						440					
145						445					
150						450					
155						455					
160						460					
165						465					
170						470					
175						475					
180						480					
185						485					
190						490					
195						495					
200						500					
205						505					
210						510					
215						515					
220						520					
225						525					
230						530					
235						535					
240						540					
245						545					
250						550					
255						555					
260						560					
265						565					
270						570					
275						575					
280						580					
285						585					
290						590					
295						595					
300						600					

RECEIVED
KANSAS CORPORATION COMMISSION

NOV 06 1994

CONSERVATION DIVISION
WICHITA, KS

#888