

SIDE ONE

(Rules 82-3-130 and 82-3-107)

This form shall be filed with the Kansas Corporation Commission, 200 Colorado Derby Building, Wichita, Kansas 67202, within ninety (90) days after the completion of a well, regardless of how the well was completed.

FOR INFORMATION REGARDING THE NUMBER OF COPIES TO BE FILED AND APPLICATIONS REQUIRING COPIES OF ACO-1 FORMS SEE PAGE TWO (2), SIDE TWO (2) OF THIS FORM.

F Letter requesting confidentiality attached.

C ^{logs sent in April 82} Attach ONE COPY of EACH wireline log run (i.e. electrical log, sonic log, gamma ray neutron log etc.)***Check here if NO logs were run _____.

PLEASE FILL IN ALL INFORMATION. IF NOT AVAILABLE, INDICATE. IF INFORMATION LATER BECOMES AVAILABLE, SUBMIT BY LETTER.

LICENSE # 6878 EXPIRATION DATE 6/30/83
 OPERATOR Northern Natural Gas Prod. Company API NO. 15-189-20649-00-00
 ADDRESS P. O. Box 5444 COUNTY Stevens
Denver, CO 80217 FIELD Walkermeyer
 ** CONTACT PERSON C. J. Park, Prod. Acctg. Supv. PROD. FORMATION NW/4
 PHONE 303/572-2696

PURCHASER Northern Natural Gas Company LEASE Wayland No. 1 Unit
 ADDRESS 2223 Dodge Street WELL NO. 3
Omaha, Nebraska 68102 WELL LOCATION C NW/4

DRILLING CONTRACTOR Earl F. Wakefield Inc. 1320 Ft. from North Line and
 ADDRESS 300 W. Douglas Suite 500 1320 Ft. from West Line of
Wichita, KS 67202 the NW/4(Qtr.) SEC 23 TWP 33S RGE 6W (W).

PLUGGING -
 CONTRACTOR _____
 ADDRESS _____

WELL PLAT (Office Use Only)

		23	

KCC
 KGS
 SWD/REP _____
 PLG. _____
 NGPA _____

TOTAL DEPTH 3149' PBD 3121'
 SPUD DATE 2/26/83 DATE COMPLETED 5/24/83
 ELEV: GR 3026.8' DF _____ KB 3034.8'

DRILLED WITH ~~(CABLE)~~ (ROTARY) ~~(AIR)~~ TOOLS.

DOCKET NO. OF DISPOSAL OR REPRESSURING WELL BEING USED TO DISPOSE OF WATER FROM THIS LEASE CD-3805, (G 19820)

Amount of surface pipe set and cemented 623' DV Tool Used? No

TYPE OF COMPLETION THIS AFFIDAVIT APPLIES TO: (Circle ONE) - Oil, Shut-in Gas, Gas, Dry, Disposal, Injection, Temporarily Abandoned. If OWWO, indicate type of re-completion _____. Other completion _____. NGPA filing _____.

ALL REQUIREMENTS OF THE STATUTES, RULES AND REGULATIONS PROMULGATED TO REGULATE THE OIL AND GAS INDUSTRY HAVE BEEN FULLY COMPLIED WITH.

A F F I D A V I T

C. J. Park, being of lawful age, hereby certifies that:

I am the Affiant, and I am familiar with the contents of the foregoing Affidavit. The statements and allegations contained therein are true and correct.

C. J. Park
(Name)

SUBSCRIBED AND SWORN TO BEFORE ME this 8th day of June, 1983.

Mary Upshaw
(NOTARY PUBLIC)

MY COMMISSION EXPIRES: Nov. 12, 1985

RECEIVED
STATE CORPORATION COMMISSION
6-15-83
JUN 15 1983

** The person who can be reached by phone regarding any questions concerning this information.

SIDE TWO

ACO-1 WELL HISTORY

OPERATOR Northern Natural Gas Co. LEASE Wayland No. 1 Ut. SEC 23 TWP 33 RGE 36W (W)

FILL IN WELL INFORMATION AS REQUIRED:

WELL NO. 3

Show all important zones of porosity and contents thereof; cored intervals, and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries.		SHOW GEOLOGICAL MARKERS, LOGS RUN, OR OTHER DESCRIPTIVE INFORMATION.		
FORMATION DESCRIPTION, CONTENTS, ETC.	TOP	BOTTOM	NAME	DEPTH
x Check if no Drill Stem Tests Run.				
Check if samples sent to Geological Survey				
Sand, clay	0	630	Chase	2599
Red bed	630	1050	Council Grove	2949
Shale - Gyp	1050	1250		
Sand	1250	1375		
Shale, Gyp & Anhydrite Streaks	1375	1685		
Shale & Gyp	1685	1728		
Anhydrite	1728	1749		
Shale & Gyp	1749	1970		
Shale	1970	2196		
Shale & Lime	2196	2360		
Lime & Shale	2360	2565		
Lime & Shale	2565	2720		
Lime & Shale	2720	3150		
R.T.D.	3150			

If additional space is needed use Page 2.

Report of all strings set - surface, intermediate, production, etc. CASING RECORD (New) or (Used)

Purpose of string	Size hole drilled	Size casing set (in O.D.)	Weight lbs/ft.	Setting depth	Type cement	Sacks	Type and percent additives
Surface	12 1/4"	8 5/8"	32#	623'	Class H	120	12% gel & 3% CaCl ₂
					Class H	125	3% CaCl ₂
Production	7 7/8"	5 1/2"	15 5#	3131'	65/35 Cl H	520	6% gel & + 1#/sk cellophane
					Class H	125	8% salt, .2% D-46

LINER RECORD

PERFORATION RECORD

Top, ft.	Bottom, ft.	Sacks cement	Shots per ft.	Size & type	Depth interval
			2 shots/ft.		2950-2953, 2956-2961
					2969-2976, 2978-2981
2 3/8"	3033'				2987-2989, 3002-3004
					3010-3024

ACID, FRACTURE, SHOT, CEMENT SQUEEZE RECORD

Amount and kind of material used	Depth interval treated
Acidized down 5 1/2" casing with 5,418 gal. of L401 acid + additives w/108 ball sealers.	2950-3024

Date of first production	Producing method (flowing, pumping, gas lift, etc.)	Gravity
Awaiting Pipeline connection		
Estimated Production -I.P.	Oil	Gas
	bbls.	MCF
Disposition of gas (vented, used on lease or sold)	Water %	Gas-oil ratio
Awaiting pipeline connection		bbls.
	Perforations	CFPB
	2960-3024	