3-12-02

| FREM IGIST DE TYPES   | SIDE CALE U.S.  |
|---|---|
| STATE COMPONATION COMMISSION OF RANSAS GIL I GAS CONSERVATION BIVISION WELL COMPLETION FORM   | API No. 15- 015-21227-0000   County   |
| ACO-1 WELL HISTORY MESCRIPTION OF WILL AND LEASE  Operator: License # 32166   | Spof W2 W2 NW sec 30 Twp 31S Rg23W  |
| Operator: License # 32166   | 1400 FNL Feet from S/N (circle one) Line of Section   |
| Dunne Equities Operating, Inc.  | 330 FWL Feet from E/V (circle one) Line of Section  |
| Address 8100 E. 22nd Street North   | Foetages Calculated from Nearest Outside Section Corner:  |
| Building 1100   | ME. SE, NW or SW (circle one)   |
| <del></del>   | Lease Name Ford County Land Well # 1-30   |
| City/State/ZipWichita, KS 67226-2311  | Fleid Nees Wildcat  |
| Purchaser; N/A  | Producing Formation N/A   |
| Operator Contact Person: Donna Armistead  | Elevation: Ground 2378 KB   |
| Phone (316) 684 6508  |   |
| Contractor: Home: Big A Drilling, Inc.  | Total Depth 6929 PBTD   |
| License: 31572  | Amount of Surface Pipe Set and Cemented at 650 Fe   |
| Wollsite Goologist: Dale Padgett  | Multiple Stage Camenting Collar Used? Yes   |
| Designate Type of Completion  | If yea, show depth set Fe   |
| XX New Well Re-Entry Werkover   | If Alternate II completion, comment circulated from   |
| Oit SWD SIOW Temp. Abd.   | feet depth to sx cm   |
| XX Dry ENHR SIGN Expl., Cathedic, etc)  | Prilling Fluid Henegement Plan  |
| If Warkaver/Ra-Entry: old well info as follows:   | (Data must be collected from the Reserve Pit)   |
| •   | Chloride contentppm Fluid volumebb  |
| Operator:   |   |
| Well Mame:  | Devetoring method used  |
| Comp. Date Old Total Depth  | Location of fluid disposal if hauled offsite:   |
| Deepening Re-perf Conv. to Inj/SVD PRTD   | Coerstor Name   |
| Commingled Decket No  | Lease NameLicense No.   |
| Other (SWD er Inj?) Docket He.  | ·   |
| 8-18-01 9-2-01 9-3-01   | Quarter Sec Twp\$ RngE/W  |
| Spud Date Date Reached TD Completion Date   | County Docket Ne  |
| Derby Building, Wichita, Kansas 67202, within 120 days o   Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information on   12 menths if requested in writing and submitted with th   months). One capy of sit wireline logs and goologist well | l be filed with the Kansas Corporation Commission. 200 Colorade f the spud date, recompletion, workover or conversion of a well side two of this form will be held confidential for a period of the form (see rule 82-3-107 fer confidentiality in excess of 12 report shall be attached with this form. ALL CEMENTING TICKETS its. Submit CP-111 form with all temporarily abandoned wells.  |
| All requirements of the statutes, rules and regulations promute with and the statements herein are complete and correct to t  | gated to regulate the oil and gas industry have been fully complicated to regulate the oil and gas industry have been fully complicated to be an industry have been fully complicated to regulate the oil and gas industry have been fully complicated to regulate the oil and gas industry have been fully complicated to regulate the oil and gas industry have been fully complicated to regulate the oil and gas industry have been fully complicated to regulate the oil and gas industry have been fully complicated to regulate the oil and gas industry have been fully complicated to regulate the oil and gas industry have been fully complicated to require the oil and gas industry have been fully complicated to require the oil and gas industry have been fully complicated to require the oil and gas industry have been fully complicated to require the oil and gas industry have been fully complicated to require the oil and gas industry have been fully complicated to require the oil and gas industry have been fully complicated to require the oil and gas industry have been fully complicated to require the oil and gas industry have been fully complicated to require the oil and gas industry have been fully complicated to require the oil and gas industry have been fully complicated to require the oil and gas industry have been fully complicated to require the oil and gas industry. |
| SIgnature Klonno M. (inmeterd   | K.C.C. OFFICE USE ONLY  |
| Title Secretary 0 toto 2  | 2-27-02   F Latter of Confidentiality Attached   Vireline Log Received  |
| Subscribed and sworn to before se this 27th day of Febru  |   |
| 10 _2002<br>A (1)   | Distribution SVD/RepNEPA  |
| Betary Public Augus & CUDOC   | CtherOther   (Specify)  |
| Date Comission Expires ALEXIS R. WOOD  A Notary Public - State of Kansas  |   |
| npt. Expres 2-3-06  | Form ACD-1 (7-91)   |

Form ACD-1 (7-91)

| Operator NameDur   | ne Equities                         | Operating, T                             | nc Lease Name                           | Ford C            | ounty Land                         | Vell #            | 1-30-  |
|--|-------------------------------------|--|---|-------------------|------------------------------------|-------------------|--|
|  |                                     | P4                                       | County                                  |                   |                                    |                   |  |
| lec. <u>30</u> Twp. <u>31s</u>   | _ Age. 2 <u>3W</u>                  | □ West                                   | . —                                     | ,                 | ,                                  |                   | •  |
| IESTRUCTIONS: Show<br>interval tested, tim<br>hydrostatic pressures<br>if more space is need | me tool open as<br>a, bottom hole 1 | nd closed, flowing<br>temperature, fluid | and shut-in pre                         | saures, when      | ther shut-in pr                    | <b>#88UF#</b> F#4 | iched static lave                                |
| Prill Stom Tests Take<br>(Attach Additional  | **                                  | ĭ yee □ No                               | ∑ Log                                   | Formatio          | en (Top), Depth                    | and Detum         | s Sample   |
| Samples Sent to Seolo  | •                                   | □ yee ⊠ No                               | Heebner                                 |                   | <b>Top</b><br>4411                 | l                 | Datum  |
| Gores Taken  |                                     | □ Yee 😨 No                               | Lansing                                 |                   | 4578                               | 3                 |  |
| leatric Lag Run<br>(Submit Capy.)  |                                     | X Yes                                    | Marmaton Pawnee Cherokee                |                   | 5089<br>5193<br>5247               |                   |  |
| DCP, BCS, DI,  | Microresis                          | tivity                                   | Miss Chs                                |                   | 540]                               |                   |  |
| ist All E.Logs Run:  |                                     |  | St. Loui                                | s                 | 5553                               | 3                 |  |
|  |                                     |  | Viola                                   |                   | 6540                               |                   |  |
|  |                                     |  | Simpson<br>Arbuckle                     | :                 | 6746<br>1826                       |                   |  |
|  |                                     | CASING RECOR                             |   |                   |                                    |                   | <del></del>                                      |
| ·  | Report al                           | l strings set-cond                       |   |                   | , production, et                   | :c.               |  |
| Purpose of String  | Size Hole Drilled                   | Size Casing<br>Set (In 0.0.)             | Weight<br>Lbs./Ft.                      | Setting Depth     | Type of<br>Cement                  | # Sacks<br>Used   | Type and Percen                                  |
| Surface  | 12 ¼                                | 8 5/8                                    | 24                                      | 650               | 65/35                              | 200               | 6% Gel   |
|  | <u> </u>                            |  | <br><del>- </del>                       | ļ<br><del> </del> |                                    | <u> </u>          | ļ  |
|  | 1                                   | ADDITION                                 | L<br>AL CEMENTING/SQUE                  | EZE RECORD        |                                    |                   | !  |
| Purpose:   | Depth  <br>  Top Bottom             | Type of Cement                           | #Sacks Used                             |                   | Type and Percen                    | t Additive        | <u> </u>   |
| Perforate Protect Casing   |                                     |  |   | <del> </del>      |                                    |                   | <u> </u>   |
| Plug Back TD Plug Off Zone   |                                     |  |   |                   |                                    |                   |  |
| Shots Per Foot   |                                     | RECORD - Bridge P<br>of Each Interval    | • |                   | Fracture, Shot,<br>d Kind of Mater |                   | Useza Record<br>Depth                            |
|  |                                     |  |   |                   |                                    |                   |  |
|  |                                     |  | <del></del>                             |                   |                                    |                   | <del> </del>                                     |
|  |                                     |  |   |                   |                                    |                   | <del>-                                    </del> |
| TUBING RECORD  | \$1ze                               | Set At                                   | Packer At                               | Liner Run         | ☐ <sub>7••</sub> ☐                 | Мо                |  |
| Date of First, Resum   | ed Production,                      | SWD or Inj.   Proc                       | ducing Mathod                           | Lowing Pu         | mping Gas Li                       | ift 🛘 oti         | her (Explain)                                    |
| Estimated Production<br>Per 74 Hours   | oft                                 | Bbis.  Gas                               | Mcf Water                               |                   | 644-011                            |                   | Gravity  |
| isposition of Gas:   | ,                                   |  | ETHOD OF COMPLETI                       | OII               |                                    | <u> </u>          | roduction interva                                |
| Ventad Sold  |                                     | •  | Hale 🗆 Perf.                            | -                 | Comp. Comi                         | ingled _          |  |
| (If vented, sub-   | BIT ACO-18.]                        | Otha                                     | r (Specify)P                            | '&A               |                                    | _                 |  |

## ALLIED CEMENTING CO., INC.

P.O. BOX 31 RUSSELL, AS 67665 PH 7785) 483-3887 FAX (785) 483-5566 FEDERAL TAX ID# 48-0727860

INVOICE

Invoice Number: 085301

Invoice Oate: 09/12/01

Sold Dunne Equities, Inc.
To: Raydon Exploration
8100 E. 22nd N., #1100
Wichita, KS

A STATE OF THE PARTY OF THE PAR

67226 A CONTRACTOR

Cust I.D. ....: DunnEq

P.O. Number ..: FordCoLand1-30

P.O. Date...: 09/12/01

Due Date.: 10/12/01 Terms...: Net 30

| .Item I.D./Desc.                         |   | Unit #      | Price   | Net    | TX     |
|--|---|-------------|---|--------|--------|
| Common                                   | 81.00   | sks         | 6.6500  | 538.65 | E      |
| Pozmix                                   | 54.00   | SKS         | 3.5500  | 191.70 | F      |
| 'Gel                                     | 7.00  | SKS         | 10.0000   | 70.00  | E      |
| Handling                                 | 145.00  | SKS         | 1.1000  | 159.50 | E      |
| Mileage (75)                             | 75.00   | MILE        | 5.8000  | 435.00 | E      |
| 145 sks @\$.04 pe:                       | r sk per mi   | •           |   |        |        |
| Rotary Plub                              | 1.00  | SOL         | 520.0000  | 520.00 | E      |
| Mileage pmp trk                          | 75.00   | MILE        | 3.0000  | 225.00 | E      |
| Date of Invoice. 1<br>If Account CURRENT | , Payable 30 Days Fo<br>1/2% Charged Therec<br>take Discount of \$<br>n 30 days from Invo | ofter. Tax. | otal:<br>:<br>ents: , , , , , , , , , , , , , , , , , , , |        | l dece |

| TYPE OF JOB KOT ALY 4109                               |  |
|--|--|
| HOLE SIZE 77/8 T.D. 6929                               | CEMENT   |
| CASING SIZE \$5/8x 24 DEPTH 650                        | AMOUNT ORDERED 1355x 60/40   |
| TUBING SIZE DEPTH                                      | 6%Ge   |
| DRILL PIPE 4/2 x hole DEPTH 1450'                      |  |
| TOOL DEPTH   |  |
| PRES. MAX 200 MINIMUM 75                               | COMMON_ 8/ @ 6.65 \$30.65  |
| MEAS. LINE SHOE JOINT CEMENT LEET IN CSG               | POZMIX <u>54</u> @ <u>3.S5</u> <u>191.70</u>   |
| CEMENT LEFT IN CSGPERFS.                               | GEL  |
| DISPLACEMENT much - H-70                               | CHLORIDE@  |
|  |  |
| EQUIPMENT  |  |
|  |  |
| PUMPTRUCK CEMENTER Arry Dreiling                       |  |
| #352 HELPER Felio                                      | HANDLING 145 @ 1.10 159.50   |
| BULK TRUCK   | MILEAGE 145 × 15 .04 435.00  |
| #242 DRIVER Troy B.                                    | WHEEAGE 170  |
| BULK TRUCK   | TOTAL 1394.85  |
| #DRIVER  | TOTAL 1077.00  |
|  |  |
| REMARKS:   | SERVICE  |
| 1450' W/ 505x  |  |
| 680'W/505x   | DEPTH OF JOB 14,50'  |
| 40' W/ 10.5x   | PUMP TRUCK CHARGE 520.00   |
| MH W/ 105x   | EXTRA FOOTAGE @  |
| RH W/ 155X   | MILEAGE 75 @ 3.00 225.00   |
| Ten wy work  | PLUG   |
| Cemented W/1355x60/40/6%Gel                            | @  |
|  |  |
|  |  |
|  | TOTAL 745.00   |
| CHARGE TO: Donne Equities                              | TOTAL  |
| · · · · · · · · · · · · · · · · · · ·                  |  |
| STREET   | FLOAT EQUIPMENT  |
| CITYSTATEZIP   |  |
| CITYSTATEZIT   |  |
|  |  |
|  |  |
|  |  |
|  |  |
| To Allied Cementing Co., Inc.                          |  |
| You are hereby requested to rent cementing equipment   | TOTA I   |
| and furnish cementer and helper to assist owner or     | TOTAL  |
| contractor to do work as is listed. The above work was |  |
| done to satisfaction and supervision of owner agent or | TAX  |
| contractor. I have read & understand the "TERMS AND    | ·-   |
| CONDITIONS" listed on the reverse side.                | TOTAL CHARGE 2139.85   |
| COMBINION MILES ON MILE 22.7.1.                        | DISCOUNT 2/3.99 IE DAID IN 30 DAVE   |
|  | 1925 AL  |
| an I a I la  | DISCOUNT 213.99 IF PAID IN 30 DAYS  1925.86  X Michael Servato   |
| SIGNATURE X Muhil Sul                                  | 771 347  |
| •  | PRINTED NAME   |
|  |  |
|  | S. C. Carlotte and |
|  | · FX   |

## GENERAL TERMS AND CONDITIONS

DEFINITIONS: In these terms and conditions, "Allied" shall mean Allied Cementing Co., Inc., and "Customer" shall refer to the party identified by that term on the front of this contract. As applicable, "Job" relates to the services described on the front side of this contract, "merchandise" refers to the material described on the front of this contract and to any other materials, products, or supplies used, sold, or furnished under the requirements of this contract.

- —TERMS: Unless satisfactory credit has been established, "CUSTOMER" must tender full cash payment to "ALLIED" before the job is undertaken or merchandise is delivered, If satisfactory credit has been established, the terms of payment for the job and/or merchandise, including bulk cement, are net cash, payable in 30 days from the completion of the job and/or delivery of the merchandise. For all past due invoices, "CUSTOMER" agrees to pay interest on amounts invoiced at a rate of 18 percent per annum until paid. Notwithstanding the foregoing, in no event shall this Contract provide for interest exceeding the maximum rate of interest that "CUSTOMER" may agree to pay under applicable law. If any such interest should be provided for, it shall be and hereby is deemed to be a mistake, and this contract shall be automatically reformed to lower the rate of interest to the maximum legal contract rate, any amounts previously paid as excess interest shall be deducted from the amounts owir g from the "CUSTOMER" or at the option of "ALLIED," refunded directly to "CUSTOMER." For purposes of this paragraph, ALLIED and CUSTOMER agree that KANSAS law shall apply. Any discounts granted with this contract are null and void if the charges are not paid when due.
- —ATTORNEY FEES: In any legal action or proceeding between the parties to enforce any of the terms of this Service Contract, or in any way pertaining to the terms of this Contract, the prevailing party shall be entitled to recover all expenses, including, but not limited to, a reasonable sum as and for attorney's fees.
- —PRICES AND TAXES: All merchandise listed in "ALLIED'S" current price schedule are F.O.B. ALLIED'S local station and are subject to change without notice. All prices are exclusive of any federal, state, local, or special taxes for the sale or use of the merchandise or services listed. The amount of taxes required to be paid by ALLIED shall be added to the quoted prices charged to CUSTOMER.
- —TOWING CHARGES: ALLIED will make a reasonable attempt to get to and from each job site using its own equipment. Should ALLIED be unable to do so because of poor or inadequate road conditions, and should it become necessary to employ a tractor or other pulling equipment to get to or from the job site, the tractor or pulling equipment will be supplied by CUSTOMER or, if furnished by ALLIED, will be charged to and paid by CUSTOMER:
- —PREPARATION CHARGES: If a job and/or merchandise is ordered and CUSTOMER cancels the order after preparation of a chemical solution or other material, CUSTOMER will pay ALLIED for the expenses incurred by ALLIED as a result of the cancellation.
- —DEADHAUL, CHARGES: Unless otherwise specified on the front of this Contract, a deadhaul charge as set forth in ALLIED'S current price book will be charged each way for each service unit which is ordered by CUSTOMER but not used.
- —SERVICE CONDITIONS AND LIABILITIES: 1. ALLIED carries public liability and property damage insurance, but since there are so many uncertain and unknown conditions beyond ALLIED'S control, ALLIED shall not be liable for injuries to property or persons or for loss or damage arising from the performance of the job or delivery of the merchandise. Customer shall be responsible for and indemnify, defend, and hold harmless ALLIED, its officers, agents and employees, from and against any and all claims or suits for:
- (A) Damage to property or for bodily injury, sickness, disease, or death, brought by any person, including CUSTOMER and/or the well owner; and:
- (B) Oil spills, pollution, surface or sub-surface damage, injury to the well, reservoir loss, or damage arising from a well blowout arising out of or in connection with ALLIED'S performance of the job or furnishing of merchandise in accordance with this contract, unless such loss or damage is caused by the willful misconduct or gross negligence of ALLIED or its employees.
- 2. With respect to any of ALLIED'S tools, equipment, or instruments which are lost in the well or damaged when performing or attempting to perform the job or, in the case of marine operations, are lost or damaged at any time after delivery to the landing for CUSTOMER and before return to ALLIED at the landing, CUSTOMER shall either recover the lost item without cost to ALLIED or reimburse ALLIED the current replacement cost of the item unless the loss or damage results from the sole negligence of ALLIED or its employees.
- ALLIED does not assume any liability or responsibility for damages or conditions resulting from chemical action in cements caused by contamination of water or other fluids.
- WARRANTIES: 1. ALLIED warrants all merchandise manufactured or furnished by it to be free from defects in material and workmanship under normal use and service when installed, and used, and/or serviced in the manner provided and intended. ALLIED'S obligation under this warranty is expressly limited to repair, replacement, or allowance for credit, at its option, for any merchandise which is determined by ALLIED to be defective. THIS IS THE SOLE WARRANTY OF ALLIED AND NO OTHER WARRANTY IS APPLICABLE, EITHER EXPRESS OR OTHERWISE IMPLIED, IN FACT OR IN LAW, INCLUDING ANY WARRANTY AS TO MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE, CUSTO MER'S sole and only

## ALLIED CEMENTING CO., INC.

P.O. BOX 31 RUSSELL, KS 67665 PH (785) 483-3887 FAX (785) 483-5566 FEDERAL TAX ID# 48-0727860

Classic and a district of the first of

10 0 0 00 0 0 1 1 14 21

Sold Dunne Equities, Inc. Raydon Exploration To:

8100 E. 22nd N., #1100

Wichita, KS

67226

Cuse 1.D... .. JunnEq P.O. Number..: FordCoLand1-30 P.O. Date...: 08/24/01

N 97 () (

Due Date.: 09/23/01 Terms....: Net 30

| Item I.D./Desc.           | Qty. Used        | Unit                        | Price   | <del>}</del>                   | Net.       | ٠,                     | TX)          |
|---------------------------|------------------|-----------------------------|---------|--------------------------------|------------|------------------------|--------------|
| Common                    | : 40 Oct         | 40.00                       | e.      | र देशक                         | 1343       | . 00                   |              |
| Cel                       | 4,60             | 14. p. 15                   | [10]    | એ છે છે. ત                     | A) E.      | 00                     | E            |
| Chlorade                  | 14 00            | 1                           | i હો    | 49.6 O                         | 4.0        | in Ø                   | t.           |
| 64.0                      | 669 00 19 19 10  | 0.3                         |         | त्यावा                         | 1066       | 36                     | t            |
| FicSeal                   | 5 o - Ø Ø        | ) v) *                      |         | 10000                          | 15 by      | 34)                    | ŧ.           |
| Handling                  | a 19. 30         | 55 B                        | r       | . ကြိတ်လ                       | $a \neq b$ | RW                     | ě.           |
| Mi eage (75)              | 10 V2 V2         | M Est.                      | . '     | 0.000                          | 1 10 1     | y) (∂                  | ş *          |
| 128 81 00 04              | , ter sk pro ter |                             |         |                                |            |                        |              |
| ora face                  | v 200            | i·                          | 1,,     | 10000                          | * 7 B      | ( ) (                  | ŭ,           |
| Estra Flotage             | i 4, ab          | 1.1.1                       | À       | V-100                          | : Y        | 1,41                   | ₩.           |
| Mileago pmp ise           | 15 60            | 対主・ト                        | {       | 1000                           | 223        | 0.0                    | $\mathbb{S}$ |
| Rubber jilag              | 1.000            | £.15-11                     | 1.200   | $\mathcal{A}(N) = \mathcal{A}$ | ) ŴŴ       | Q (4)                  | )÷.          |
| Bartle Place              | र् स्टेस्ट       | EACH                        | ·4 5    | <i>ં</i> ગ ફુ) જુંલ્લું!       | 95         | .00                    |              |
| Dasket                    | 1 0)(8           | FACE                        | 100     | 111 to 5                       | ii         | $\Theta(Q)$            | ۲.۰          |
| Tenta Aliczes             | ំ សិច្           | 1                           |         | d Ngg                          | 1 -        | 140                    | E'           |
| All Palens Are N          | et, Foyable së   | Tagagran (Alamana) in Santa | · 1 - ± |                                | ( · · 4.2  | {-\$}                  | i            |
| para of favolde.          | -1 1/2% Charge   | Phenesia (18) 10            | y.      |                                | (3)        | $\mathcal{M}^{\alpha}$ |              |
| Tr Account CHREE          |                  |                             | VERMIN  |                                | $\ell_J$   | $(y \cdot y)$          |              |
| ં વાર્ષિયામાં મુક્કાન જોય |                  |                             | : i .   |                                | 6/142      | 10                     |              |
| ·                         |                  | -                           |         |                                |            |                        |              |

| HOLE SIZE 12 14                     |                              | CEMENT             |                 |                      |                |
|-------------------------------------|------------------------------|--------------------|-----------------|----------------------|----------------|
| HOLE SIZE 12 14<br>CASING SIZE 8 18 |                              |                    | מחרים           |                      |                |
| TUBING SIZE                         |                              | AMOUNT ORDE        |                 | //#-                 |                |
| DRILL PIPE                          | DEPTH DEPTH                  |                    |                 |                      | sa.c           |
| TOOL                                | DEPTH _                      | 2005x Class        | TT Y.LC TO.     | ige                  | <del></del>    |
| PRES. MAX 450                       | MINIMUM /CC                  | COMMON A           | 200             | @ 165                | 1330.00        |
| MEAS. LINE                          | SHOE JOINT 43'               | POZMIX             |                 | _@ <u>.D.J</u><br>_@ | <u></u>        |
| CEMENT LEFT IN CSG.                 | SHOE JOINT -X                | GEL                | 11              | @ 10.00              | 40.00          |
| PERFS.                              |                              |                    | 14              | @ <i>30.00</i>       | 420.00         |
| DISPLACEMENT 39%                    | Phis Freshwater              | ALW_               | 100             | @ <i>6.30</i>        |                |
|                                     |                              | FLO-SEDI_          | 50#             | @ 1.40               | 1260.00        |
| EQU                                 | JIPMENT                      | rw-sca_            |                 |                      | 70.00          |
|                                     |                              | _ <del></del>      |                 | - @<br>@             |                |
|                                     | ER Carl Dalding              |                    |                 | - <u>@</u>           |                |
| #360-328 HELPER                     | Mike Rucker                  | HANDLING #         | 1Q              | @ 1.10               | 470 RD         |
| BULK TRUCK                          | V 0                          | MILEAGE 4          |                 | 74                   | LZRN DA        |
|                                     | Kavin Longrove               | mennes             |                 |                      | 1907.00        |
| BULK TRUCK                          | U                            |                    |                 | FF 1550 1            | 4874.80        |
| # DRIVER                            |                              |                    |                 | TOTAL                | 1011.00        |
|                                     |                              |                    |                 |                      |                |
| RE                                  | MARKS:                       |                    | SERVI           | C <b>E</b>           |                |
|                                     |                              |                    |                 |                      |                |
| Run Casina + Brea                   | k cinulation.                | DEPTH OF JOB       | KK5'            |                      |                |
|                                     | r, 200 sx Lead Cement        | PUMP TRUCK C       |                 | 300                  | 520.00         |
| +100 sx tail Comen+                 | Release plug + Disphi        | C1//DD 4 DO CD 4 C |                 |                      | 182.50         |
| with 39%, Rbls Ruma                 |                              | •                  | 15              | @3.00                | 225.00         |
| Coment did not eine                 | <i>I</i> . , <i>I</i>        | PLUG Rubber        | - 848"          | @100.00              | 100.00         |
| TOD OFF with 1                      | 77 5x A 3+2                  |                    |                 | @                    |                |
|                                     |                              |                    |                 | @                    |                |
|                                     |                              |                    |                 |                      |                |
|                                     |                              |                    |                 | ፐርር ተ                | 1027.50        |
| CHARGE TO: Dunna                    | Equities                     |                    |                 | TOTAL                |                |
|                                     |                              |                    |                 |                      |                |
| STREET                              |                              |                    | FLOAT EQUI      | IPMENT               |                |
| CITYST                              | ነልጥር 210                     |                    |                 |                      | _              |
| CIT 1 51                            |                              | 1-Baffle           | Olate           | @ 45.00              | 45 M           |
|                                     |                              | 1-Basket           |                 | @ 180.00             | 180.00         |
|                                     |                              | 3-Centralize       | <u>^</u>        | @ 55 ao              | 165.00         |
|                                     |                              |                    |                 | _@                   |                |
| To Allied Comenting Co.             | Ino                          |                    |                 | _@                   |                |
| To Allied Cementing Co.,            |                              |                    |                 |                      | _              |
| <del>_</del>                        | to rent cementing equipment  |                    |                 | TOTAL                | 390.00         |
| and furnish cementer and l          | -                            |                    |                 |                      |                |
|                                     | s listed. The above work was |                    |                 |                      |                |
|                                     | pervision of owner agent or  | TAX                |                 |                      |                |
|                                     | understand the "TERMS AND    | TOTAL CHARGE       | 6290            | 2. <i>30</i>         |                |
| CONDITIONS" listed on               | the reverse side.            | 10 MB CHMOL        | 6797            | 2                    | _ <del>_</del> |
|                                     |                              | DISCOUNT           | OLLO            | IF PAI               | D IN 30 DAYS   |
|                                     |                              | ,                  | 2 <i>663.07</i> |                      |                |
| SIGNATURE The                       | he Sut                       | Michael            | 1 Serrate       | ,<br><b>5</b>        |                |
|                                     |                              |                    |                 | ED NAME              |                |

## GENERAL TERMS AND CONDITIONS

DEFINITIONS: In these terms and conditions, "Allied" shall mean Allied Cementing Co., Inc., and "Customer" shall refer to the party identified by that term on the front of this contract. As applicable, "Job" relates to the services described on the front side of this contract, "merchandise" refers to the material described on the front of this contract and to any other materials, products, or supplies used, sold, or furnished under the requirements of this contract.

- —TERMS: Unless satisfactory credit has been established, "CUSTOMER" must tender full cash payment to "ALLIED" before the job is undertaken or merchandise is delivered. If satisfactory credit has been established, the terms of payment for the job and/or merchandise, including bulk cement, are net eash, payable in 30 days from the completion of the job and/or delivery of the merchandise. For all past due invoices, "CUSTOMER" agrees to pay interest on amounts invoiced at a rate of 18 percent per annum until paid. Notwithstanding the foregoing, in no event shall this Contract provide for interest exceeding the maximum rate of interest that "CUSTOMER" may agree to pay under applicable law. If any such interest should be provided for, it shall be and hereby is deemed to be a mistake, and this contract shall be automatically reformed to lower the rate of interest to the maximum legal contract rate, any amounts previously paid as excess interest shall be deducted from the amounts owing from the "CUSTOMER" or at the option of "ALLIED," refunded directly to "CUSTOMER." For purposes of this paragraph, ALLIED and CUSTOMER agree that KANSAS law shall apply. Any discounts granted with this contract are null and void if the charges are not paid when due.
- —ATTORNEY FEES: In any legal action or proceeding between the parties to enforce any of the terms of this Service Contract, or in any way pertaining to the terms of this Contract, the prevailing party shall be entitled to recover all expenses, including, but not limited to, a reasonable sum as and for attorney's fees.
- —PRICES AND TAXES: All merchandise listed in "ALLIED'S" current price schedule are EO.B. ALLIED'S local station and are subject to change without notice. All prices are exclusive of any federal, state, local, or special taxes for the sale or use of the merchandise or services listed. The amount of taxes required to be paid by ALLIED shall be added to the quoted prices charged to CUSTOMER.
- —TOWING CHARGES: ALLIED will make a reasonable attempt to get to and from each job site using its own equipment. Should ALLIED be unable to do so because of poor or inadequate road conditions, and should it become necessary to employ a tractor or other pulling equipment to get to or from the job site, the tractor or pulling equipment will be supplied by CUSTOMER or, if furnished by ALLIED, will be charged to and paid by CUSTOMER.
- —PREPARATION CHARGES: If a job and/or merchandise is ordered and CUSTOMER cancels the order after preparation of a chemical solution or other material, CUSTOMER will pay ALLIED for the expenses incurred by ALLIED as a result of the cancellation.
- —DEADHAUL, CHARGES: Unless otherwise specified on the front of this Contract, a deadhaul charge as set forth in ALLIED'S current price book will be charged each way for each service unit which is ordered by CUSTOMER but not used.
- —SERVICE CONDITIONS AND LIABILITIES: I. ALLIED carries public liability and property damage insurance, but since there are so many uncertain and unknown conditions beyond ALLIED'S control, ALLIED shall not be liable for injuries to property or persons or for loss or damage arising from the performance of the job or delivery of the merchandise. Customer shall be responsible for and indemnify, defend, and hold harmless ALLIED, its officers, agents and employees, from and against any and all claims or suits for:
- (A) Damage to property or for bodily injury, sickness, disease, or death, brought by any person, including CUSTOMER and/or the well owner; and:
- (B) Oil spills, pollution, surface or sub-surface damage, injury to the well, reservoir loss, or damage arising from a well blowout arising out of or in connection with ALLIED'S performance of the job or furnishing of merchandise in accordance with this contract, unless such loss or damage is caused by the willful misconduct or gross negligence of Al LIED or its employees.
- 2. With respect to any of ALLIED'S tools, equipment, or instruments which are lost in the well or damaged when performing or attempting to perform the job or, in the case of marine operations, are lost or damaged at any time after delivery to the landing for CUSTOMER and before return to ALLIED at the landing, CUSTOMER shall either recover the lost item without cost to ALLIED or reimburse ALLIED the current replacement cost of the item unless the loss or damage results from the sole negligence of ALLIED or its employees.
- 3. ALLIED does not assume any liability or responsibility for damages or conditions resulting from chemical action in cements caused by contamination of water or other fluids.
- WARRANTIES: 1. ALLIED warrants all merchandise manufactured or furnished by it to be free from defects in material and workmanship under normal use and service when installed, and used, and/or serviced in the manner provided and intended. ALLIED'S obligation under this warranty is expressly limited to repair, replacement, or allowance for credit, at its option, for any merchandise which is determined by ALLIED to be defective. THIS IS THE SOLE WARRANTY OF ALLIED AND NO OTHER WARRANTY IS APPLICABLE, EITHER EXPRESS OR OTHERWISE IMPLIED, IN FACT OR IN LAW, INCLUDING AN CWARRANTY AS TO MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE, CLOSTOMER'S sole and only remote with repair to replacement thereof or allowance for credit as herein.