STATE CORPORATION COMMISSION OF KANSAS

VEC	
$\overline{\overline{u}}$	
ပ္ပ	

لاست بيونا ۾

KE	MAY	
	6	
,	\6 \7	
\	Ì	

WELL COMPLETION FORM	countyMeade
ACO-1 WELL HISTORY DESCRIPTION OF WELL AND LEASE	SW - NE - NW sec. 12 twp. 35S Rge. 30 x
Operator: License #6568	990 Feet from \$/H (circle one) Line of Section
	1650 Feet from WW (circle one) Line of Section
Address P. O. Box 21468	Footages Calculated from Nearest Outside Section Corner: XE, SE, WWor SW (circle one)
<u> </u>	Lease Name Adams Ranch Well # 1-12
∠ tity/state/21p 1015a, 0a /4121-1400	Field Name Adams Ranch
Purchaser: Texas SW Gas LLC	Producing Formation Marmaton
operator Contact Person: Charlotte Van Valkenburg:	Elevation: Ground 2438 KB 2447
Phone (918) 491-4314	1
Contractor: Name: Best Well Service	Total Depth 6540 PBTD 5990
License: n/a	Amount of Surface Pipe Set and Cemented at $\underline{-1401}$ Feet
<u>.</u> ;	Multiple Stage Cementing Collar Used? YesX No
Wellsite Seologist: None	If yes, show depth set Feet
Designate Type of Completion New Well Re-EntryX Workover	If Alternate II completion, cement circulated from
XOilSWDSIOWTemp. AbdSIGW	feet depth to sx cmt.
Dry Other (Core, WSW, Expl., Cathodic, etc)	Drilling Fluid Management Plan (Wo) Att EH ST8/07
If Workover/Re-Entry: old well info as follows:	n/a
Operator: Kaiser-Francis Oil Company	Chloride contentppm Fluid volumebbls
Well Name: Adams Ranch #1-12	Dewatering method used
Comp. Date $10/12/64$ Old Total Depth 6540	Location of fluid disposal if hauled offsite:
Deepening Re-perf Conv. to Inj/SWD	
Deepening Re-perf. Conv. to Inj/SWD X Plug Back 5990 PBTD Commingled Docket No.	Operator Name
Dual Completion Docket No Other (SWD or Inj?) Docket No	Lease NameLicense No
	Quarter Sec Twp S RngE/W
6/5/64 n/a 3/13/02	

| API NO. 15- 119-10239 - 0001

Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information on side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Charlotte Van Valkenburg
signature Chan alkerburg
Title Technical Coordinator Date 5/2/02
Subscribed and sworn to before me this 2nd day of May
KOX 2002
Notary Public Motary Public Oklahoma S
Date Commission Expires VINAND GA / WYNONA YATES
Commission Expires 11/16/2003

K.C.C. OFFICE USE ONLY Letter of Confidentiality Attached Wireline Log Received Geologist Report Received					
KCC	Distribution SWD/Rep Plug	NGPA Other (Specify)			

		Odl Company		Adams R	anch	Well #	" <u>.</u> 1 _ 12
Operator Hame <u>Kai</u>	· · · · · · · · · · · · · · · · · · ·	East			ancn	Well # .	
Sec. <u>12</u> Twp. <u>355</u>	Rge. 30	□ East 図	County	Meade			
INSTRUCTIONS: Show interval tested, tim	important tops a tool open a s, bottom hole	and base of formati nd closed, flowing a temperature, fluid re	and shut-in pres	sures, wheth	er shut-in pre tø surface dur	ssure read	ched static leve
Drill Stem Yests Take (Attach Additional	•	☐ Yes ☐ No	Log	Formation	n (Tap), Depth	and Datums	Sample
Samples Sent to Geold	•	□ Yes □ No	Name		Тор		Datum
Cores Taken		☐ Yes ☐ No	j i		-		
Electric Log Run (Submit Copy.)		□ Yes □ No	ļ ļ				
ist All E.Logs Run:							
No C	hange .			No	Change		1
	Report a	CASING RECORD	New Du		production, et	c.	
Purpose of String	Size Hole Drilled	Size Casing Set (In 0.0.)	Weight Lbs./Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	n/a	9	n/a	1401	n/a	500	n/a
Production	7 7/8	5.5	n/a	6314	n/a	100	n/a
	1	ADDITIONAL	L CEMENTING/SQUE	 		\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	1
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	1	Type and Percen	t Additive	
Perforate Protect Casing Plus Back TD	5990- 6000	n/a nt on top)_	1	-	n/a	1	
Plug Off Zone	(OIBI W/C			l. 			
Shots Per Foot		RECORD - Bridge Plus of Each Interval F	• ,,		Fracture, Shot, I Kind of Mater		Record Depth
4 .	510	68 - 5172		500 g. 1	5% NEFE -		5168-5172
							
							
TUBING RECORD 2	\$12e 3/8	Set At 5197	Packer At	Liner Run	☐ _{Y••} 区	No	
Date of First, Resum	 :		ucing Hethod C	lowing E.	aping Gas L	ift Dot	her (Explain)
Estimated Production Per 24 Hours		Bbls. Gas	Hof Water		Gas-Oil		Gravity 38
isposition of Gas:	- 	ME	THOD OF COMPLETE				roduction Interv
Vented Sold (If vended, sub		•	Hole Perf.	Dually	Comp. 💭 Comm		\$16835117AV

S. TOTAL STEEL