

STATE CORPORATION COMMISSION OF KANSAS  
OIL & GAS CONSERVATION DIVISION  
WELL COMPLETION FORM  
ACO-1 WELL HISTORY  
DESCRIPTION OF WELL AND LEASE

Operator: License # 4549

Name: ANADARKO PETROLEUM CORPORATION

Address P. O. BOX 351

City/State/Zip LIBERAL, KANSAS 67905-0351

Purchaser: ANADARKO ENERGY SERVICES

Operator Contact Person: SHAWN D. YOUNG

Phone ( 316 ) 624-6253

Contractor: Name: NA

License: NA

Wellsite Geologist: NA

Designate Type of Completion  
 New Well  Re-Entry  Workover

Oil  SWD  S1OW  Temp. Abd.  
 Gas  ENHR  SIGW  
 Dry  Other (Core, WSW, Expl., Cathodic, etc)

If Workover:

Operator: ANADARKO PETROLEUM CORPORATION

Well Name: GOING A-6

Comp. Date 5-19-97 Old Total Depth 5605

Deepening  Re-perf.  Conv. to Inj/SWD  
 Plug Back 4460  PBSD  
 Commingled Docket No. PENDING  
 Dual Completion Docket No. \_\_\_\_\_  
 Other (SWD or Inj?) Docket No. \_\_\_\_\_

11-12-98 -- 11-20-98  
Spud Date Date Reached TD Completion Date

API NO. 15- 129-21503-0002

County MORTON

C - SE - NW - SE Sec. 26 Twp. 32 Rge. 41 X E

1650 Feet from SX (circle one) Line of Section

1650 Feet from EX (circle one) Line of Section

Footages Calculated from Nearest Outside Section Corner:  
NE, SE, NW or SW (circle one).

Lease Name GOING "A" Well # 6

Field Name DUNKLE

Producing Formation WABAUNSEE, MARMATON

Elevation: Ground 3412.8 KB --

Total Depth 5605 PBSD 4460

Amount of Surface Pipe Set and Cemented at 1501 Feet

Multiple Stage Cementing Collar Used?  Yes  No

If yes, show depth set 3221 Feet

If Alternate II completion, cement circulated from \_\_\_\_\_

feet depth to \_\_\_\_\_ w/ \_\_\_\_\_ sx cmt.

Drilling Fluid Management Plan Re-work, 2-3-99, etc.  
(Data must be collected from the Reserve Pit)  
NOT APPLICABLE

Chloride content \_\_\_\_\_ ppm (fluid volume) \_\_\_\_\_ bbls

Dewatering method used \_\_\_\_\_

Location of fluid disposal if hauled offsite: FEB 02 1999  
2-2-99

Operator Name \_\_\_\_\_  
CONSERVATION DIVISION  
WICHITA, KS

Lease Name \_\_\_\_\_ License No. \_\_\_\_\_

\_\_\_\_\_ Quarter Sec. \_\_\_\_\_ Twp. \_\_\_\_\_ S Rng. \_\_\_\_\_ E/W

County \_\_\_\_\_ Docket No. \_\_\_\_\_

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information on side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.


Signature Shawn D. Young  
SHAWN D. YOUNG

Title DIVISION PRODUCTION ENGINEER Date 1/29/99

Subscribed and sworn to before me this 29<sup>th</sup> day of January  
19 99

Notary Public Shirley Childers

Date Commission Expires \_\_\_\_\_



K.C.C. OFFICE USE ONLY  
F  Letter of Confidentiality Attached  
C  Wireline Log Received  
C  Geologist Report Received  
Distribution  
 KCC  SWD/Rep  NGPA  
 KGS  Plug  Other  
(Specify)

ORIGINAL

SIDE TWO

Operator Name ANADARKO PETROLEUM CORPORATION Lease Name GOING "A" Well # 6

Sec. 26 Twp. 332 Rge. 41  East  West County MORTON

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all drill stem tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface during test. Attach extra sheet if more space is needed. Attach copy of log.

Drill Stem Tests Taken  Yes  No (Attach Additional Sheets.)  
Samples Sent to Geological Survey  Yes  No  
Cores Taken  Yes  No  
Electric Log Run  Yes  No (Submit Copy.)  
List All E.Logs Run:

Log Formation (Top), Depth and Datums  Sample  
Name Top Datum

SEE ATTACHED ORIGINAL ACO-1.

** Original Completion CASING RECORD <input checked="" type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs./Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
** SURFACE	12-1/4"	8-5/8"	23.0	1501	P+ NIDCON/ P+	290/ 100	3%CC, 1/4#SK FLC/ 2%CC, 1/4#SK FLC.
** PRODUCTION	7-7/8"	5-1/2"	15.5	5304	p+ NIDCON/ VERSASET	132/ 154	2%CC, 1/4#SK FLC/ .6% HALAD 322, .9% VERSASET, 1/4#SK FLC, 5% KCl.
			D.V. TOOL @	3221	P+ MIDCON	92	2%CC, 1/4#SK FLC.

ADDITIONAL CEMENTING/SQUEEZE RECORD

Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate				
<input type="checkbox"/> Protect Casing				
<input type="checkbox"/> Plug Back TD				
<input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth
4	2868-2877, 2879-2883, 2886-2890, 2899-2904, 2972-2978	ACID W/ 2400 GAL DS FeHCl	2868-2978
TUBING RECORD	Size 2-3/8" Set At 4347' Packer At	Liner Run <input type="checkbox"/> Yes <input checked="" type="checkbox"/> CONSERVATION DIVISION Wichita, Kansas	
Date of First, Resumed Production, SWD or Inj. RESUMED: 11-19-98	Producing Method <input checked="" type="checkbox"/> Flowing <input type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)		
Estimated Production Per 24 Hours	Oil 0 Bbls. Gas 329 Mcf Water 7 Bbls. Gas-Oil Ratio -- Gravity		

Disposition of Gas:  Vented  Sold  Used on Lease (If vented, submit ACO-18.) METHOD OF COMPLETION:  Open Hole  Perf.  Dually Comp.  Commingled 2868-4400 DA  Other (Specify) \_\_\_\_\_ Production Interval \_\_\_\_\_

FORM MUST BE TYPED

SIDE ONE

STATE CORPORATION COMMISSION OF KANSAS  
OIL & GAS CONSERVATION DIVISION  
WELL COMPLETION FORM  
ACO-1 WELL HISTORY  
DESCRIPTION OF WELL AND LEASE

Operator: License # 4549

Name: ANADARKO PETROLEUM CORPORATION

Address P. O. BOX 351

City/State/Zip LIBERAL, KANSAS 67905-0351

Purchaser: ANADARKO ENERGY SERVICES

Operator Contact Person: DAVID W. KAPPLE

Phone (316) 624-6253

Contractor: Name: NORSEMAN DRILLING

License: 3779

Hellsite Geologist: \_\_\_\_\_

Designate Type of Completion  
 New Well  Re-Entry  Workover

Oil  SWD  SLOW  Temp. Abd.  
 Gas  ENHR  SIGW  
 Dry  Other (Core, WSW, Expl., Cathodic, etc)

If Workover:

Operator: \_\_\_\_\_

Well Name: \_\_\_\_\_

Comp. Date \_\_\_\_\_ Old Total Depth \_\_\_\_\_

Deepening  Re-perf.  Conv. to Inj/SWD  
 Plug Back  PBSD  
 Commingled  Docket No. \_\_\_\_\_  
 Dual Completion  Docket No. \_\_\_\_\_  
 Other (SWD or Inj?)  Docket No. \_\_\_\_\_

3-26-97 4-6-97 5-19-97  
Spud Date Date Reached TD Completion Date

API NO. 15- 129-21503

County MORTON

C - SE - NW - SE Sec. 26 Twp. 32 Rge. 41 X W

1650 Feet from X (circle one) Line of Section

1650 Feet from SE (circle one) Line of Section

Footages Calculated from Nearest Outside Section Corner:  
NE, SE NW or SW (circle one)

Lease Name - GOING "A" Well # 6

Field Name DUNKLE

Producing Formation MARMATON

Elevation: Ground 3412.8 KB \_\_\_\_\_

Total Depth 5605 PBSD 4350

Amount of Surface Pipe Set and Cemented at 1501 Feet

Multiple Stage Cementing Collar Used?  Yes  No

If yes, show depth set 3221 Feet

If Alternate II completion, cement circulated from \_\_\_\_\_

feet depth to \_\_\_\_\_ w/ \_\_\_\_\_ sx cmt.

Drilling Fluid Management Plan  
(Data must be collected from the Reserve Pit)

Chloride content 1000 ppm Fluid volume 700 bbls

Dewatering method used DRY, BACKFILL & RESTORE LOCATION

Location of fluid disposal if hauled offsite: \_\_\_\_\_

Operator Name \_\_\_\_\_

Lease Name \_\_\_\_\_ License No. \_\_\_\_\_

Quarter Sec. Twp. S Rng. E/W

County \_\_\_\_\_ Docket No. \_\_\_\_\_

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information on side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS.. MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature L. Marc Harvey  
Title DRILLING TECHNICAL ASSISTANT Date 6-10-97

Subscribed and sworn to before me this 10th day of June 19 97.

Notary: Public Freda L. Hinz

Date Commission Expires \_\_\_\_\_

FREDAL HINZ  
Notary Public - State of Kansas  
My Appt. Expires 5-15-99

K.C.C. OFFICE USE ONLY  
 Letter of Confidentiality Attached  
 Wireline Log Received  
 Geologist Report Received  
 Distribution \_\_\_\_\_  
 KCC  SWD/Rep  NGPA  
 KGS  Plug  Other  
(Specify)

Operator Name ANADARKO PETROLEUM CORP ION Lease Name GOING Well # 6  
 Sec. 26 Twp. 32S Rge. 41  East County MORTON  West

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all drill stem tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface during test. Attach extra sheet if more space is needed. Attach copy of log.

Drill Stem Tests Taken  Yes  No  
 (Attach Additional Sheets.)  
 Samples Sent to Geological Survey  Yes  No  
 Cores Taken  Yes  No  
 Electric Log Run  Yes  No  
 (Submit Copy.)  
 List All E.Logs Run: DIL, ML, CNL-LDT, DP SONIC,  
 CBL-CCL-GR.

Name	Top	Datum
CHASE	2165	
COUNCIL GROVE	2496	
WABAUNSEE	2869	
TOPEKA	3113	
B/HEEBNER	3538	
KANSAS CITY	3800	
MARMATON	4228	
CHEROKEE	4416	
MORROW	4732	
MISSISSIPPIAN	5210	

CASING RECORD							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs./Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
SURFACE	12-1/4"	8-5/8"	23.0	1501	P+ MIDCON/P+	290/100	3%CC, 1/4#SK FLC/2%CC, 1/4#SK FLC.
PRODUCTION	7-7/8"	5-1/2"	15.5	5304	P+ MIDCON/VERSASET	132/154	2%CC, 1/4#SK FLC/.6% HALAD 322, .9% VERSASET, 1/4#SK FLC 5% KCL.
			D.V.TOOL @	3221	P+ MIDCON	92	2%CC, 1/4#SK FLC.

ADDITIONAL CEMENTING/SQUEEZE RECORD					
Purpose:	Depth		Type of Cement	#Sacks Used	Type and Percent Additives
	Top	Bottom			
<input type="checkbox"/> Perforate					
<input type="checkbox"/> Protect Casing					
<input type="checkbox"/> Plug Back TD					
<input type="checkbox"/> Plug Off Zone					

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type		Acid, Fracture, Shot, Cement Squeeze Record	
	Specify Footage of Each Interval Perforated		(Amount and Kind of Material Used)	Depth
4	5171-5181, CIBP @ 5168.		ACID: 500 GAL 7 1/2% FeHCL & 150 GAL METH.	5171-5181
4	5142-5146, CIBP @ 5136.		ACID: NONE	
2	5106-5112, CIBP @ 5095.		ACID: 500 GAL 7 1/2% FeHCL.	5106-5112
2	5067-5075, CIBP @ 4460.		ACID: 400 GAL 7 1/2% FeHCL.	5067-5075
2	4395-4400, 4376-4386, 4367-4371, RBP @ 4350.		ACID: 2100 GAL 15% FeHCL.	4367-4400 (OA)
4	4305-4320, 4288-4300, 4284-4288, 4271-4277.		ACID: 3700 GAL 15% FeHCL.	4271-4320 (OA)

TUBING RECORD	Size	Set At	Packer At	Liner Run
				<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No

Date of First, Resumed Production, SWD or Inj. 5-27-97 Producing Method  Flowing  Pumping  Gas Lift  Other (Explain)

Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity
		1030	0		

Disposition of Gas:  Vented  Sold  Used on Lease (If vented, submit ACO-18.) METHOD OF COMPLETION  Open Hole  Perf.  Dually Comp.  Commingled Production Interval 4271-4320 (OA)  
 Other (Specify) \_\_\_\_\_