


STATE OF KANSAS  
STATE CORPORATION COMMISSION

WELL PLUGGING RECORD

Give All Information Completely  
Make Required Affidavit  
Mail or Deliver Report to  
Conservation Division  
State Corporation Comm.  
245 North Water  
Wichita, KS 67202

Kiowa County, Sec. 9 Twp. 29S Rge. 18 E/W  
Location as "NE/CNW $\frac{1}{4}$ SW $\frac{1}{4}$ " or footage from lines  
2310 - FSL and FWL  
Lease Owner Texas Oil and Gas Corp.  
Lease Name Dargel Well No. 1  
Office Address Suite 300 - 200 W. Douglas, Wichita, Ks. 67202  
Character of Well (Completed as Oil, Gas or Dry Hole)



Locate well correctly on above  
Section Plot

Dry  
Date Well completed 19  
Application for plugging filed 3-22- 19 78  
Application for plugging approved 3-23- 19 78  
Plugging commenced 4-6- 19 78  
Plugging completed 4-15- 19 78  
Reason for abandonment of well or producing formation  
Dry  
If a producing well is abandoned, date of last production 19

Was permission obtained from the Conservation Division or  
its agents before plugging was commenced? Yes

Name of Conservation Agent who supervised plugging of this well Bill Owens  
Producing formation Depth to top Bottom Total Depth of Well 5021'  
Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS

CASING RECORD

FORMATION	CONTENT	FROM	TO	SIZE	PUT IN	PULLED OUT
				8 5/8	457	None
				4 1/2	5020	3352

Describe in detail the manner in which the well was plugged, indicating where the mud fluid  
was placed and the method or methods used in introducing it into the hold. If cement or other  
plugs were used, state the character of same and depth placed, from feet to  
feet for each plug set.

Sand from 5009 to 4900  
4 sacks cement from 4900 to 4865  
Ripped at 4000 - 3500 - 3352  
Allied pumped in 4 sacks cottonseed hulls  
25 sacks mud  
1 sack cottonseed hulls  
Pumped in 150 sacks cement

RECEIVED  
STATE CORPORATION COMMISSION  
MAY 05 1978  
5-5-78  
CONSERVATION DIVISION  
Wichita, Kansas

(If additional description is necessary, use BACK of this sheet)

Name of Plugging Contractor Clarke Corporation

STATE OF KANSAS COUNTY OF SEDGWICK, ss.  
Steve Tillman of Texas Oil & Gas Corp. (employee of owner) or (owner or operator)  
of the above-described well, being first duly sworn on oath, says: That I have knowledge of  
the facts, statements, and matters herein contained and the log of the above-described well  
as filed and that the same are true and correct. So help me God.

(Signature) Steve Tillman  
STEVE TILLMAN of Texas Oil & Gas Corp.  
200 W. Douglas (Address) Wichita, KS 67202

SUBSCRIBED AND SWORN TO before me this 4th day of May, 1978.

Elizabeth A. Cawley  
Notary Public.

My commission expires January 23, 1980



WELL LOG

DARGEL #1  
 2310' FSL & 2310' FWL  
 Section 9-29S-18W  
 KIOWA COUNTY, KANSAS

OPERATOR: TEXAS OIL & GAS CORP.  
 CONTRACTOR: XPLOR DRILLING CO.

COMMENCED: 6-8-77  
 COMPLETED: 6-19-77

CASING RECORD: Ran 11 jts. new 24# 8 5/8" set @457', cement with 400 sacks common, 2% gel. 3% cal.chloride.  
 Ran 163 jts. new 4 1/2" set @5020', cement with 100 sacks 50/50 posmix.

FORMATION	FROM	TO	ELEVATION
Red Bed	0	40	
Red Bed	40	1598	
Lime & Shale	1598	4959	
Lime	4959	5021	
RTD	5021		

STATE OF KANSAS )  
 ) SS:  
 COUNTY OF SEDGWICK )

I certify that this is a true and correct copy of the Driller's Log of the well drilled 2310' FSL & 2310' FWL in Section 9-29S-18W, Kiowa County, Kansas, to the best of my knowledge and belief.


XPLOR DRILLING COMPANY

*Wayne L. Kirkman*  
 Wayne L. Kirkman, Owner

Subscribed and sworn to before me this 21st. day of June 1977.

MY COMMISSION EXPIRES  
 August 25, 1980

*Virginia Lee Smith*  
 Virginia Lee Smith, Notary Public



DARCEL #1

2310' FSL & 2310' FWL SEL 9-295-18W

KIOWA Co. KANSAS

ELEV: 2275' G.L., 2283' K.B.

8 5/8" OS9 @ 457' K.B. cont w/ 400 SXS

cont top @ ± 4600'

RECEIVED  
STATE CORPORATION COMMISSION

MAR 24 1978  
3-24-78  
CONSERVATION DIVISION  
Wichita, Kansas

FBTD @ 5009' K.B.

(4 1/2" OS9 @ 5020' K.B. w/ 100 SXS

10.516, K-55, ST4C

Burst Pressure = 4790 psig