## KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

| Type Test  | t:                       |       |  |  | (                              | See Instru   | ctions on Re  | verse Side   | e)                       |   |                            |                     |  |
|--|--------------------------|-------|--|--|--------------------------------|--|---|--|--------------------------|---|----------------------------|---------------------|--|
| <b>√</b> op  | en Flov                  | V     |  |  | Test Date                      | ·  |   |  | Α۵                       | l No. 15                                |                            |                     |  |
| De   | liverabi                 | ity   |  |  | 8/28/20                        |  |   |  |                          | 189-20912 <b>-</b>                      | -0000                      |                     |  |
| Company  |                          | per   | ating, L.L.C   | ,  |                                |  | Lease<br>Rush                                       |  |                          |   | 1-26                       |                     | lumber   |
| County<br>Steven:  | <br>S                    |       | Locatio<br>4943 FSI  | on<br>. & 2310 FEL   | Section<br>26                  |  | TWP<br>34S  | _  | RNG (E<br>36W            | /W)                                     |                            |                     | Attributed   |
| Field<br>Dezago  | on                       |       |  |  | Reservoir<br>Morrov            |  |   | <u> </u>   |                          | thering Conn<br>Energy Ser              |                            | K                   | C Inc.   |
| Completion 6/21/86   | on Date                  | •     | -  |  | Plug Bac<br>6754               | k Total Der  | pth   |  | Packer                   | Set at                                  | ,                          | JU                  | — <u>*⊬/C</u> /  |
| Casing S<br>5.5  | ize                      |       | Weight<br>15.5   |  | Internal I<br>4.950            | Diameter   | Set : 679   |  | Perfo<br>623             | orations<br>3                           | то<br>6347                 | RE                  | CC MICH<br>N 05 2015<br>CENED                          |
| Tubing Si<br>2.875   | ize                      |       | Weight<br>6.5  |  | Internal (<br>2.441            | Diameter   | Set : 641   |  | Perfo                    | orations -                              | То                         | <u>-</u>            | WED  |
| Type Con<br>Single (   |                          | (De   | escribe)   |  | Type Flui                      | d Production   | on  |  | Pump U.<br>Pump          |   | Plunger? Yes               | s / No              |  |
| -  | _                        | (Anr  | nulus / Tubing   | )  | % C                            | arbon Diox   | kide  |  | % Nitrog                 | gen                                     | Gas G                      | aravity -           | G <sub>g</sub>   |
| Annulus  |                          |       |  |  |                                |  |   |  |                          |   |                            |                     | - 121  |
| Vertical D   | epin(H                   | ,<br> |  |  |                                |  | ssure Taps  |  |                          | <u>.</u>                                |                            |                     | Prover) Size   |
| Pressure   | Buildup                  |       |  |  |                                |  |   |  |                          |   | 14 at 8:00                 |                     |  |
| Well on L  | ine:                     | ;     | Started  | 2  | 0 at                           |  | _ (AM) (PM)   | Taken  |                          | 20                                      | at                         |                     | (AM) (PM)  |
|  |                          |       |  |  |                                | OBSERV   | ED SURFAC   | E DATA   | ,                        |   | Duration of Shu            | t-in_24             | Hours  |
| Static /<br>Dynamic<br>Property  | Orific<br>Size<br>(inche |       | Circle one:<br>Meter<br>Prover Pressur<br>psig (Pm)          | Pressure Differential in Inches H <sub>2</sub> 0   | Flowing<br>Temperature<br>t    | Well Head<br>Temperature<br>t                            | e Wellhead  | Pressure   | Wellhe                   | Tubing pad Pressure $r(P_t)$ or $(P_g)$ | Duration<br>(Hours)        | Liqt                | uid Produced<br>(Barrels)                              |
| Shut-In  |                          |       | poig (i m)   | manos ri <sub>2</sub> o  |                                |  | 103   | 117.4  | o psig                   | 14.4                                    | 24                         |                     |  |
| Flow   |                          |       |  |  |                                |  |   |  |                          |   |                            |                     |  |
|  |                          |       |  |  |                                | FLOW ST  | REAM ATTR   | IBUTES   |                          |   |                            |                     |  |
| Plate<br>Coeffied<br>(F <sub>b</sub> ) (F<br>Mcfd  | ient<br>,)               |       | Circle one:<br>Meter or<br>ver Pressure<br>psla              | Press<br>Extension<br>P <sub>m</sub> x h   | Grav<br>Fact<br>F <sub>s</sub> | tor  | Flowing<br>Temperature<br>Factor<br>F <sub>II</sub> | Fa   | ation<br>ctor<br>:<br>pv | Metered Flow<br>R<br>(Mcfd)             | y GOF<br>(Cubic F<br>Barre | eet/                | Flowing<br>Fluid<br>Gravity<br>G <sub>m</sub>          |
|  |                          |       |  |  |                                |  |   |  |                          | <del></del> ,                           |                            |                     | <u> </u>   |
| (D \2 -  |                          |       | /D \2 -  |  | •                              |  | VERABILITY<br>% (F                                  | ) CALCUL<br><sup>2</sup> 14.4) +                       |                          |   |                            | ) <sup>2</sup> = 0. | 207  |
| $(P_c)^2 = $ $(P_c)^2 - (P_c)^2 - ($ | 2 <sub>0</sub> )2        |       | <sub>a</sub> ) <sup>2</sup> - (P <sub>w</sub> ) <sup>2</sup> | thoose formula 1 or 2.<br>1. $P_o^2 - P_a^2$<br>2. $P_o^2 - P_d^2$<br>ivided by: $P_o^2 - P_a^2$ | LOG of<br>formula<br>1. or 2.  | P <sub>c</sub> <sup>2</sup> -P <sub>w</sub> <sup>2</sup> | Backpre<br>Slo<br>                                  | ssure Curve<br>pe = "n"<br>- or<br>signed<br>ard Slope |                          |   | Antilog                    | De                  | Open Flow<br>eliverability<br>is R x Antilog<br>(Mcfd) |
|  | $\dashv$                 |       |  |  |                                |  |   |  |                          |   |                            | ļ- <u>-</u>         |  |
| Open Flov  | ~                        |       |  | Mcfd @ 14.   | <br>65 psia                    |  | <br>Deliverab                                       | ility  |                          |   | Mcfd @ 14.65 p             | <br>sia             |  |
|  | •                        |       |  | behalf of the  |                                |  | •   |  |                          | •                                       | rt and that he h           |                     | J  |
|  |                          |       | Witness (if  | eny)   |                                |  | -   |  |                          | For C                                   | <br>ompany                 |                     |  |
|  |                          |       | For Commis   |  |                                |  | _   |  |                          | •                                       | ked by                     |                     |  |
|  |                          |       | . 5. 55  |  |                                |  |   |  |                          | Office                                  |                            |                     |  |

| l declare un            | nder penalty of perjury under the laws of the state of Kansas that I am aut   | horized to request                             |
|-------------------------|---|--|
| exempt status ur        | nder Rule K.A.R. 82-3-304 on behalf of the operator <u>Chesapeake Operating</u>   | , L.L.C.                                       |
| and that the for        | egoing pressure information and statements contained on this application est of my knowledge and belief based upon available production summaries | form are true and                              |
| of equipment ins        | stallation and/or upon type of completion or upon use being made of the gas   |  |
|                         | uest a one-year exemption from open flow testing for the Rush 1-26  |  |
| gas well on the (       | grounds that said well:   | KCC WICHI<br>JUN 05 2015<br>RECEIVED           |
| (Ched                   | ck one)<br>—  | JUN "VICHI                                     |
|                         | is a coalbed methane producer   | 5 2015   |
|                         | is cycled on plunger lift due to water  | RECEIVE  |
|                         | is a source of natural gas for injection into an oil reservoir undergoing El  | 7 <b>* * * * * * * * * * * * * * * * * * *</b> |
|                         | is on vacuum at the present time; KCC approval Docket No  |  |
| <b>√</b>                | is not capable of producing at a daily rate in excess of 250 mcf/D  |  |
| ŭ                       | ree to supply to the best of my ability any and all supporting documents decays to corroborate this claim for exemption from testing.             | emed by Commission                             |
| Date: <u>5/1</u> 1/2014 | 4   |  |
|                         |   |  |
|                         | Signature: Katu WMg   | pt_  |
|                         | Title: Katie Wright, Regulatory Analyst   |  |
|                         |   |  |

## Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under OBSERVED SURFACE DATA. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption IS denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.