## KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

| Type Test  | t:                   |                | t   | 4  | . (                                | See Instru  | rctions on Re                                       | verse Side                                | 9)                   |   | :                        |                                       |   |
|--|----------------------|----------------|---|--|------------------------------------|---|---|---|----------------------|---|--------------------------|---------------------------------------|---|
| ∐ <sub>⊢</sub> Op  | en Flo               | W              | ,   |  | Test Date                          | ·   | •   |   | ΔÞ                   | <sub>I No. 15</sub> 15-02   | 23-21166-0               | 0-00                                  |   |
| De   | liverat              | oilty          |   |  | icor Dan                           | ,   | ,   |   |                      | ,   |                          | •                                     |   |
| Company  |                      | Ene            | ergy Manag                                      | ement, LLC   | ;                                  | 4:<br>4   | Lease<br>JONES                                      | ;   | , '                  |   |                          | Well Nur<br>14-1                      |   |
| County<br>Cheyen   |                      |                | Locatio   |  | Section                            | 13  | TWP 28  | 3   | RNG (E               | /w)<br>9W   |                          | •                                     | ttributed                                     |
| Field<br>CHERF   |                      | REE            | :K .  | Reservoir NIOBRARA SOUTHERN STAR Plug Back Total Depth 1402  Internal Diameter 7#, 11.6# 6.538", 4.00" Internal Diameter Set at Internal Diameter Set at Perforations To 1.995" 1377'  Pump Unit or Traveling Plumor? Yes / No |                                    | <del>_</del> -  |   |   |                      |   |                          |                                       |   |
| Completic<br>12/02/2   | on Da                |                | **  | ₹  |                                    | k Total De  | pth "   | **  | Packer               |   |                          | MAY                                   | - WICK  |
| Casing S   |                      |                | Weight  | 1 .  | Internal (                         | Diameter  | Set a   | at  | Perfo                | orations  | Tò                       | /_                                    | 18 20   |
| 7", 41/2"  |                      |                | 1.7#  | <b>#, 11.6#</b>  | 6.53                               | 3", 4.00"   |   | )', 1442'                                 |                      | 1250'   | 128                      | 4'7EC                                 | 115   |
| Tubing Si  | ize                  |                | Weight  | 1.7#   | Internal (                         | Diameter<br>995"  | , Set a   | at<br>1377'                               | Perfo                | orations  | То                       | ٠,                                    | IVEN  |
| 2 3/8"_<br>Type Con  | noletio              | n (De          |   | +./#   |                                    | d Producti  |   | 13//                                      | Pump 'U              | nit or Traveling  | Plunger? Yes             | s / No                                | - K-18  |
| Single   | -                    |                | , add. 100,                                     | ı  | Saltwa                             |   | O,  |   | , ap 0               | , ca.cg   |                          | od Pum                                | <sub>p</sub> D 70                             |
|  |                      |                | nulus / Tubing)                                 | ı  | % (                                | arbon Dio   | xide  |   | % Nitro              | gen   | Gas (                    | Gravity - G                           |   |
| Annulu   |                      |                | 1   |  | , a                                |   | 1 1   | + a                                       |                      |   |                          | · · · · · · · · · · · · · · · · · · · |   |
| Vertical D   | epth(l               | <del>1</del> ) |   | -  |                                    | Pre   | ssure Taps  |   |                      |   | (Mete                    | r Run) (Pr                            | over) Size                                    |
| Pressure   | Buildu               | ıp:            | Shut in   | 3/10 20  | 15 at 1                            | 1:30 AM   | 1 (AM) (PM)   | Taken                                     |                      | 20  | at                       | (                                     | AM) (PM)                                      |
| Well on L  | ine:                 |                | Started   | 3/11 <sub>20</sub>   | 15 at 1                            | 2:30 PM   | (AM) (PM)   | Taken                                     | ,                    | 20  | <u>.:</u> at             |                                       |   |
| ·  |                      |                | -   |  | •                                  | OBSERV  | ED SURFAC   | E DATĄ                                    |                      |   | Duration of Shu          | ıt-in2                                | 5 Hours                                       |
| Static /<br>Dynamic<br>Property  | Orif<br>Siz<br>(inch | :e             | Circle one:<br>Meter<br>Prover Pressure         |  | Flowing<br>Temperature             | Well:Head<br>Temperatur                                   | l Wellhaad  | Pressure o                                | Wellhe               | Tubing<br>ead Pressure<br>or (P <sub>t</sub> ) or (P <sub>c</sub> ) | Duration (Hours)         | 1 5                                   | l Produced<br>Barrels)                        |
| Shut-lin   |                      |                | psig (Pm)                                       | Inches H <sub>2</sub> 0  |                                    | <u>'</u>  | psig<br>66  | psia                                      | psig                 | psia  | <del></del>              | <del></del>                           | <del> , , - </del>                            |
| Flow   |                      |                | -   |  | ···                                | <del></del>   |   | • •                                       | ,                    | · .   |                          |                                       |   |
| <del>- ,                                   </del>                                |                      |                |   | <del>-1 </del>   | 1                                  | FLOW ST   | REAM ATTR   | IBUTES                                    | •                    |   |                          |                                       |   |
| Plate<br>Coeffiect<br>(F' <sub>b</sub> ) (F<br>Mcfd                              | ient<br>,)           | Pro            | Circle one:<br>Meter or<br>ver Pressure<br>psia | Press Extension  P <sub>m</sub> x h  | Grav<br>Fac<br>F,                  | tor   | Flowing<br>Temperature<br>Factor<br>F <sub>11</sub> | Fa  | iation<br>ctor<br>pv | Metered Flow<br>R<br>(Mcfd)   | GOI<br>(Cubic I<br>Barre | Feet/                                 | Flowing<br>Fluid<br>Gravity<br>G <sub>m</sub> |
| <del></del>  |                      |                |   |  | <u>.</u>                           |   | · · · · · · · · · · · · · · · · · · ·               | <u> </u>                                  | ·                    | · ·   |                          | <del></del>                           |   |
| (P <sub>c</sub> ) <sup>2</sup> =   |                      | :              | (P <sub>w</sub> ) <sup>2</sup> =_               |  | (OPEN FL                           |   | VERABILITY<br>% (F                                  | ) CALCUL<br><sup>2</sup> , - 14.4) +      |                      | :   | (P                       | a) <sup>2</sup> = 0.20                | )7  |
| (P <sub>e</sub> ) <sup>2</sup> - (F<br>or<br>(P <sub>e</sub> ) <sup>2</sup> - (F | -                    | (F             |   | 1. P <sub>c</sub> <sup>2</sup> -P <sub>a</sub> <sup>2</sup> 2. P <sub>c</sub> <sup>2</sup> -P <sub>d</sub> <sup>2</sup>  | LOG of formula 1. or 2. and divide | <u> </u>  | Backpre<br>Slo                                      | ssure Curve<br>pe = "n"<br>- or<br>signed |                      | LOG   | Antilog                  | Ope<br>Deliv                          | en Flow<br>verability<br>R x Antilog          |
|  | a,                   |                | , di  | vided by: Pc-Pv  | , by:                              | P <sub>c</sub> <sup>2</sup> - P <sub>w</sub> <sup>2</sup> |   | ard Slope                                 |                      | <u> </u>  | •                        | (1                                    | Mcfd)   |
|  |                      |                | <del>- ;   -</del>                              | <u>,                                     </u>  | <del> </del> -                     |   |   |   | _                    |   |                          | _                                     |   |
| Onen Fler  |                      |                | <u> </u>  | Mcfd @ 14.6  | E pois                             |   | Deliverat   | . Illan                                   | <u> </u>             | <u>`</u>  | Mcfd @ 14.65 p           | ·                                     |   |
| Open Flor  |                      | ianos          | l sutherity on                                  | <u> </u>   | 7                                  | totos that  |   | -   | a maká t             | he above répor  |                          |                                       | adaa of                                       |
|  |                      | _              |   | d report is true   |                                    |   | •   | <b>'4</b>                                 | day of               |   | May                      |                                       | 20 <u>15</u> .                                |
|  |                      |                | Ÿ.  | *  |                                    | • •   |   |   | <b>Y</b>             |   |                          |                                       |   |
|  |                      |                | Witness (if a                                   | iny)   |                                    |   | ,   |   |                      | ForCo   | этралу                   |                                       |   |
|  |                      |                | For Commis                                      | sion   |                                    |   | - · ·   |   |                      | Check   | ked by                   | <del></del>                           | <del>·</del>                                  |

|                                   | der penalty of perjury under the laws of the state of Kansas that I am authorized to request der Rule K.A.R. 82-3-304 on behalf of the operator Foundation Energy Management, LLC   |
|-----------------------------------|---|
| and that the fore                 | going pressure information and statements contained on this application form are true and story of the statements of the statements are true and story of the statements are statements and lease records are statements. |
| of equipment ins<br>I hereby requ | allation and/or upon type of completion or upon use being made of the gas well herein named. lest a one-year exemption from open flow testing for the   |
| (Chec                             | is a coalbed methane producer is cycled on plunger lift due to water is a source of natural gas for injection into an oil reservoir undergoing ER is on vacuum at the present time; KCC approval Docket No                |
| -                                 | e to supply to the best of my ability any and all supporting documents deemed by Commission<br>y to corroborate this claim for exemption from testing.  |
| Date:5/-                          | <del>1/2015</del>   |
|                                   | Signature: Lickie Trather   |

Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption **IS** denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.