

15-119-00196-0000

ll

WELL PLUGGING RECORD

STATE OF KANSAS  
STATE CORPORATION COMMISSION  
Give All Information Completely  
Make Required Affidavit  
Mail or Deliver Report to:  
Conservation Division  
State Corporation Commission  
800 Bitting Building  
Wichita, Kansas

NORTH

Section Plat grid with 4 columns and 4 rows.

Locate well correctly on above Section Plat

Meade County. Sec. 30 Twp. 34 Rge. (E) 29 (W)  
Location as "NE/CNW/SW" or footage from lines C SE NW  
Lease Owner Columbian Fuel Corporation  
Lease Name H. G. Adams Well No. F-1  
Office Address P. O. Drawer 31, Liberal, Kansas  
Character of Well (completed as Oil, Gas or Dry Hole) Gas  
Date well completed February 9, 19 57  
Application for plugging filed June 14 19 61  
Application for plugging approved June 19 19 61  
Plugging commenced June 27 19 61  
Plugging completed July 17 19 61  
Reason for abandonment of well or producing formation  
Well Not Capable of Commercial Production  
If a producing well is abandoned, date of last production June 19 61  
Was permission obtained from the Conservation Division or its agents before plugging was commenced? Yes

Name of Conservation Agent who supervised plugging of this well Frank Broadfoot - St. John, Kansas  
Producing formation Morrow Depth to top 5886 Bottom 5901 Total Depth of Well 6925 Feet  
Show depth and thickness of all water, oil and gas formations. PBD 5929

OIL, GAS OR WATER RECORDS

CASING RECORD

Table with 7 columns: FORMATION, CONTENT, FROM, TO, SIZE, PUT IN, PULLED OUT. Row 1: 5-1/2", 5969', 2963'

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from feet to feet for each plug set.

Hole filled with sand to 5875'. Five (5) sacks cement placed at 5875-5835. Filled hole with mud to 600'. Set rock bridge. Ran 35 sacks cement and filled with mud to 30'. Set rock bridge. Filled with 15 sacks cement to top of hole.

RECEIVED  
STATE CORPORATION COMMISSION

JUL 27 1961

7-20-1961  
CONSERVATION DIVISION  
Wichita, Kansas

(If additional description is necessary, use BACK of this sheet)

Name of Plugging Contractor Barnes Pipe Pulling Company  
Address Russell, Kansas

STATE OF KANSAS, COUNTY OF SEWARD, ss.  
E. R. Gobble (employee of owner) or (owner or operator) of the above-described

well, being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.

(Signature) E. R. Gobble

P. O. Drawer 31, Liberal, Kansas (Address)

SUBSCRIBED AND SWORN to before me this 18th day of July, 19 61

Calvin Lindsey

Notary Public.

My commission expires November 5, 1962.

Kansas Corp. Comm.  
Frank Broadfoot  
United Producing  
R. A. Grady  
File



H. C. Adams 7-1  
 NW Section 30-34S-29W  
 Wacopa County, Kansas  
 Columbia Fuel Corporation

30-34-29W

Commenced: July 18, 1951  
 Completed: September 19, 1951

Surface Sand & Clay	0	625	Lime & Shale Cherty	4953	5028
Redbed	625	733	Chert, Lime & Shale	5028	5079
Redbed & Anhydrite	733	780	Lime & Shale	5079	5111
Redbed	780	895	Cherty Lime & Shale	5111	5164
Redbed & Shells	895	967	Lime & Shale Sandy	5164	5170
Redbed & Sand	967	1106	Lime & Shale	5170	5220
Redbed & Shells	1106	1180	Lime	5220	5223
Redbed, Shale, Shells & Gyp	1180	1260	Lime & Shale	5223	5275
Redbed, Lime & Gyp	1260	1302	Lime	5275	5278
Redbed, Gyp, Lime & Salt	1302	1332	Lime & Shale, Cherty	5278	5308
Redbed, Gyp & Salt	1332	1393	Lime & Shale	5308	5325
Redbed & Lime Shells	1393	1497	Lime & Shale, Cherty	5325	5336
Redbed, Gyp, Lime & Anhydrite/	1497	1522	Lime & Shale	5336	5361
Redbed, Shale, Gyp & Lime	1522	1572	Lime	5361	5373
Redbed, Shale & Lime	1572	1602	Lime & Shale	5373	5423
Shale & Lime	1602	1633	Cherty Lime & Shale	5423	5432
Anhydrite, Lime & Shale	1633	1719	Lime & Shale	5432	5508
Shale & Lime	1719	1756	Shale & Lime Shells	5508	5528
Shale, Lime & Salt	1756	1897	Shale & Lime	5528	5540
Shale & Lime	1897	2225	Shale	5540	5554
Lime, Shale & Anhydrite	2225	2375	Shale & Lime	5554	5896
Anhydrite, Lime, Shale & Salt	2375	2453	Shale	5836	5845
Lime, Anhydrite & Shale	2453	2484	Sand & Shale	5845	5855
Anhydrite, Shale & Chalky lime	2484	2497	Limey Sand & Shale	5855	5874
Lime, Anhydrite & Shale	2497	2654	Lime & Shale	5874	5914
Lime & Chert	2654	2679	Shale	5914	5923
Cherty Lime & Shale	2679	2729	Shale, Sand & Chert	5923	5941
Lime & Shale	2729	3055	Shale & Sand	5941	5956
Lime & Chert	3055	3124	Sand	5956	5959
Lime	3124	3141	Lime & Shale Sandy	5959	5982
Lime, Cherty	3141	3152	Shale & Lime	5982	6226
Lime & Shale	3152	3160	Lime & Shale, Sandy	6226	6289
Cherty Lime & Shale	3160	3166	Lime & Shale	6289	6300
Lime	3166	3282	TOTAL DEPTH	6300	
Lime & Shale	3282	3561			
Sandy Lime	3561	3586			
Lime & Shale	3586	3600			
Soft Lime	3600	3612			
Lime & Shale	3612	3619			
Sandy porous Lime & Chalky	3619	3626			
Lime	3626	3673			
Lime & Shale	3673	3824			
Shale	3824	4020			
Shale & Lime	4020	4056			
Shale	4056	4119			
Shale & Lime	4119	4464			
Eocene Sandy Shale	4464	4495			
Lime	4495	4545			
Lime & Shale	4545	4928			
Cherty Lime & Shale	4928	4953			

CASING RECORD

Set 13-3/8" Casing 669' with 500 sacks  
 Set 9-5/8" Casing @ 2600' with 1000 sacks

**RECEIVED**  
 STATE CORPORATION COMMISSION  
 AUG 25 1961  
 CONSERVATION DIVISION  
 Wichita, Kansas