

Id: X 1 100117
STATE CORPORATION COMMISSION
Wichita State Office Bldg. - PLUGGING SECTION
130 S. Market, Room 2078
Wichita, KS 67202

15-129-10016-0000
API NUMBER 15- Spud date 1/25/56
C NE, SEC. 26, T 32 S, R 42 W/X
3960 feet from S section line
1320 feet from E section line
Lease Hold Withroder Well # 1

TECHNICIAN'S PLUGGING REPORT
Operator License # 3871
Operator: Hugoton Energy Corporation
Name
Address 301 N. Main, Ste. 1900
Wichita, KS 67202

County Morton
Well Total Depth 3360 feet
Conductor Pipe: Size feet
Surface Casing: Size 10 3/4 feet 651

Abandoned Oil Well Gas Well Input Well SWO Well O&A
Other well as hereinafter indicated
Plugging Contractor Allied Cementing License Number
Address

Company to plug at: Hour: 2:45 p.m. Day: 15 Month: 4 Year: 19 97
Plugging proposal received from Joe Brougher

(company name) Hugoton Energy Corporation (phone) 316-287-3811
Size: 7" at 3359' w/250 sx cement, PSTD 3318', Perfs at 2822-3295' (15 sets) Stage collar at 1241' w/400 sx cmt
1st plug pump 10 sx hulls, 150 sx cement, gel spacer to 1240' and 200 sx cement.
Check backside.

Plugging Proposal Received by Steve Middleton
(TECHNICIAN)

Plugging Operations attended by Agent?: All Part None
Operations Completed: Hour: 4:20 p.m. Day: 15 Month: 4 Year: 19 97

ACTUAL PLUGGING REPORT 1st plug pumped 10 sx hulls with 150 sx cement and displaced to 1240' with 10 sx gel followed by 225 sx cement. Pressured to 100 psi. Cement level at surface.
2nd plug pumped 20 sx cement down 8 5/8". Pressured to 300 psi.

Remarks: Used 65/35 Pozmix 6% gel by Allied. No casing recovery.
(If additional description is necessary, use BACK of this form.)

I (did / ~~did not~~) observe this plugging.

Signed Gary Winter
(TECHNICIAN)

RECEIVED
KANSAS CORP COM
1997 APR 28 PM 1:31

ATTACHMENT TO PLUGGING REPORT ON:

WITHRODER #1, C NE 26-32S-42W, MORTON COUNTY

ORIGINALLY PLUGGED ON 4/15/97. CEMENT FELL, TAGGED CEMENT AT 2345'.

LOADED HOLE WITH GEL AND PULLED TUBING TO 1050', CIRCULATED CEMENT TO SURFACE WITH 150 SX.

PULLED TUBING AND TOPPED OFF WITH 5 SX CEMENT. HELD.

USED 65/35 POXMIS 6% GEL BY ALLIED.

START TIME 9 A.M. AND COMP. TIME 3 P.M. ON 4/22/97.

JANICE MARTIN
AMENDED
plugging report
see attachment

RECEIVED
KANSAS CORP COMM
1997 APR 28 P 1:31

To: 1 100117
STATE CORPORATION COMMISSION
Wichita State Office Bldg. - PLUGGING SECTION
130 S. Market, Room 2078
Wichita, KS 67202

4-15

API NUMBER 15 - Spud date 1/25/56

15-129-10016-0000 J

C NE, SEC. 26, T 32 S, R 42 W/X

3960 feet from S section line

1320 feet from E section line

TECHNICIAN'S PLUGGING REPORT

Operator License # 3871

Lease Name Withroder Well # 1

Operator: Hugoton Energy Corporation

County Morton 109.20

Name & Address 301 N. Main, Ste. 1900

Well Total Depth 3360 feet

Wichita, KS 67202

Conductor Pipe: Size _____ feet

Surface Casing: Size 10 3/4 feet 651

Abandoned Oil Well _____ Gas Well Input Well _____ SWD Well _____ D&A _____

Other well as hereinafter indicated _____

Plugging Contractor Allied Cementing License Number _____

Address _____

Company to plug at: Hour: 2:45 p.m. Day: 15 Month: 4 Year: 19 97

Plugging proposal received from Joe Brougher

(company name) Hugoton Energy Corporation (phone) 316-287-3811

were: 7" at 3359' w/250 sx cement, PBD 3318', Perfs at 2822-3295' (15 sets) Stage collar at 1240' w/400 sx cmt.

1st plug pump 10 sx hulls, 150 sx cement, gel spacer to 1240' and 200 sx cement.

Check backside.

RECEIVED
KANSAS CORP COM
APR 22 AM 11:17

Plugging Proposal Received by Steve Middleton
(TECHNICIAN)

Plugging Operations attended by Agent?: All Part _____ None _____

Operations Completed: Hour: 4:20 p.m. Day: 15 Month: 4 Year: 19 97

ACTUAL PLUGGING REPORT 1st plug pumped 10 sx hulls with 150 sx cement and displaced to 1240' with 10 sx gel followed by 225 sx cement. Pressured to 100 psi. Cement level at surface.

2nd plug pumped 20 sx cement down 8 5/8". Pressured to 300 psi.

Remarks: Used 65/35 Pozmix 6% gel by Allied. No casing recovery.
(If additional description is necessary, use BACK of this form.)

INVOICED observe this plugging.

DATE 4-24-97

Signed Gary Winter
(TECHNICIAN)

INV. NO. 48006
4-15