STATE OF KANSAS STATE CORPORATION COMMISSION

Give All Information Completely Ма

WELL PLUGGING RECORD

Make Required Affidavit		Kingmen				ogs Rge. 6W E/W					
Mail or Deliver Report to	Locatio			or foota	ge from li	nes					
Conservation Division			1/2 - N								
State Corporation Comm.				illing Co.							
245 North Water	Lease N	ame 20	ith 5 Literia	ן הגום	TO N Mark	ell No. A-1 et, Wichita, Ks.67202					
Wichita, KS 67202											
	Character of Well (Completed as Oil, Gas or Dry Hole)										
·		Date Well completed 9-25 . 19 81									
	Applica	Application for plugging filed 10-20 19 81									
		Application for plugging approved 11-5 19 81									
1		Plugging commenced 11-7 19 8									
1 ! [; }		Plugging completed 11-23 19 8 Reason for abandonment of well or producing formation									
	Reason				producing	formation					
	Tf a pr	oducing w	Not Proceeds is a	fuctive	date of	last production					
	سنو مه شد	Odderne	GTT TO -	Danuonee,	Uato	19					
	Was per	mission o	htained	from the	Conservat:	ion Division or					
Locale well correctly on above Section Plat				ing was com							
Name of Conservation Agent who						IES					
Producing formation	Dep	th to top	Вс	ottom		oth of Well 4531					
Show depth and thickness of al					_						
•		-									
OIL, GAS OR WATER RECORDS		·	·			CASING RECORD					
FORMATION	CONTENT	. FROM	то	SIZE	או זטין	. PULLED OUT					
FORMETA		1		8 5/8	208	None					
			 	4 1/2	4272	3120					
,			 		T.,	0120					
			 	<u> </u>							
Describe in detail the mann			1								
was placed and the method or m			_		inora, a.						
plugs were used, state the cha feet for each pl	aracter of sa		_		RE	ECEIVED to DRATION COMMISSIAN					
plugs were used, state the cha	aracter of sa		_		STATE CORP	CEIVÉO to					
plugs were used, state the chafeet for each pl Sand from 4237 to 4100 4 sacks cement 4100 to	aracter of sa	ime and de	pth plac		STATE CORPO	CEIVED to DRATION COMMISSION COMI					
feet for each pl Sand from 4237 to 4100	aracter of sa	ime and de	_		STATE CORPO	CEIVED to					
plugs were used, state the chafeet for each pl Sand from 4237 to 4100 4 sacks cement 4100 to	aracter of sa lug set. 4068	ame and department an	pth plac	ks gel	STATE CORPORATE CONSER	CEIVED to DRATION COMMISSION					
plugs were used, state the cha feet for each pl Sand from 4237 to 4100 4 sacks cement 4100 to Ripped at 3700 3580 Allied pump in 15 sacks	aracter of sa lug set	3340 cks hull	3120	ced, from_	STATE CORPO	CEIVED to DRATION COMMISSION WATION DIVISION Chita. Kansas					
plugs were used, state the chafeet for each pl Sand from 4237 to 4100 4 sacks cement 4100 to Ripped at 3700 3580	aracter of sa lug set	ame and department an	3120	ced, from_	STATE CORPO	CEIVED to DRATION COMMISSION WATION DIVISION Chita. Kansas					
plugs were used, state the cha feet for each pl Sand from 4237 to 4100 4 sacks cement 4100 to Ripped at 3700 3580 Allied pump in 15 sacks	aracter of sa lug set	3340 cks hull	3120	ks gel	STATE CORPO	CEIVED to DRATION COMMISSION NATION DIVISION Chita. Kansas					
Sand from 4237 to 4100 4 sacks cement 4100 to Ripped at 3700 3580 Allied pump in 15 sacks 125 sacks common cement	aracter of sa lug set	3340 cks hull	3120	ks gel RECE STATE CORPORA BACKNEC	CONSER WIGHT COMMINGENT TO N COMMINGENT TO 1 S S beet	CEIVED to DRATION COMMISSION C = 1 198; EVATION DIVISION Chita. Kansas					
plugs were used, state the chafeet for each pl Sand from 4237 to 4100 4 sacks cement 4100 to Ripped at 3700 3580 Allied pump in 15 sacks 125 sacks common cement (If additional	aracter of salug set. 4068 3460 gel - 6 sace 2% gel 3% description	3340 cks hull c.c.	3120	ks gel RECE STATE CORPORA BACKNEC	CONSER WIGHT COMMINGENT TO N COMMINGENT TO 1 S S beet	CEIVED to DRATION COMMISSION C = 1 198; EVATION DIVISION Chita. Kansas					
Sand from 4237 to 4100 4 sacks cement 4100 to Ripped at 3700 3580 Allied pump in 15 sacks 125 sacks common cement	aracter of salug set. 4068 3460 gel - 6 sace 2% gel 3% description	3340 cks hull c.c.	3120	ks gel RECE STATE CORPORA B BACK DEC	CONSERVICE COMPANIES OF THE STATE CORPORATION COMMINGENT THE STATE OF	CEIVED to DRATION COMMISSION COMM					
plugs were used, state the chafeet for each pl Sand from 4237 to 4100 4 sacks cement 4100 to Ripped at 3700 3580 Allied pump in 15 sacks 125 sacks common cement (If additional	aracter of salug set. 4068 3460 gel - 6 sace 2% gel 3% description	3340 cks hull c.c.	3120	ks gel RECE STATE CORPORA B BACK DEC	STATE CORPORATE CONSER	CEIVED to DRATION COMMISSION COMM					
plugs were used, state the chafeet for each pl Sand from 4237 to 4100 4 sacks cement 4100 to Ripped at 3700 3580 Allied pump in 15 sacks 125 sacks common cement (If additional	aracter of salug set. 4068 3460 gel - 6 sace 2% gel 3% description Clarke Corpor	3340 cks hull c.c.	3120	ks gel RECE STATE CORPORA B BACK DEC	CONSER WID COMMINGENT TO 1 S S S S S S S S S S S S S S S S S S	CEIVED to DRATION COMMISSION COMM					
Sand from 4237 to 4100 4 sacks cement 4100 to Ripped at 3700 3580 Allied pump in 15 sacks 125 sacks common cement (If additional Name of Plugging Contractor STATE OF August Manage R. W.	aracter of salug set. 4068 3460 3egl - 6 sace 2% gel 3% description Clarke Corporation Clarke Corporation	3340 cks hull c.c. is necessiration	3120 10 sach	ks gel RECE STATE CORPORA BACKDEC CONSERV Wick Carly yee of own	CONSER WICE TION COMMISSION TO IN Sheet NATION DIVISION THE RAISES THE CORPORATION OF (O)	CEIVED ORATION COMMISSION ONATION DIVISION Chita. Kansas t) N ss. wher or operator)					
Sand from 4237 to 4100 4 sacks cement 4100 to Ripped at 3700 3580 Allied pump in 15 sacks 125 sacks common cement (If additional Name of Plugging Contractor STATE OF STATE OF August of the above-described well, be	aracter of salug set. 4068 3460 3egl - 6 sac 2% gel 3% description Clarke Corpor	3340 cks hull c.c. is necessiration TY OF LIMIN LIVE SWOTN	3120 10 saci	ks gel RECE STATE CORPORA BACK DEC CONSERV Wich Carlow yee of own says: T	CONSER WIGHT TON COMMINGENT Sheet I have	CEIVED ORATION COMMISSION ONATION DIVISION Chita. Kansas t) N ss. where or operator) e knowledge of					
Sand from 4237 to 4100 4 sacks cement 4100 to Ripped at 3700 3580 Allied pump in 15 sacks 125 sacks common cement (If additional Name of Plugging Contractor STATE OF STATE OF August of the above-described well, be the facts, statements, and matter	aracter of salug set. 4068 3460 3460 2% gel - 6 sad Clarke Corpor COUNT	3340 cks hull c.c. is necessivation TY OF uly sworn contained	3120 10 saci	ks gel RECE TATE CORPORA BACK DEC CONSERV With Jacker yee of own , says: The says: The says of	CONSER WIGHT TON COMMINGENT Sheet I have	CEIVED ORATION COMMISSION ONATION DIVISION Chita. Kansas t) N ss. where or operator) e knowledge of					
Sand from 4237 to 4100 4 sacks cement 4100 to Ripped at 3700 3580 Allied pump in 15 sacks 125 sacks common cement (If additional Name of Plugging Contractor STATE OF STATE OF August of the above-described well, be	aracter of salug set. 4068 3460 3460 2% gel - 6 sad Clarke Corpor COUNT	3340 cks hull c.c. is necessivation TY OF uly sworn contained	3120 10 saci	ks gel RECE TATE CORPORA BACK DEC CONSERV With Jacker yee of own , says: The says: The says of	CONSER WIGHT TON COMMINGENT Sheet I have	CEIVED ORATION COMMISSION ONATION DIVISION Chita. Kansas t) N ss. where or operator) e knowledge of					
Sand from 4237 to 4100 4 sacks cement 4100 to Ripped at 3700 3580 Allied pump in 15 sacks 125 sacks common cement (If additional Name of Plugging Contractor STATE OF STATE OF August of the above-described well, be the facts, statements, and matter	aracter of salug set. 4068 3460 3460 2% gel - 6 sad 2% gel 3% description Clarke Corpor COUNT Coun	3340 cks hull c.c. is necessivation TY OF uly sworn contained rrect. So	3120 10 saci	ks gel RECE TATE CORPORA BACK DEC CONSERV With Jacker yee of own , says: The says: The says of	CONSER WIGHT TON COMMINGENT Sheet I have	CEIVED ORATION COMMISSION ONATION DIVISION Chita. Kansas t) N ss. where or operator) e knowledge of					
Sand from 4237 to 4100 4 sacks cement 4100 to Ripped at 3700 3580 Allied pump in 15 sacks 125 sacks common cement (If additional Name of Plugging Contractor STATE OF STATE OF August of the above-described well, be the facts, statements, and mathas filed and that the same are	aracter of salug set. 4068 3460 3460 2% gel - 6 sad 2% gel 3% description Clarke Corpor COUNT Coun	3340 cks hull c.c. is necessivation TY OF uly sworn contained	3120 10 saci	ks gel RECE TATE CORPORA BACK DEC CONSERV With Jacker yee of own , says: The says: The says of	CONSER WIGHT TON COMMINGENT Sheet I have	CEIVED ORATION COMMISSION ONATION DIVISION Chita. Kansas t) N ss. where or operator) e knowledge of					
Sand from 4237 to 4100 4 sacks cement 4100 to Ripped at 3700 3580 Allied pump in 15 sacks 125 sacks common cement (If additional Name of Plugging Contractor STATE OF STATE OF August of the above-described well, be the facts, statements, and matter	aracter of salug set. 4068 3460 3460 2% gel - 6 sad 2% gel 3% description Clarke Corpor COUNT Coun	3340 cks hull c.c. is necessivation TY OF uly sworn contained rrect. So	3120 10 saci	ks gel RECE TATE CORPORA BACK DEC CONSERV With Jacker yee of own , says: The says: The says of	CONSER WIGHT COMMINENT TION COMMINENT Sheet TATION DIVISION THE AMERICAN COMMINENT SHEET OF COMMINENT SHEET SHE	CEIVED ORATION COMMISSION OVATION DIVISION Chita. Kansas t) N ss. where or operator) e knowledge of					
Sand from 4237 to 4100 4 sacks cement 4100 to Ripped at 3700 3580 Allied pump in 15 sacks 125 sacks common cement (If additional Name of Plugging Contractor STATE OF STATE OF August of the above-described well, be the facts, statements, and mathas filed and that the same are	description Clarke Corpor COUNT Cou	3340 cks hull c.c. is necessivation TY OF uly sworn contained rect. So	3120 10 saci	RECE STATE CORPORAL WICK BACK DESC WICK CONSERV GONSERV Yee of own , says: Tog of the God.	CONSER WIGHT TON COMMINGENT Sheet I have	CEIVED ORATION COMMISSION ONATION DIVISION Chita. Kansas t) N ss. where or operator) e knowledge of					
Sand from 4237 to 4100 4 sacks cement 4100 to Ripped at 3700 3580 Allied pump in 15 sacks T25 sacks common cement (If additional Name of Plugging Contractor STATE OF of the above-described well, be the facts, statements, and mattas filed and that the same are	description Clarke Corpor COUNT Cou	3340 cks hull c.c. is necessivation TY OF uly sworn contained rect. So	3120 10 sach ary, use (employon oath and the phelp monophele)	RECE STATE CORPORAL WICK BACK DESC WICK CONSERV GONSERV Yee of own , says: Tog of the God.	CONSER WIGHT COMMINENT TION COMMINENT Sheet TATION DIVISION THE AMERICAN COMMINENT SHEET OF COMMINENT SHEET SHE	CEIVED ORATION COMMISSION ONATION DIVISION Control Control Control Control Con					
Sand from 4237 to 4100 4 sacks cement 4100 to Ripped at 3700 3580 Allied pump in 15 sacks T25 sacks common cement (If additional Name of Plugging Contractor STATE OF STA	description Clarke Corpor COUNT Cou	3340 cks hull c.c. is necessiration TY OF uly sworn contained rrect. So nature)	3120 10 sach ary, use (employon oath and the phelp monophele)	RECE STATE CORPORAL WICK BACK DESC WICK CONSERV GONSERV Yee of own , says: Tog of the God.	CONSER WIGHT STATE CORPORATE CORPORA	CEIVED ORATION COMMISSION ONATION DIVISION Chita. Kansas t) N ss. where or operator) e knowledge of					

BAKER OIL TOOLS, INC. SERVING THE WORLD

DATE 10-	19	<u>- 8</u>	3]	WE	ш	NO) <u> </u>		1				LEA	VIN	<u>.</u>	3	. " ပ	14	1	-11	A	<u>"</u>	FI	ELD	_	7	<u>\ </u>	5 .2	9	<u>a </u>	و,	
311 %	 1.		,	· -	i -		· -		····	·			, -			, -	·								, —	<u>.</u>	, - -		ŋ -		, -	
		1	-	٠, ,	<u> </u>		<u>.</u>	<u> </u>		<u> </u>		<u> </u>		<u> </u>		<u></u>		i ent			! ;	-	,	-	 	-	┼	ļ	-	<u> </u>	-	
] ;	<u> </u>	<u> </u>	ļ		ļ.,,			<u> </u>	<u> </u>	1	ļ		<u> </u>	-	-	:- r	1			<u> </u> -	<u> </u>	<u> </u>	<u> </u>	<u> -</u>	-	 	↓	· ;	!	-	+
	IJ.,	<u> </u>	ļ. '*	ļ	<u> </u>	<u> </u>	<u> </u>		<u> </u>	1 .	<u> </u>	<u> </u>	<u> · ^ ,</u>	2 200	<u> </u>	1.5	41,		· -		-	_		<u> </u>	<u> </u>		↓_	 	 	i T	<u> </u>	+
		<u> </u>			<u> </u>	<u> </u>	<u> </u>	_		<u> </u>	_			1		·	,, <u>-</u>			<u> </u>			_	<u> </u>	ļ	1	 	ـــــ	 	ļ	<u>ļ.</u>	Ļ
	· ·		ŀ	<u> </u>			<u> </u>	<u> </u>	Ŀ	<u> </u>			7	<i>i</i>	01.	1950	-4.7	Ŀ	٠,			<u> </u>			<u> </u>	_	<u> </u>	<u> </u>	<u> </u>		-	1
		<u> </u>	<u> </u>	Ĺ	<u> </u>				<u> </u>	_	<u> </u>	_					<u> </u>			<u> </u>	<u> </u>	L.,			<u> </u>	_	乚	1_	1	<u> </u>	<u> </u>	ŀ
		L.	ļ						<u> </u>	Ļ			Ĺ			<u> </u>				Ŀ	_		<u> </u>	<u> </u>	<u> </u>	_	1 -	-	ـــــ	<u> </u>	<u>!</u>	ļ
											<u> </u>						L					<u> </u>		<u>.</u>	<u> -</u>		<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	Ì.
•									2	<u> </u> 11 1	4	/ \			· 	-	Ŀ	-		·	_		<u> </u>		<u> </u>			_	_	<u> </u>	<u> </u>	
' .	-		۷,	8]	٥a	32	٤	5 7	8		//	15	2	X			,						<u>i</u>	<u> </u>		<u> </u>		L	j	ļ	_
12 ,	•				•	Γ		ĺ			Π									,		١.										1
	,	_																				,		<u> </u>	Γ		1		1	ĺ	1	T
	,	<u> </u>	,	-				ļ -]							,			· _			L_					
	4.3		2.		٠	- 2					-			_	`.						,	12.	.:	· .		,			-		Ī.	T
		١,	3.	,-				1									-		-	7 %		7	27		:	. "		Π		i		T
							1		Ι.		1							į							1		5					T
	٠,		٠.	٠.											ef.	<u> </u>		٠,٠,			۲.		; -	1 -							Ì	T
			1	-		T .		-			Γ			•				,	. "						1	Γ	7.	ļ	T.	Π.	1	Τ
	₹.				1			1	. ,			٠,			•	:	<u>,</u> ;	. 7		- 1		;				·.	- 5	3,			1	T.
	-			\Box				<u> </u>	T	٠.		E ·		:;	198	ال عام		- y	.,,,,,,	× 1-5	٠٤''	.:			n.			3-	· ·	; 2		T
			\vdash		 	_		_	Τ,	1	·	-	,	٠.٧	. 7	, ,			; ,, 4		,				3.			١.,	\vdash	•.,		t
	١.	\vdash		·	 			·	: - '			17		, .					-			6	27			1	Z	57	7		-	†
	١.,		1.5			j, 2	7.	100	7	1	3			1.0								.5		- 3	1,1	-				-		t
		, i.		1,2° -	999	, i			1				-				-	,	-1.	*	1	7.	3 (1	К.	17	72	1			 	t
	- 3	<u> </u>	1.	,	1 3		1.5		-	·										- 1				ii		1	.3	i	<u> </u>		-	t
	``	\vdash	-	V = 1		۲۰	-		-	<u> </u>	1	 - 			*		+		-;-	-	_				·		ئىنى ئىر :		-	-	 	t
		H		1			-	╁─		+	-	 	,		•				\neg						124			3.7	H		 	t
	1,	-	 - -	38	0) —	E3		w	14	E	D		10	6	0	4	C	بلان	10	*					, 1	, ;;	1 3 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1				t
$\langle \cdot \cdot \cdot \cdot $	//	,					-		_		=	_		^			n				1	•	ı		7.	6	- <u>-</u> -1	***	1.5	~ .	•	1
$\mathcal{M}^{\mathcal{C}_{n-1}}$	1						-	-	-			-	. :	ر .	_										-	-				*		t
('[ر/ا		-	-	┝╌	1	<u> </u>	 	 						- 2		3.7	1,	-		,			_			-			. •	-	+
<u>)</u>			-				┢	-		<u> </u>	\vdash	-		_		m	. 1-		-	٠			٠,		 	-	-	7		1 1	.,:-	15-
\mathcal{N}	! //		 				•	 -	<u> </u>	٦	. , 3			.,.	3.4 .6			.	-	7,		7	,-			7	۲.		35	ī	1	1
赤 「	<u> </u>		_			٠ :		`	-			-		,			7.4	2 -j	72.	, 3° 5.	Ç Ç	100	, A.,				٠,,.			رز	Sq. yes	ş
\ ‡	F	سريا	-	12	 [, e	}- }-(0 3	-	M	1-5	S	۷- و	*****	75-) –			-		S.J.		. 1.2		13.4	i	7	2				- C
		\vdash	-	40.	7,5	1 1			7.	13.		1		+ " / + + " * "	7. *	4.		129 1 ₄ 1	3.		, 2 ()			· · ·				77.	/ _).	10.	F
) van	1		-9 4-	750	<i>21 -</i>		\vdash			-					ŢĠ.	· · ·		-		╌┤	-			514	115	175	5118		N C	DAMA	ii Cd	10
المستحسب	_	4	2	3-	ζ-	P	37	ק ק	-(حاأ	09	90	~		F. 7.	15	11.	*** . <u></u>	4.7		4.00	4.	*	200	1979 1971 1981 1981		, 		7 7	120	2 (V) (1) (2)	
			***	,^ ₊		1		, ;	. ·	1-5,	. \		á 18 v	- 	٠,١		٠,٠		-	5.	3. T	4	V	7	3, 34	: () : ()	**			3	1.7	7
1111			7	-	: X		3,	4.5	3	200							<u>ي</u> و		:		-				CO	ĪŠĒ	₹V	TIO	ΝĎ	VIS	ΙΟÑ	-
	1/ .	1	4	44,	1		20		4		3	-	~	11	3 (Ψ/				*			, ,, ;	· 4	1 - 6	.,VV	Gnij	a, k	âß	as	24	H
5			+2	7	2	-14	9-2	R.	4	سدر		D.	حد				1-18)	Ş	<u>- </u>		\$	- 22.5			4 4	4.75	NACK 1				÷
> 建氯镍基图	?- }	1		~ %				-		+	7- 1	3	∵ <u>,</u>	<u>.,</u>	7		12	· [-:.	+	Control of the contro	1 2		z -				• 1		\vdash
7:是不是是	. }		ig ist Ta	1		31.00		72-1	2.7	19.	600) 5 65	ة. ئەتىرى	, ,	Ţ.,	1		" اخر	A:	_	. X	+	اخ	1 /		3.0	:. :: ::	ا مو	(; 5) Ł (jg)		.50 .50	4 2 4 2	120
72000 - 4 15 15 15 15 15 15 15 15 15 15 15 15 15	٠ ٠		13.5	23	94 (4) 3-3-3-3	39VS 1544	1		13.	1 2	1,404	7	2	1200	٠,:	17.				- (# 4) - J		7 P	न्द्र- प्_ी	<u>의</u> 기	- 7	÷.		2	25.00	** 	3. ° \$1.85	
The second second			3 '	ا م!				1	- 1	- !: <u>'</u>	* 19		191	٠. ١	· · .	of size	1.44	*	1	`` <u></u>	< △,	- 4	-, 1	r in S				***	44.	- 1	-C. p.	40
<u>La ma</u>	┛.	_	4	5:	5 (K	1	$oldsymbol{D}_{-}$: 15-		41. A	í.	3.7.9	, č7.	, *			·	", · · · ·	- "			~,5	V	27		ere L	th	الرام اليام		1,3

ROTARY DRILLING

COMPANY:

Pickrell Drilling Company

Rotary Drilling Commenced 9-14-81

205 Litwin Building, 110 North Market

Rotary Drilling Completed 9-25-81

LOCATION:

Wichita, Kansas 67202 #1 Ruth 'A'

W/2 NW SW, Sec. 27-29S-6W Kingman County, Kansas

CONTRACTOR: .

PICKRELL DRILLING COMPANY

Wichita, Kansas

CASING RECORD:

Surface pipe-8 5/8" at 208' w/175 sx.

Production csg-4 1/2" at 4272' w/110 sx.

beed 2 field com

LOG

(Figures indicate bottom of formation - measurements from top of rotary bushing.)

Top Soll & Sand		·TÔ
Redrock		217
Red Bed & Shale		750
Shale		1365
Shale & Lime		2025
Lime & Shale		2270
Shale & Lime		2500
Lime & Shale		2990
Shale & Lime		3245
Lime & Shale	;	3522
Shale & Lime		3645
Lime & Shale		3716
Shale		3750
Lime & Shale		3793
Lime		4023
Lime & Shale		4143
Shale		4165
Shale & Lime		4307
Lime		4537

RECEIVED STATE CORPORATION COMMISSION

CONSERVATION DIVISION Wichita, Kansas

The undersigned, David H. Tripp	, Attorney-in-Fact for PICKRELL DRILLING COMPANY,
hereby certifies in behalf of said Company, that the	above is a true and correct log of the formation encountered in drilling
the above well as reflected by the Daily Drilling Repo	orts.
•	PICKRELL DRILLING COMPANY
·	By David H. Tripp Attorney in-Fact David H. Tripp
STATE OF KANSAS	Attorney-In-Fact David H. Tripp
COUNTY OF SEDGWICK ss.:	
On this 20th day of October	, 19_81, before me the undersigned, a Notary Public, in and for
the County and State aforesaid, personally appeared	David H. Tripp, to me known to
be the identical person who subscribed the name of P Attorney-in-Fact and acknowledged to me that he ex	secuted the same as his free and voluntary act and deed, and as the free
and voluntary act and deed of such company, for the	uses and purposes therein set iorth.

Given under my hand and seal of office the day and year last above written.

My commission expires:

Decemb dang J.F1982!NEWEIS Sengwick County, Kansas

Notary Public Jana Lea Schneweis