

STATE OF KANSAS
STATE CORPORATION COMMISSION
Give All Information Completely
Make Required Affidavit
Mail or Deliver Report to:
Conservation Division
State Corporation Commission
800 Biting Building
Wichita, Kansas

WELL PLUGGING RECORD

NORTH

Locate well correctly on above
Section Plat

Harper County. Sec. 3 Twp. 35S Rge. 7 (E) W (W)
Location as "NE/CNW/SW" or footage from lines NE/4 NE/4 SE/4
Lease Owner C. H. Nicholson
Lease Name Burchfiel Well No. 1
Office Address 409 McFarlin Bldg., Tulsa, Oklahoma
Character of Well (completed as Oil, Gas or Dry Hole) Dry hole
Date well completed May 26 19 56
Application for plugging filed May 26 19 56
Application for plugging approved May 26 19 56
Plugging commenced May 26 19 56
Plugging completed May 26 19 56
Reason for abandonment of well or producing formation Dry hole

If a producing well is abandoned, date of last production ---- 19
Was permission obtained from the Conservation Division or its agents before plugging was commenced? Yes

Name of Conservation Agent who supervised plugging of this well Mr. Brundage
Producing formation none Depth to top --- Bottom ----- Total Depth of Well 5612 Feet
Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS

CASING RECORD

FORMATION	CONTENT	FROM	TO	SIZE	PUT IN	PULLED OUT
Simpson sandstone	water	5350	5445	10 3/4	133'	none

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from ---- feet to ---- feet for each plug set.

The hole was filled to 140' at which point a plug, consisting of 1/3 sack of hulls, a good plug, and 20 sacks of cement was set. The hole was filled to 25' with heavy mud, at which point 1/3 sack of hulls, a good plug, and 10 sacks of cement were set. Top of the cement is 5' below ground level.

(If additional description is necessary, use BACK of this sheet)
Name of Plugging Contractor Davis and Wharton Drilling Company
Address Oklahoma City, Okla.

STATE OF Oklahoma, COUNTY OF Tulsa, ss.
I, Howard E. Marlow (employee of owner) or (owner or operator) of the above-described well, being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.

(Signature) Howard E. Marlow
409 McFarlin Bldg., Tulsa, Oklahoma
(Address)

SUBSCRIBED AND SWORN TO before me this 29th day of May, 19 56

My commission expires

JUN 14, 1959

Wm H. Cozart

Notary Public.

PLUGGING
FILE SEC 3 T 35 R 7 W
BOOK PAGE 66 LINE 13

JUN 11 1956 7-1-56

CONSERVATION DIVISION
Wichita, Kansas

Well Record

Well No. 1 Burchfiel
NE/4 NE/4 SE/4 Sec. 3-35S-7W
Harper County, Kansas

Well Commenced 4/24/56
Drilling Commenced 4/24/56
Drilling Completed 5/26/56
Well Completed 5/26/56

Casing Record

133' of 10 3/4" OD Surface Pipe
cemented with 125 sacks.

No Oil String - Dry Hole

<u>Well Log</u>	
Red beds	0 - 1030
Anhydrite and shale	1030 - 1580
Shale	1580 - 1900
Lime	1900 - 2340
Lime and shale	2340 - 2375
Sand	2375 - 2390
Shale	2390 - 2440
Lime	2440 - 2455
Shale and lime streaks	2455 - 2640
Lime	2640 - 2920
Shale	2920 - 3110
Lime	3110 - 3380
Sand	3380 - 3430
Shale	3430 - 3515
Sand	3515 - 3530
Lime	3530 - 3550
Shale	3550 - 3600
Lime	3600 - 3640
Shale	3640 - 3880
Sand	3880 - 3940
Shale	3940 - 4170
Sand	4170 - 4190
Lime	4190 - 4220
Shale	4220 - 4240
Lime	4240 - 4290
Shale	4290 - 4310
Lime	4310 - 4380
Shale	4380 - 4405
Lime	4405 - 4420
Shale	4420 - 4450
Lime	4450 - 4635
Shale	4635 - 4795
Lime and chert	4795 - 4845
Lime	4845 - 4950
Lime and chert	4950 - 5000
Lime	5000 - 5040
Chert	5040 - 5110
Lime	5110 - 5260

RECORDED
STATE OF KANSAS
JUN 1 1956
CONSERVATION DIVISION
Wichita, Kansas

7-1-56
PLUGGING
FILE SEC 3 T 35 R 7W
BOOK PAGE 66 LINE 13

Well Log - #1 Burchfiel - Harper County, Kansas - Page 2

Shale	5260 - 5280
Brown shale	5280 - 5290
Lime	5290 - 5300
Dolomite	5300 - 5310
Lime	5310 - 5350
Sand	5350 - 5450
Sand and shale	5450 - 5525
Sand	5525 - 5555
Lime and dolomite	5555 - 5610

PLUGGING

FILE SEC. 3 T 35 R 7W
BOOK PAGE 66 LINE 13