

15-191-01531-0000

STATE OF KANSAS
STATE CORPORATION COMMISSION

WELL PLUGGING RECORD

Give All Information Completely
Make Required Affidavit
Mail or Deliver Report to:
Conservation Division
State Corporation Commission
800 Bitting Building
Wichita, Kansas

Sumner County. Sec. 9 Twp. 35S Rge. 3W (E) (W)

Location as "NE/CNW/SW" or footage from lines NW NW SW

Lease Owner The Texas Company

Lease Name E. D. Luder "B" Well No. 1

Office Address 614 Bitting Building - Wichita, Kansas

Character of Well (completed as Oil, Gas or Dry Hole) Dry

Date well completed July 29, 19 53

Application for plugging filed (Verbal 7-29-53) July 30, 19 53

Application for plugging approved (Verbal 7-29-53) July 31, 19 53

Plugging commenced July 29, 19 53

Plugging completed July 30, 19 53

Reason for abandonment of well or producing formation

If a producing well is abandoned, date of last production 19

Was permission obtained from the Conservation Division or its agents before plugging was commenced? Yes

Name of Conservation Agent who supervised plugging of this well W. G. Buffington

Producing formation Depth to top Bottom Total Depth of Well 4870 Feet

Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS

CASING RECORD

FORMATION	CONTENT	FROM	TO	SIZE	PUT IN	PULLED OUT
				10-3/4"	577'	0'

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from feet to feet for each plug set.

PLUGGED AS FOLLOWS:
4870' to 500' heavy mud;
500' wooden plug; 500'
to 20' 15 sacks cement and
heavy mud; 20' wooden plug;
20' to bottom of cellar 10
sacks cement.

(If additional description is necessary, use BACK of this sheet)

Name of Plugging Contractor Stickle Drilling Company

Address 507 Bitting Building - Wichita, Kansas

STATE OF Kansas, COUNTY OF Sedgwick, ss.
M. C. Harrell (employee of owner) or (owner or operator) of the above-described

well, being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.

(Signature) M. C. Harrell

614 Bitting Building, Wichita, Kansas (Address)

SUBSCRIBED AND SWORN TO before me this 4 day of August, 19 53

H. Howard Kistler Notary Public.

My commission expires September 20, 1956

24-7368-B 3-53-20M

PLUGGING
FILE SEC. 9 Twp. 35 R. 3W
BOOK PAGE 118 LINE 29

RECEIVED
STATE CORPORATION COMMISSION
AUG - 5 1953 8-5-53
CONSERVATION DIVISION
Wichita, Kansas

LOG OF WELL

FORM PO-214 Sheet 1 (10-52) 25M

E. D. Luder #B# No. 1

SHEET 1

OWNER The Texas Company DIVISION Oklahoma DATE MADE August 3, 1953

DISTRICT Kansas LEASE E. D. Luder #B# WELL NO. 1

STATE Kansas COUNTY OR PARISH Turner TWP. 35S RANGE 3W SEC. 9

LOCATION OF WELL NE 1/4 SW

COMMENCED RIGGING UP 7-1-53 COMMENCED DRILLING 7-1-53 COMPLETED DRILLING 7-29-53

DAY DRILLER _____ NIGHT DRILLER _____ CONTRACTOR Stickle Drilling Co.

CABLE FROM _____ TO _____ ROTARY FROM 0 TO 4870' COMPANY RIG NO. _____

TOTAL DEPTH 4870' MEASURED BY H. C. Harrell ELEVATION KB - 1160'
HC - 1157'

CASING RECORD

GL - 1150-1/2'

SIZE	WEIGHT	PUT IN WELL		PULLED OUT		LOST IN WELL		SHOES		PACKERS			
		FEET	INS.	FEET	INS.	FEET	INS.	LENGTH	MAKE	KIND	LENGTH	SET AT	
<u>10-3/4"</u>	<u>32.75#</u>	<u>577'</u>											

10-3/4" casing set at 553' with 100 sacks cement, cement circulated.

WAS CASING CEMENTED? _____ IF SO, HOW MANY SACKS OF CEMENT USED? _____

LINER: STATE SIZE AND WEIGHT _____ WHERE SET _____ FT. AND INS. BLANK _____ FT. AND INS. PERFORATED _____

HOW PUT TOGETHER _____ COUPLING _____ FLUSH-JOINT _____ INSERTED _____

REMARKS: _____

EQUIPMENT RECORD

TUBING				SUCKER RODS			PUMPING OUTFIT
SIZE	WEIGHT	FEET	INS.	FEET	INS.	SIZE AND KIND	DESCRIPTION, KIND, SIZE, ETC.

Completed Rigging 7-30-53

FLOWING, PUMPING, GASSEY OR DRY Dry PRODUCTION FIRST 24 HOURS _____ PRODUCTION SETTLED _____

IF GAS WELL, OPEN FLOW CAPACITY _____ SHUT IN PRESSURE _____ ROCK PRESSURE _____

KIND OF SHOT _____ SIZE OF SHOT, QUARTS _____

NUMBER OF SHELLS _____ SIZE OF SHELLS _____ INCHES, DIAMETER _____

LENGTH OF SHELLS _____ FEET _____ INCHES _____ TOP OF SHOT _____

BOTTOM OF SHOT _____ ANCHOR _____ WELL BRIDGED TO _____

TOTAL DEPTH OF WELL _____ NUMBER OF SHOT _____ PRODUCTION BEFORE SHOT _____ BBLs. PER DAY _____

PRODUCTION AFTER SHOT _____ BBLs. PER DAY, SHOT FURNISHED BY _____

NAME OF SHOOTER _____ SHOT INSPECTED _____ BY _____ (COMPANY EMPLOYEE)

COMMENCED DRILLING DEEPER _____ COMPLETED _____ DRILLING DEEPER _____

TOTAL DEPTH _____ PRODUCTION FIRST 24 HOURS _____ PRODUCTION SETTLED _____

REMARKS: _____

E. D. Luder #B# No. 1
Caldwell #2 Pool
T.D. 4870'
Completed Drilling 7-29-53
Completed Plugging 7-30-53

PLUGGING
FILE SEC 9 T 30 OF THE 90
BOOK PAGE 118 LINE 29

TOTAL NUMBER OF SHEETS _____

PROPERTY OF DIVISION _____

LOG OF WELL

SHEET NO. 2

District Kansas Owner The Texas Company Farm E. D. Luder "B" Well No. 1

FORMATION	AMOUNT	COLOR	HARD OR SOFT	DEPTH CORES TAKEN	REMARKS
REMARKS:					
7-18-53	Took core #1 from 4431-34'			recovered 3'	chert, no show, barrel jammed.
7-27-53	Took core #2 from 4829-37'			recovered 7-1/2'	Took core #3 from 4837-48-1/2', recovered 11-1/2'.
7-28-53	Took core #4 from 4848-1/2'			to 4870', recovered 21-1/2'.	
7-29-53	Ran DST #1 from 4864-70'			open 2 hours, recovered 1055'	gas, 35' gas cut mud very slightly cut with oil, and 2040' salt water. Ran Schlumberger Survey.
7-30-53	Plugged and abandoned.				
TOPS:					
Topeka-----	2430				
Stalnaker-----	3204				
Layton-----	3666				
Kansas City-----	3719				
Base K.C.-----	3910				
Marmaton-----	3986				
Cherokee-----	4140				
Mississippi-----	4410				
Kinderhook-----	4762				
Misner-----	4821				
Viola-----	4831				
Simpson-----	4841				
Simpson Sd-----	4859				

PLUGGING
 FILE SEC 9 T 25 R 8W
 BOOK PAGE 118 LINE 29

31
 31
 31

The Texas Company
Tulsa, Oklahoma

Tulsa, Oklahoma
July 31, 1953

CONTRACTOR: STICKLE DRILLING COMPANY
DRILLING COMMENCED: June 30, 1953
DRILLING COMPLETED: July 30, 1953

E. D. Luder B-#1 NW-NW-SW-
Section 9-35S-3W, Sumner
County, Kansas.

DRILLERS LOG

Red Bed & Shale	5-45
Shale & Shells	45-860
Shale & Lime	860-1320
Lime	1320-1422
Shale & Lime	1422-1595
Shale & Shells	1595-1855
Shale	1855-2070
Shale & Lime	2070-2205
Shale & Shells	2205-2450
Shale & Lime	2450-2910
Lime & Shale	2910-2997
Shale & Shells	2997-3038
Shale & Sand	3038-3290
Sand & Shale	3290-3475
Shale & Lime	3475-3702
Lime	3702-3741
Lime & Shale	3741-3792
Lime	3792-3890
Lime & Shale	3890-4055
Shale & Lime	4055-4094
Lime & Shale	4094-4178
Shale & Lime	4178-4397
Lime	4397-4431
Cored no formation shown	4431-4434
Lime	4434-4753
Chalky Lime & Shale	4753-4786
Shale & Lime	4786-4829
Lime - Cored	4829-4830
Cored No formation shown	4830-4870TD

I, Frank E. Stickle, hereby certify the above to be a true and complete
drillers log of The Texas Company's E. D. Luder B #1 NW-NW-SW- Section
9-35S-3W, Sumner County, Kansas.

Frank E. Stickle
Frank E. Stickle

Lillian T. Bonham
Notary Public

February 13, 1956
My commission expires

