

15-191-10239-0000

STATE OF KANSAS
STATE CORPORATION COMMISSION

Form CP-4

Give All Information Completely
Make Required Affidavit
Mail or Deliver Report to:
Conservation Division
State Corporation Commission
212 No. Market
Wichita, Kansas 67202

WELL PLUGGING RECORD

Sumner County, Sec. 9 Twp. 35 Rge. 3 (E) (W)

Location as "NE/CNW/SW" or footage from lines NE NW NE

Lease Owner Texaco, Inc.

Lease Name Peters #5 (Gall Creek Unit, Lot #3) Well No. 5

Office Address Oklahoma City, Oklahoma

Character of Well (completed as Oil, Gas or Dry Hole)

Date well completed 19

Application for plugging filed 19

Application for plugging approved 19


Plugging commenced 11/27/70 19

Plugging completed 11/30/70 19

Reason for abandonment of well or producing formation depleted.

If a producing well is abandoned, date of last production 19

Was permission obtained from the Conservation Division or its agents before plugging was commenced? yes



Locate well correctly on above Section Plat

Name of Conservation Agent who supervised plugging of this well Dewey

Producing formation Depth to top Bottom Total Depth of Well 4823 Feet

Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS


CASING RECORD

FORMATION	CONTENT	FROM	TO	SIZE	PUT IN	PULLED OUT
				10-3/4	641	none
				7"	4822'	2573.88

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from feet to feet for each plug set.

Sanded hole to 4785', set 6 sacks of cement. Shot pipe at 2787', 2692', 2595', pulled 85 joints of 7" casing. Bailed hole to 300', set rock bridge and ran 35 sacks of cement. Mudded to 25', ran 10 sacks of cement.

PLUGGING COMPLETE.



(If additional description is necessary, use BACK of this sheet)

Name of Plugging Contractor KNIGHT CASING PULLING CO., INC.

Address CHASE, KANSAS


STATE OF KANSAS, COUNTY OF RICE, ss. NOEL J. KNIGHT (employee of owner) or (owner or operator) of the above-described

well, being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.

(Signature) Noel Knight

CHASE, KANSAS (Address)

SUBSCRIBED AND SWORN to before me this 4th day of December, 1970



My commission expires 2/15/71 Notary Public.

15-191-10239-0000

9-35-3W

Form PO-214 Sheet 2 (7-44) 24M

LOG OF WELL

SHEET NO. 2

District Kansas Owner The Texas Company Farm N. J. Peters Well No. 5

FORMATION	AMOUNT	COLOR	HARD OR SOFT	DEPTH CORES TAKEN	REMARKS
Red Bed	40				CASING RECORD: 10-3/4" casing set at 614' with 450 sacks cement. 7" casing set at 4822' with 500 sacks cement (250 sacks around shoe & 250 sacks thru DV tool). ELEVATIONS: 1136-DF 1138-KB 1129-GL TOPS: Stalnaker-----3158 Layton-----3636 Kansas City----3666 Mississippi----4362 Kinderhook-----4704 Misener-----4756 Viola-----4766 Simpson-----4779 Simpson Sd-----4802
Shale & Red Bed	558				
Shale & Shells	850				
Shale & Lime	1045				
Shale & Shells	1190				
Lime & Shale	1240				
Shale & Lime	1560				
Shale & Shells	1955				
Shale & Lime	1970				
Lime & Shale	2225				
Shale & Shells	2370				
Shale & Lime	2406				
Lime & Shale	2685				
Lime	2765				
Lime & Shale	2975				
Lime	3023				
Lime & Shale	3070				
Shale & Sand	3160				
Shale	3180				
Sand & Shale	3418				
Shale & Lime	3540				
Shale & Lime Shells	3575				
Shale & Lime	3651				
Sand Lime	3689				
Lime	3935				
Lime & Shale	4092				
Shale & Lime	4188				
Lime & Shale	4220				
Shale & Lime	4263				
Shale, Lime Shells	4304				
Lime & Shale	4349				
Shale & Lime	4378				
Lime	4672				
Lime & Shale	4744				
Shale	4762				
Lime	4764				
Sand	4823				
Total Depth	4823				
PBTD	4813				

12 Centralizers were used
 Depths?

294' lost circulation @ 4645' for 72 1/2 hour, 30 min. Regained circ. drilled 1 foot + lost circ. again. 2' no time reported.

Measurement from KB to Top of 10" Flange 9' Top of cement 2895'

RECEIVED
 STATE CORPORATION COMMISSION
 OCT 5 1970
 CONSERVATION DIVISION
 Wichita, Kansas