

TO: STATE CORPORATION COMMISSION
CONSERVATION DIVISION - PLUGGING
266 N. Main St., Ste. 220
Wichita, KS 67202-1513

API Well Number: 15-073-23816-00-00
Spot: SENENE Sec/Twnshp/Rge: 27-23S-10E
4290 feet from S Section Line, 537 feet from E Section Line
Lease Name: BURKETT E UNIT Well #: 44
County: GREENWOOD Total Vertical Depth: 2402 feet

Operator License No.: 33245
Op Name: CROSS BAR ENERGY, LLC
Address: 100 S MAIN STE 400
WICHITA, KS 67202

String	Size	Depth (ft)	Pulled (ft)	Comment
PROD	4.5	2390		200 SX
SURF		200		
SURF	8.625	201		110 SX

Well Type: OIL UIC Docket No: _____ Date/Time to Plug: 04/29/2015 12:00 PM
Plug Co. License No.: 34059 Plug Co. Name: HURRICANE SERVICES, INC.
Proposal Revd. from: STUART WOODIE Company: _____ Phone: (316) 239-6151

Proposed Plugging Method: 20 SXS @ 2390'; 20 SXS @ 900'; 30 SXS @ 150' to surface.

Plugging Proposal Received By: MICHAEL HEFFERN Witness Type: PARTIAL
Date/Time Plugging Completed: 04/29/2015 3:00 PM KCC Agent: MICHAEL HEFFERN

Actual Plugging Report:

ran tubing to 2260', pumped 10 sxs cement, pulled tubing to 909' pumped 20 sxs cement, pulled tubing to 150' pumped 38 sxs cement to surface, well perfed @ 900' & 150', gel spacers between cement plugs.

Perfs:

RECEIVED
KCC DIST # 3
MAY 11 2015
CHANUTE, KS

MH

Remarks:

Plugged through: TBG

MAY 27 2015 *erm*

District: 03

Signed *Mike Deffen*
(TECHNICIAN)

Received
KANSAS CORPORATION COMMISSION

Form CP-2/3

MAY 13 2015

CONSERVATION DIVISION
WICHITA, KS



Copy for Mike Higgins

250 N. Water, Ste 200 - Wichita, Ks 67202

HURRICANE SERVICES INC

104 Prairie Plaza Parkway - Garnett, Ks 66032

Customer	Cross Bar Energy, LLC				Customer Name:		Ticket No.:	100567		
Address:					AFE No.:		Date:	4/29/2015		
City, State, Zip:					Job type:	Plug to Abandon			BID JOB	
Service District:	Madison				Well Details:	4.5" casing set @ 2390'			Perfs: 2310' to 2346'	
Well name & No.:	BURKETT E # 44				Well Location:	27-23s-10e	County:	Greenwood	State:	Ks.
Equipment #	Driver	Equipment #	Driver	Equipment #	Hours	TRUCK CALLED			AM	TIME
#201	Jerry					ARRIVED AT JOB			PM	
203	Bryan					START OPERATION			AM	
#30	Brad					FINISH OPERATION			PM	
						RELEASED			AM	
						MILES FROM STATION TO WELL 15 miles			PM	

Treatment Summary

Note: a CIBP set @ 2280', perforated holes in casing @ 900' and 150' Ran Tubing Down TO 2260' Rig up to tubing, pumped 28 Bbls gel ahead for gel spacers between cement plugs. Spot 10 sks cement @ 2260' Spot 20 sks cement @ 909' Rig up to 4.5" casing, pumped fresh water ahead with good circulation on backside. Mixed cement till we had good cement returns to surface, pumped a little water behind cement to clear valve and swedge, closed casing in. Mixed with 6 Bbls of water = 38 sks. of 60/40 pozmix cement w/ 4% gel. Job Complete - Tear Down " Thank You"

Product/Service Code	Description	Unit of Measure	Quantity	List Price/Unit	Gross Amount	Item Discount	Net Amount
----------------------	-------------	-----------------	----------	-----------------	--------------	---------------	------------

68 sks. 60/40 Pozmix cement w/ 4% Gel

600 lbs. Gel for Gel Spacers between cement Plugs

Received
KANSAS CORPORATION COMMISSION

MAY 13 2015

CONSERVATION DIVISION
WICHITA, KS

Well Master Data

Search T-1's / Letters

Search Well Inventory

Get Cnty
From Legal



API Well #	15	073	23816	00	00	Create Next API for This Well	Well Doc Images	Well History
District Dkt #								
Lse Nm	BURKETT E UNIT				Well No	44		
Oper/Status	33245	Find	Cross Bar Energy, LLC				A	
Work Oper:	Find							
Source:			Effec Dt:			Request T-1		
Lgcy Oper	GAINES, FRANKLIN D. TRUST							
C-1 Oper								
Driller/Status	Find							
Lgcy Drllr	RIG SIX							

Status	AX
Stat Source	CPI
Type	OIL
C-1 Well Type	
Type Cmpl	
Dkt / Permit	
District	03
KDOR Lease Code:	
Oil	Gas
102223	

DATES FOR THIS API #	
Status Dt	11/13/2014
Intent Dt	12/13/1994
Intent Exp	06/13/1995
ACO-1 Spud	12/29/1994
Dist Spud	12/29/1994
LngStrng	
TD Rehd	
Cmpltd Dt	01/05/1995
1st Prod	
1st Inj	
PB TD Dt	
P/A Dt	

Lease Inspection Date

Master Well File Comments

Date/By	Well Comment
04/27/2015 bdyke	Plugging 4/30/15, 10am. Cornish wireline, 20 sxs at 2390', 20 sxs at 900', fill 150" to surface Stuart Woody 620-960-1218
11/13/2014 dcrawfor	

<Shift>+<F2> will expand comment fields!

Const	TVD
Kickoff	
Plug Back	2390
Hole	2402
Loggers	2350
Last Edited:	11/13/14
By:	drush

WI Loc 27-23S-10E SENENE, 4290 FSL 537 FEL TA Stat

State Add. Prod-Geo Strings Perfs Stim Logs Pluggings UIC TA EPR

Received
KANSAS CORPORATION COMMISSION

MAY 13 2015

CONSERVATION DIVISION
WICHITA, KS