


Give All Information Completely
Make Required Affidavit
Mail or Deliver Report to:
Conservation Division
State Corporation Commission
800 Bitting Building
Wichita, Kansas

8-20-54

15-087-00635-0000

WELL PLUGGING RECORD

NORTH



Locate well correctly on above
Section Plat

Barber County. Sec. 18 Twp. 31 Rge. 13(E) (W)
Location as "NE/CNW/SW" or footage from lines NE NE NE
Lease Owner National Cooperative Refinery Association
Lease Name Gant "C" Well No. 1
Office Address 305 Rule Building, Wichita, Kansas
Character of Well (completed as Oil, Gas or Dry Hole) Oil
Date well completed August 22, 1954
Application for plugging filed April 7, 1954
Application for plugging approved April 8, 1954
Plugging commenced July 27, 1954
Plugging completed August 12, 1954
Reason for abandonment of well or producing formation Depletion of producing formation.
If a producing well is abandoned, date of last production _____ 19____
Was permission obtained from the Conservation Division or its agents before plugging was commenced? Yes

Name of Conservation Agent who supervised plugging of this well Merle Rives
Producing formation _____ Depth to top _____ Bottom _____ Total Depth of Well 4542 Feet
Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS

CASING RECORD

FORMATION	CONTENT	FROM	TO	SIZE	PUT IN	PULLED OUT
				13"	307'	None
				7"	4399'	2828'
				5 1/2"	4590	2856'

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from _____ feet to _____ feet for each plug set.

Well was plugged back from 4611' to 4542' and casing was perforated at 4535'. Filled hole with sand from 4542' to 4525' and ran 5 sacks of cement. Circulated casing with mud before pulling all of oil string. Bailed fluid and mud to 300', set a 10' rock bridge and ran 25 sacks of cement. Mudded hole to 35', set a 10' rock bridge and ran 10 sacks of cement on top.

(If additional description is necessary, use BACK of this sheet)

Name of Plugging Contractor West Supply Company
Address Chase, Kansas

STATE OF Kansas, COUNTY OF Sedgwick,
C. R. Sears (employee of owner) or (owner or operator) of the above-described well, being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.

(Signature) C. R. Sears

305 Rule Building, Wichita, Kansas
(Address)

SUBSCRIBED AND SWORN TO before me this 19th day of August, 19 54

My commission expires June 30, 1958.

C. Orville May
Notary Public.

RECEIVED
STATE CORPORATION COMMISSION
AUG 20 1954
CONSERVATION DIVISION
Wichita, Kansas

PLUGGING
FILE SEC 18 T 31 R 13W
BOOK PAGE 25 LINE 23



WELL LOG BUREAU - KANSAS GEOLOGICAL SOCIETY.
412 Union National Bk Bldg., Wichita, Kansas.

PRYOR & LOCKHART, INC.
Gant No. 1-C.

SEC. 18 T. 31 R. 13W
NEC NE

Total Depth. 4611'
Comm. 4-23-38 Comp. 8-22-38
Shot or Treated.
Contractor.
Issued. 9-17-38

County. Barber



CASING:
12 1/2" 307'
7" 4399'
53/16" 4590'

Elevation.

Production. Pot. 2473 B.

Figures Indicate Bottom of Formations.

cellar	8	shale & shells	3318	lime	4505
surface clay	65	lime	3321	shale green	4535
sand & clay	120	shale	3362	Wilcox sand	4536
shale & shells	585	lime porous	3372	sand	4548
red rock	590	brkn lime	3397	shale	4590
chalk	600	shale & lime	3437	sand & shale	4607
lime	625	lime shale break	3483	dolomite	4611
shale	650	lime	3490	Total Depth.	
shale & shells	1230	lime sft.	3500		
salt & shale	1445	lime	3515	Gas 4398-4410'	
salt & shells	1560	shale	3520	Oil 4535-48	
shale & shells	1709	lime	3545	Oil 4609-11	
lime & shale	1950	lime brkn	3565		
lime	2015	lime sft	3605		
shale, lime & shells	2085	lime	3625		
lime & shale	2147	shale	3676		
lime	2163	lime shale breaks	3706		
shale & shells	2185	brkn lime	3720		
lime	2212	lime & shale	3750		
red rock	2220	shale & shells	3766		
lime	2232	sand & shells	3773		
shale & lime	2275	sand	3782		
lime	2315	lime & shale	3807		
lime & shale	2359	lime	3917		
brkn lime	2419	brkn lime	3943		
shale & shells	2520	lime	3950		
lime	2535	brkn lime	3975		
shale & shells	2579	lime sft	3995		
brkn lime	2620	lime	4158		
shale & shells	2670	shale breaks	4199		
lime	2708	lime	4221		
shale	2728	brkn lime	4255		
lime	2745	lime & chert	4278		
shale & shells	2768	shale & chert shells	4295		
shale & lime	2873	chert & shells	4301		
shale & shells	2902	chat	4318		
lime	2940	lime	4345		
shale	2947	shale	4396		
lime	3142	dolomite	4401		
lime & brkn lime	3160	lime	4420		
lime	3195	lime hrd	4425		
brkn lime	3227	lime sft	4432		
lime	3282	lime	4447		
shale	3300	lime & chert	4460		

RECEIVED
STATE CORPORATION COMMISSION
AUG 24 1954
CONSERVATION DIVISION
WICHITA, KANSAS

PLUGGING
FILE SEC 18 T. 31 R. 13W
BOOK PAGE 35 LINE 23