

15-095-01296-0000


STATE OF KANSAS
STATE CORPORATION COMMISSION

WELL PLUGGING RECORD

Give All Information Completely
Make Required Affidavit
Mail or Deliver Report to:
Conservation Division
State Corporation Commission
211 No. Broadway
Wichita, Kansas

Kingman County. Sec. 30 Twp. 29 Rge. 9 (E) W (W)
Location as "NE/CNW%SW%" or footage from lines NE NW SE
Lease Owner Cities Service Oil Company
Lease Name Leslie Well No. 4
Office Address Box 144, Great Bend, Kansas
Character of Well (completed as Oil, Gas or Dry Hole) Dry Hole
Date well completed February 26, 1957
Application for plugging filed February 26, 1957
Application for plugging approved February 26, 1957
Plugging commenced February 26, 1957
Plugging completed February 26, 1957
Reason for abandonment of well or producing formation Dry Hole

NORTH



Locate well correctly on above
Section Plat

If a producing well is abandoned, date of last production _____ 19____
Was permission obtained from the Conservation Division or its agents before plugging was commenced? Yes

Name of Conservation Agent who supervised plugging of this well M. A. Rives
Producing formation Simpson Depth to top 4461 Bottom 4467 Total Depth of Well 4467 Feet
Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS

CASING RECORD

FORMATION	CONTENT	FROM	TO	SIZE	PUT IN	PULLED OUT
				8-5/8"	360'	None

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from _____ feet to _____ feet for each plug set.

4467-250', mud.
250-190', hulls, wood plug and 20 sacks cement.
190- 35', mud.
35' to base of cellar, hulls, wood plug and 10 sacks cement.

RECEIVED
STATE CORPORATION COMMISSION

MAR 27 1957 3-27-1957

CONSERVATION DIVISION
Wichita, Kansas

(If additional description is necessary, use BACK of this sheet)

Name of Plugging Contractor Barbour Drilling Company
Address Tulsa, Oklahoma

STATE OF Kansas COUNTY OF Barton ss.
V. M. Conover (employee of owner) or (owner or operator) of the above-described well, being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.

(Signature) V.M. Conover
Box 144, Great Bend, Kansas
(Address)

SUBSCRIBED AND SWORN TO before me this 28th day of February, 19 57

W.D. Smith
Notary Public.

My commission expires March 12, 1959.

PLUGGING
FILE SEC 30 T. 29 R. 9W
BOOK PAGE 144 LINE 19

WELL RECORD

WILDCAT.....

DISCOVERY.....

POOL.....

Company Cities Service Oil Company Well No. 4 Farm Leslie

Location 330' S. and 990' E. of Center Sec. 30 T. 29 R. 9W

Elev. Serv. D. F. 1613 Gr. 1641 Co. Kingman State Kansas

N. I. P. Dry hole. P. & A. Feb. 26, 1957. A. I. P. Grav.

Pay Zones.....

Perforations.....

Acid None Hydrafrac.....

T. D. 4467' P. B. T. D. N. T. D. Drlg. Comm. 2-9-57 Drlg. Comp. 2-25-57

CASING RECORD:

8-5/8" @ 363' with 275 ex. cem.

Formation Record:

sand & clay	0-20
sand	100
red bed	210
red bed and shells	368
red bed and shale	670
shale and shells	1405
anhydrite	1430
shale and shells	1620
lime and shale	2500
shale	2715
shale & lime	2855
lime and shale	3345
sand	3365
lime and shale	3400
shale and lime	3580
lime	4120
shale and lime	4168
lime and shale	4185
lime and chert	4200
chert, lime and shale	4290
lime	4350
shale	4385
shale and chert	4389
lime	4417
lime and chert	4440
lime	4456
shale and sand	4467 T.D.

Contractor Harbour Drlg. Co.

Lansing	3567
Base Kansas City	3990
Mississippi	4180
Kinderhook	4209
Viola	4381
Simpson Shale	4451
Simpson Sand	4461
Penetration	6'
Total Depth	4467

D.S.T. 4382-89, open 1 hour, gas in 25 minutes, recovered 32' gassy mud; I.B.H.P. 1340# in 30 minutes, F.B.H.P. 1270# in 30 minutes.

D.S.T. 4389-99, open 1 hour, recovered 30' mud; I.B.H.P. 700# in 30 minutes, F.B.H.P. 250# in 30 minutes.

D.S.T. 4399-4417, open 1 hour, recovered 25' mud; B.H.P. 0# in 30 minutes.

D.S.T. 4462-67, open 1 hour, recovered 90' muddy salt water; I.B.H.P. 1585# in 30 minutes, F.B.H.P. 1480# in 30 minutes.

SLOPE TESTS (SYFO):

1000'	-	00
1500'	-	00
1970'	-	00
2500'	-	00
3000'	-	10
3500'	-	00
4000'	-	00

RECEIVED
 STATE CORPORATION COMMISSION
 MAR 27 1957
 INFORMATION DIVISION

PLUGGING
 FILE SEC 30 T. 29 R. 9W
 BOOK PAGE 144 LINE 19