

# WELL PLUGGING RECORD


STATE OF KANSAS  
 STATE CORPORATION COMMISSION  
 Give All Information Completely  
 Make Required Affidavit  
 Mail or Deliver Report to:  
 Conservation Division  
 State Corporation Commission  
 800 Bitting Building  
 Wichita, Kansas

## FORMATION PLUGGING RECORD

Strike out upper line  
 when reporting plug-  
 ging of formations.

Kingman County. Sec. 3 Twp. 29 Rge. 6 (E) (W)

Location as "NE $\frac{1}{4}$ NW $\frac{1}{4}$ SW $\frac{1}{4}$ " or footage from lines NW NW NW  
 Lease Owner J. A. Aylward et al  
 Lease Name Kostner Well No. 1  
 Office Address 813 First Natl. Bank Bldg., Wichita, Kans  
 Character of Well (completed as Oil, Gas or Dry Hole) Dry  
 Date well completed 19.....  
 Application for plugging filed July 12 19 48  
 Application for plugging approved July 12 19 48  
 Plugging commenced July 12 19 48  
 Plugging completed 8:AM July 12 19 48  
 Reason for abandonment of well or producing formation.....  
 Dry  
 If a producing well is abandoned, date of last production.....19.....  
 Was permission obtained from the Conservation Division or its agents before plugging was com-  
 menced? Yes



Locate well correctly on above  
 Section Plat

Name of Conservation Agent who supervised plugging of this well Ruel Durkee  
 Producing formation none Depth to top..... Bottom..... Total Depth of Well 4636 Feet  
 Show depth and thickness of all water, oil and gas formations.

### OIL, GAS OR WATER RECORDS

### CASING RECORD

Formation	Content	From	To	Size	Put In	Pulled Out
Soil and sand		0	125	8 5/8	163'	none
Red & blue shale		125	275			
Shale and shells		275	2000			
Broken lime		2000	3500			
Lime and shale breaks		3500	4000			
Lime and shale breaks		4000	4300			
Lime and chert		4300	4600			
Shale and lime		4600	4636			

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from.....feet to.....feet for each plug set.

Built bridge in bottom of surface pipe, with tree branches, rocks, paper socks to 140'.  
 No fluid in hole at this depth. Mixed 15 sacks cement in barrel on floor of rig,  
 poured cement on bridge through surface pipe. Built bridge at 35 feet from surface  
 that would hold Kelly, mixed 5 sacks cement on floor in barrel, poured cement on bridge  
 at 35', also added some rock to cement while pouring same.

(If additional description is necessary, use BACK of this sheet)

Correspondence regarding this well should be addressed to J. A. Aylward,  
 Address 813 First Natl. Bank Bldg., Wichita, Kansas



STATE OF Kansas, COUNTY OF Sedgwick, ss.

N. W. Aylward (employee of owner) or (owner or operator) of the above-described well,  
 being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-  
 described well as filed and that the same are true and correct. So help me God.

(Signature) *N. W. Aylward*


SUBSCRIBED AND SWORN to before me this 19 day of July 1948

My commission expires May 12, 1951



Casing Record: KOSTNER WELL NO. 1  
 8" - 163' Company: J. A. Aylward, R. E. Location: NW cn. NW $\frac{1}{4}$  of Sec. 3-29S-6W  
 Ransdell et. al. Kingman County, Kansas  
 Contractor: Aylward Drilling Co.  
 Commenced: June 19, 1948 Elevation - 1564'  
 Dry

	FROM	TO	REMARKS
Sand clay and river gravel	0	45	
Shale and sand	45	250	8" surface pipe set @ 163', cemented w/175 sx
Shale and lime shells	250	640	
Shale and salt	640	900	
Shale and shells	900	1050	
Shale and lime	1050	1165	
Shale and shells	1165	1375	
Lime and shale	1375	1450	
Sand (hd)	1450	1500	
Shale and shells	1500	1545	
Shale and lime	1545	1900	
Shale and shells	1900	2095	
Lime and shale	2095	2610	
Lime and shale	2610	2705	
Lime	2705	2720	
Lime and shale	2720	2820	
Lime	2820	3085	
Lime and shale	3085	3130	
Lime and shale	3130	3200	
Lime	3200	3310	
Lime and shale	3310	3360	
Lime	3360	3710	
Shale and lime	3710	3870	
Shale and shells	3870	3924	
Lime and shale	3924	4005	
Shale	4005	4019	
Lime and pri-iron	4019	4035	
Shale	4035	4054	
Lime and chert	4054	4077	
Lime and chat	4077	4158	
Lime and chert	4158	4217	
Lime	4217	4254	
Lime and shale	4254	4328	
Lime	4328	4350	
Lime and chert	4350	4370	
Shale and cherty lime	4370	4409	
Lime and chert	4409	4437	
Lime	4435	4457	
Cherty lime	4457	4480	Lost circulation
Lime	4480	4489	
Sand and shale	4489	4544	
Shale	4544	4550	
Shale and sand	4550	4575	
Lime and shale	4575	4612	
Lime	4612	46' 35 TD	



I certify that this is a true and correct copy of the above log to the best of my knowledge.

**PLUGGING**  
 FILE SEC-3-129R-62  
 BOOK PAGE 42 LINE 40

By H. S. Forbes  
 H. S. Forbes

Subscribed and sworn to before me  
 this 14 day of July, 1948

Adelaide Olivier  
 Notary Public.

My commission expires: May 12, 1951