


15-095-00542-00-00

STATE OF KANSAS
STATE CORPORATION COMMISSION

WELL PLUGGING RECORD

Give All Information Completely
Make Required Affidavit
Mail or Deliver Report to:
Conservation Division
State Corporation Commission
1110 No. Broadway
Wichita, Kansas

NORTH



Locate well correctly on above
Section Plat

Kingman County. Sec. 11 Twp. 29 Rge. 9 (E) W. (W)
Location as "NE/CNW&SW&SE" or footage from lines Gen. SW NW SE
Lease Owner Cities Service Oil Company
Lease Name Conrardy Well No. 1
Office Address Box 144, Great Bend, Kansas
Character of Well (completed as Oil, Gas or Dry Hole) Oil Well
Date well completed September 12, 1954
Application for plugging filed May 9, 1958
Application for plugging approved May 9, 1958
Plugging commenced May 14, 1958
Plugging completed May 20, 1958
Reason for abandonment of well or producing formation Depleted formation.

If a producing well is abandoned, date of last production April 18, 1958
Was permission obtained from the Conservation Division or its agents before plugging was commenced? Yes

Name of Conservation Agent who supervised plugging of this well F. W. Hampel
Producing formation Mississippi Depth to top 4204 Bottom 4455 Total Depth of Well 4516 Feet
Show depth and thickness of all water, oil and gas formations. P. B. T. D. 4455'

OIL, GAS OR WATER RECORDS

CASING RECORD

FORMATION	CONTENT	FROM	TO	SIZE	PUT IN	PULLED OUT
				8-5/8"	346'	None
				5-1/2"	4516'	2866'

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from _____ feet to _____ feet for each plug set.

4455-4100', river sand.
4100-4060', 5 sacks cement.
4060- 300', heavy mud.
300- 230', rock bridge and 20 sacks cement.
230- 35', heavy mud.
35' to base of cellar, rock bridge and 10 sacks cement.

(If additional description is necessary, use BACK of this sheet)

Name of Plugging Contractor C. E. Shull Casing Pulling Company
Address Great Bend, Kansas

STATE OF Kansas, COUNTY OF Barton, ss.
V. M. Conover (employee of owner) or owner or operator of the above-described well, being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.

(Signature) V. M. Conover
Box 144, Great Bend, Kansas
(Address)

SUBSCRIBED AND SWORN TO before me this 26th day of May, 19 58
W. B. Smith
Notary Public.

My commission expires March 12, 1959.

PLUGGING
FILE SEC. 11 T. 29 R. 9W
BOOK PAGE 102 LINE 45

RECEIVED
STATE CORPORATION COMMISSION
MAY 27 1958 5-27-58
CONSERVATION DIVISION
Wichita, Kansas

WELL RECORD

Company Cities Service Oil Co. Well No. 1 Farm Conrardy
 Location 990' South and 330' East of Center Sec. 11 T. 29 R. 9N
 Elevation 1708 (1706 Gr.) County Kingman State Kansas
 Drlg. Comm. August 26, 1954 Contractor Barbour Drilling Company
 Drlg. Comp. September 12, 1954 Acid 500 gals. 9-18-54
 T. D. 4516' Initial Prod. Physical Potential: 175 oil, 24 water, 24 hrs. (10-14-54)
 P. B. T. D. 4510'

CASING RECORD:

8-5/8" @ 346' cem. 250 sx cement
 5-1/2" @ 4516' cem. 150 sx cement

FORMATION RECORD:

soil & sand	0-140
shale & sand	320
red bed	360
shale, shells & red bed	790
shale & shells	1512
anhydrite	1536
shale & shells	1700
shale & lime	1950
lime & shale	2255
shale & lime	2370
shale & shells	2575
shale	2740
shale & shells	2840
shale & lime	3125
lime	3460
sand, lime & shale	3500
sand & lime	3565
lime & shale	3610
lime	3679
lime & shale	3715
lime	4020
lime & shale	4055
lime	4150
lime & shale	4195
lime	4225
chert	4280
chert & shale	4300
lime & shale	4430
shale & lime	4505
lime	4515

Corr. Heebner	3354'
Corr. Dodge	3372'
Corr. Lansing	3547'
Corr. Mississippi	4204'
Corr. Kinderhook	4317'
Corr. Viola	4496'
Penetration	20'
Total Depth	4516'

Drilled cement to 4510 S. L. M.

Perf. 36 shots 4496-4505

286' oil in 2 hrs. 5 mins.
 650' oil in 17 hrs.

SYFO:	240'	0°
	500'	0°
	1000'	0°
	1500'	1°
	2000'	1°
	2500'	0°
	3000'	0°
	3500'	1°

4515 RTD-4516 SIM
RECEIVED
 CORPORATION COMMISSION

MAY 23 1958

ON DIVISION

PLUGGING

FILE SEC. 11 T. 29 R. 9W

BOOK PAGE 102 LINE 15