

# KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

Type Test:

(See Instructions on Reverse Side)

- Open Flow  
 Deliverability

Test Date:  
4/4/15

API No. 15  
~~007~~ 10385-0000

Company Pickrell Drilling Company, Inc.			Lease Champ-Rowe		Well Number 1
County Barber	Location C NE NE	Section 3	TWP 32S	RNG (E/W) 10W	Acres Attributed
Field Sharon NE		Reservoir Mississippi	Gas Gathering Connection West Wichita Gas Gathering		
Completion Date 5/21/58		Plug Back Total Depth 4465	Packer Set at		
Casing Size 4 1/2	Weight 9.5#	Internal Diameter 4.090	Set at 4490	Perforations 4416	To 4426
Tubing Size 2 3/8	Weight 4.7#	Internal Diameter 1.995	Set at	Perforations Open Ended	To
Type Completion (Describe) Single	Type Fluid Production Water		Pump Unit or Traveling Plunger? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		
Producing Thru (Annulus / Tubing) Annulus		% Carbon Dioxide	% Nitrogen	Gas Gravity - G <sub>g</sub>	
Vertical Depth(H) 4421		Pressure Taps Flange		(Meter Run) (Prover) Size 2.00	
Pressure Buildup: Shut in 4/2		20 15 at 8:00	(AM) (PM) Taken 4/4	20 15 at 8:00	(AM) (PM)
Well on Line: Started 4/4		20 15 at 8:00	(AM) (PM) Taken	20 at	(AM) (PM)

### OBSERVED SURFACE DATA

Duration of Shut-in 48 Hours

Static / Dynamic Property	Orifice Size (Inches)	Circle one: Meter Prover Pressure psig (Pm)	Pressure Differential in Inches H <sub>2</sub> O	Flowing Temperature t	Well Head Temperature t	Casing Wellhead Pressure (P <sub>w</sub> ) or (P <sub>t</sub> ) or (P <sub>c</sub> )		Tubing Wellhead Pressure (P <sub>w</sub> ) or (P <sub>t</sub> ) or (P <sub>c</sub> )		Duration (Hours)	Liquid Produced (Barrels)
						psig	psia	psig	psia		
Shut-In	0.375					180		P		48	
Flow											

### FLOW STREAM ATTRIBUTES

Plate Coefficient (F <sub>a</sub> ) (F <sub>b</sub> ) Mcfd	Circle one: Meter or Prover Pressure psia	Press Extension $\sqrt{P_m \times h}$	Gravity Factor F <sub>g</sub>	Flowing Temperature Factor F <sub>t</sub>	Deviation Factor F <sub>pv</sub>	Metered Flow R (Mcfd)	GOR (Cubic Feet/ Barrel)	Flowing Fluid Gravity G <sub>n</sub>

### (OPEN FLOW) (DELIVERABILITY) CALCULATIONS

(P<sub>c</sub>)<sup>2</sup> = \_\_\_\_\_ : (P<sub>w</sub>)<sup>2</sup> = \_\_\_\_\_ : P<sub>d</sub> = \_\_\_\_\_ % (P<sub>c</sub> - 14.4) + 14.4 = \_\_\_\_\_ : (P<sub>a</sub>)<sup>2</sup> = 0.207  
(P<sub>d</sub>)<sup>2</sup> = \_\_\_\_\_

(P <sub>c</sub> ) <sup>2</sup> - (P <sub>a</sub> ) <sup>2</sup> or (P <sub>c</sub> ) <sup>2</sup> - (P <sub>d</sub> ) <sup>2</sup>	(P <sub>c</sub> ) <sup>2</sup> - (P <sub>w</sub> ) <sup>2</sup>	Choose formula 1 or 2: 1. P <sub>c</sub> <sup>2</sup> - P <sub>a</sub> <sup>2</sup> 2. P <sub>c</sub> <sup>2</sup> - P <sub>d</sub> <sup>2</sup> divided by: P <sub>c</sub> <sup>2</sup> - P <sub>w</sub> <sup>2</sup>	LOG of formula 1, or 2, and divide by: P <sub>c</sub> <sup>2</sup> - P <sub>w</sub> <sup>2</sup>	Backpressure Curve Slope = "n" ----- or ----- Assigned Standard Slope	n x LOG [ ]	Antilog	Open Flow Deliverability Equals R x Antilog (Mcfd)

Open Flow Mcfd @ 14.65 psia      Deliverability Mcfd @ 14.65 psia

The undersigned authority, on behalf of the Company, states that he is duly authorized to make the above report and that he has knowledge of the facts stated therein, and that said report is true and correct. Executed this the 17th day of April, 20 15.

Received  
KANSAS CORPORATION COMMISSION

For Company

Witness (if any)

APR 20 2015

For Commission

Checked by

CONSERVATION DIVISION  
WICHITA, KS

I declare under penalty of perjury under the laws of the state of Kansas that I am authorized to request exempt status under Rule K.A.R. 82-3-304 on behalf of the operator Pickrell Drilling Company, Inc. and that the foregoing pressure information and statements contained on this application form are true and correct to the best of my knowledge and belief based upon available production summaries and lease records of equipment installation and/or upon type of completion or upon use being made of the gas well herein named.

I hereby request a one-year exemption from open flow testing for the Champ-Rowe 1 gas well on the grounds that said well:


(Check one)

- is a coalbed methane producer
- is cycled on plunger lift due to water
- is a source of natural gas for injection into an oil reservoir undergoing ER
- is on vacuum at the present time; KCC approval Docket No. \_\_\_\_\_
- is not capable of producing at a daily rate in excess of 250 mcf/D

I further agree to supply to the best of my ability any and all supporting documents deemed by Commission staff as necessary to corroborate this claim for exemption from testing.

Date: 4/17/15

During calendar year 2014 the well averaged 11 MCFD.

Signature:   
Title: Engineer

**Instructions:** If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption **IS** denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.

PICKRELL DRILLING COMPANY, INC

100 SOUTH MAIN - SUITE 505 - WICHITA, KANSAS 67202-3738

GAUGE AND PRODUCTION REPORT - GAS

Barber COUNTY  
KS STATE

Champ-Rewe LEASE  
Sharon NE FIELD

FROM A.M. 2-2 2015 TO A.M. 4-9 2015

TANK NUMBER	DATE 2			DATE 3			DATE 4			DATE 5			DATE 6			DATE 7			DATE 8			DATE 9		
	FT.	INS.	BARRELS	FT.	INS.	BARRELS	FT.	INS.	BARRELS	FT.	INS.	BARRELS	FT.	INS.	BARRELS	FT.	INS.	BARRELS	FT.	INS.	BARRELS	FT.	INS.	BARRELS
1-MCF			-0-			-0-			-0-			14			12			12			10			10
2-MCF			66			62			62			60			60			56			56			56
STOCK A.M. TODAY																								
PLUS P/L RUNS YEST.																								
TOTAL																								
LESS STOCK YESTERDAY																								
PRODUCTION YESTERDAY																								

4/4

PIPE LINE RUNS AND/OR B. S. AND W. DRAWN OFF											HOURS PUMPED OR FLOWED PER DAY										EXPLAIN DOWN TIME AND DRAWOFFS AND MAKE OTHER REMARKS BELOW				
DATE	TICKET NUMBER	TANK NUMBER	FROM FT.	TO FT.	GROSS BARRELS	GVTY.	TEMP.	TANK % BSW	WELL NO.	CHOKES SPM	TBG. PR. SL	CSG. PR. PLGR. D.	EST. BOPD	WATER %	EST. BWPD	2	3	4	5	6		7	8	9	
									1	4	34	1/2		100	1	6	0	0	24					24	
									2	7	54	1/4		100	4	24								24	
											GAS WELL TUBING PRESSURE										1-Meter - 16391 2-Meter - N/A				
											1-2" x .375														
											CASING PRESSURE														
											DIFFERENTIAL														
											2-2" x .750										LINE PRESSURE				
TOTAL GROSS RUNS THIS PERIOD					—					ALLOWABLE					SIZE METER RUN & ORIFICE: X					HEATER TEMP.:					
GROSS RUNS PREVIOUS PERIODS										RUNS					AVG. DIFF. & LINE PRESS.: /					PINTS EMULSION CHEM./DAY:					SIGNED
TOTAL GROSS RUNS THIS MONTH										OVER SHORT <input type="checkbox"/>					TOTAL BWPD ON LEASE: 5					PINTS INHIBITOR/DAY:					PUMPER

4 1/2 Shut-In For 72 Hr Test (51)  
4/8 #1 CSG 180"  
Tub 60"

#1

Received  
KANSAS CORPORATION COMMISSION  
APR 20 2015  
CONSERVATION DIVISION  
WICHITA, KS