

STATE OF KANSAS
STATE CORPORATION COMMISSION

WELL PLUGGING RECORD

OR


FORMATION PLUGGING RECORD

Strike out upper line when reporting plugging of formations.

Give All Information Completely
Make Required Affidavit
Well or Deliver Report to:
Conservation Division
State Corporation Commission
800 Bitting Building
Wichita, Kansas

Pratt County. Sec. 4 Twp. 28S Rge. (E) 14 (W)
Location as "NE1/4NW1/4SW1/4" or footage from lines NW NW NW
Lease Owner The Texas Company
Lease Name A. Quinn Well No. 1
Office Address 614 Bitting Bldg., Wichita, Kansas
Character of Well (completed as Oil, Gas or Dry Hole) Dry Hole
Date well completed 11-3-1948
Application for plugging filed 11-4-1948
Application for plugging approved 11-4-1948
Plugging commenced 11-4-1948
Plugging completed 11-6-1948
Reason for abandonment of well or producing formation Dry

NORTH



Locate well correctly on above Section Plat

If a producing well is abandoned, date of last production 19
Was permission obtained from the Conservation Division or its agents before plugging was commenced? Yes

Name of Conservation Agent who supervised plugging of this well C. D. Stough
Producing formation Depth to top Bottom Total Depth of Well 4774 Feet
Show depth and thickness of all water, oil and gas formations.


OIL, GAS OR WATER RECORDS

CASING RECORD

Table with 7 columns: Formation, Content, From, To, Size, Put In, Pulled Out. The table is currently empty.

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hold. If cement or other plugs were used, state the character of same and depth placed, from feet to feet for each plug set.

Plugged with heavy mud from 4774 - 400'
Plugged with 35 sax cmt from 400 - 365'
Plugged with heavy mud from 365 - 5'
Plugged with 5 sax cmt from 5' - Top



(If additional description is necessary, use BACK of this sheet)

Correspondence regarding this well should be addressed to The Texas Company
Address 614 Bitting Bldg., Wichita, Kansas


STATE OF Kansas, COUNTY OF Sedgwick, ss.
M. C. Harrell (employee of owner) or (owner or operator) of the above-described well,
being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.

(Signature) M. C. Harrell

(Address)

SUBSCRIBED AND SWORN to before me this 12 day of November, 1948
H. Howard Kistler
Notary Public.

My commission expires September 20, 1952



LOG OF WELL

Form PO-214 Sheet 1 (7-44) 8M

A. Quinn #1

SHEET 1

OWNER The Texas Company DIVISION Oklahoma DATE MADE 11/11/48
 DISTRICT Kansas LEASE A. Quinn WELL NO. 1
 STATE Kansas COUNTY OR PARISH Pratt TWP. 28S RANGE 14W SEC. 4
 LOCATION OF WELL NW NW NW

COMMENCED RIGGING UP 10-7-48 COMMENCED DRILLING 10-14-48 COMPLETED DRILLING 11-3-48
 DAY DRILLER _____ NIGHT DRILLER _____ CONTRACTOR Beardmore Drlg Co.
 CABLE FROM _____ TO _____ ROTARY FROM 0 TO 4774 COMPANY RIG No. _____
 TOTAL DEPTH 4774' MEASURED BY M. C. Harrell ELEVATION 2010 - KB
2007 - DF

CASING RECORD

SIZE	WEIGHT	PUT IN WELL		PULLED OUT		LOST IN WELL		SHOES		PACKERS		
		FEET	INS.	FEET	INS.	FEET	INS.	LENGTH	MAKE	KIND	LENGTH	SET AT
10-3/4"	32.75#	846										FT.
												FT.
												FT.
												FT.
10-3/4"		set at 846' with 100 sack cement										FT.
												FT.
												FT.
												FT.

WAS CASING CEMENTED? _____ IF SO, HOW MANY SACKS OF CEMENT USED? _____
 LINER: STATE SIZE AND WEIGHT _____ WHERE SET _____ FT. AND INS. BLANK _____ FT. AND INS. PERFORATED _____
 HOW PUT TOGETHER _____ COUPLING _____ FLUSH JOINT _____ INSERTED _____
 REMARKS: _____

EQUIPMENT RECORD

TUBING				SUCKER RODS			PUMPING OUTFIT
SIZE	WEIGHT	FEET	INS.	FEET	INS.	SIZE AND KIND	DESCRIPTION, KIND, SIZE, ETC.

Completed Plugging 11-6-48

'FLOWING, PUMPING, GASSER OR DRY. Dry PRODUCTION FIRST 24 HOURS _____ PRODUCTION SETTLED _____
 IF GAS WELL, OPEN FLOW CAPACITY _____ SHUT IN PRESSURE _____ ROCK PRESSURE _____
 KIND OF SHOT _____ SIZE OF SHOT, QUARTS _____
 NUMBER OF SHELLS _____ SIZE OF SHELLS _____ INCHES, DIAMETER _____
 LENGTH OF SHELLS _____ FEET _____ INCHES _____ TOP OF SHOT _____
 BOTTOM OF SHOT _____ ANCHOR _____ WELL BRIDGED TO _____
 TOTAL DEPTH OF WELL _____ NUMBER OF SHOT _____ PRODUCTION BEFORE SHOT _____ BBLs. PER DAY _____
 PRODUCTION AFTER SHOT _____ BBLs. PER DAY, SHOT FURNISHED BY _____
 NAME OF SHOOTER _____ SHOT INSPECTED _____ BY _____ (COMPANY EMPLOYEE) _____
 COMMENCED DRILLING DEEPER _____ COMPLETED _____ DRILLING DEEPER _____
 TOTAL DEPTH _____ PRODUCTION FIRST 24 HOURS _____ PRODUCTION SETTLED _____

REMARKS: _____
RECEIVED
NOV 12 1948
STATE OF KANSAS
OPERATION
KANSAS
 A. Quinn #1
 T.D. 4774'
 Comp. Drlg. 11-3-48
 Comp. Plug. 11-6-48

NOTE: IF WELL WAS DRY, STATE UNDER REMARKS, WHEN, HOW, AND BY WHOM PLUGGED.
 STATE UNDER REMARKS ANYTHING OF INTEREST NOT COVERED IN LOG.
 IF THE SPACE PROVIDED FOR REMARKS IS NOT SUFFICIENT WRITE ON BOTTOM OF LAST SHEET OF LOG.

PLUGGED
 FILE SEC 4-28 R14W
 BOX PAGE 66 30

TOTAL NUMBER OF SHEETS _____

LOG OF WELL

SHEET No. 2

District Kansas Owner The Texas Co. Farm A. Quinn Well No. 1

FORMATION	AMOUNT	COLOR	HARD OR SOFT	DEPTH CORES TAKEN	REMARKS
Soil - clay	100				<u>ELEVATION:</u>
Sand - gravel	200				2010 - KB
Shale - shells	450				2007 - DF
Shale - lime	825				<u>CASING RECORD:</u>
Shale - shells	833				10-3/4" csg set at
Anhydrite	840				846' with 400 sax cmt.
Shale - shells	1850	1010			<u>TOPS:</u>
Shale - lime	2145	295			Lansing.....3956
Lime	2400	255			Conglomerate....4390
Shale - lime	3320	920			Mississippi.....4432
Lime - shale	3580	260			Viola.....4480
Lime	3740	160			Simpson.....4568
Broken lime	3880	140			Arbuckle.....4698
Lime	4410	530			
Cherty shale	4450	40			
Cherty shale - lime	4460	10			
Sand - lime	4485	25			
Chert - lime	4580	95			
Shale - lime	4600	20			
Shale	4660	60			
Shale - lime	4730	70			
Lime	4774	44			

TOTAL DEPTH 4774'

RECEIVED
 NOV 12 1948
 STATE CORPORATION
 COMMISSION
 KANSAS