TO: STATE CORPORATION COMMISSION	API NUMBER 15-097-20,824-6006 SW SE SW SEC. 1 , T 28 S, R 16 W
CONSERVATION DIVISION - PLUGGING SECTION	FEET FROM SOUTH SECTION LINE
WICHITA STATE OFFICE BLDG., 130 S. MARKET	FEET FROM EAST SECTION LINE
WICHITA, KANSAS 67202	LEASE NAME BINFORD WELL # 1
TECHNICIAN'S PLUGGING REPORT 1213	COUNTY KIOWA 5460
OPERATOR LICENSE # _31142	WELL TOTAL DEPTH 4757 FEET
OPERATOR: PETROLEUM PROPERTY SERVICES	PRODUCTION CSG: SIZE 4½" @ 4165' WITH 70 SX
NAME AND 155 N MARKET #1010	SURFACE CASING: SIZE 85%" @ 405' WITH 225 SX
ADDRESS WICHITA, KS 67202	
ABANDONED OIL WELL X GAS WELL INPU	T WELLD/A
OTHER WELL AS HEREINAFTER INDICATED	
PLUGGING CONTRACTOR <u>QUALITY WELL SERVICE</u>	LICENSE NUMBER 31925
ADDRESS 249 BETH DRIVE, STERLING, KS 67	579
COMPANY TO PLUG AT: HOUR: 2:45 PM DAY	: <u>13</u> MONTH: <u>12</u> YEAR: <u>1999</u>
PLUGGING PROPOSAL RECEIVED FROM RICHARD MCINTYRE	
(COMPANY NAME) QUALITY WELL SERVICE	(PHONE) <u>316-727-3410</u>
WERE: PERFS AT 4640-41	<del></del>
SANDED BACK TO 4582' AND PUT 4 SX CEMENT ON TOP OF SAND BRIDGE THROUGH BAILER. LOAD HOLE	
WITH GEL. SPOT PLUGS THROUGH 4%" CASING. 1ST PLUG AT 1100' WITH 50 SX CEMENT. 2ND PLUG	
AT 430' WITH 50 SX CEMENT. 3RD PLUG AT 40' WITH 10 SX CEMENT.	
	PLUGGING PROPOSAL RECEIVED BY STEVE PFEIFER
PLUGGING OPERATIONS ATTENDED BY AGENT?:	ALL X PART NONE NONE
OPERATIONS COMPLETED: HOUR: 4:00 PM DAY: 13 MONTH: 12 YEAR: 1999	
ACTUAL PLUGGING REPORT	
SANDED BACK TO 4582 AND PUT 4 SX CEMENT	ON TOP OF SAND BRIDGE THROUGH BAILER.
LOAD HOLE WITH GEL. SPOT PLUGS THROUGH 4½" CASING. 1ST PLUG AT 1100' WITH 50 SX CEMENT.	
2ND PLUG AT 430' WITH 50 SX CEMENT. 3RD PLUG AT 40' WITH 10 SX CEMENT.	
REMARKS: USED 60/40 POZMIX 6% GEL BY ALLIED. RECOVERED 2440' OF 4%" CASING.  (IF ADDITIONAL DESCRIPTION IS NECESSARY, USE BACK OF THIS FORM ST. CORPORATION COMMENS.	
I (DID) OBSERVE THES PHUGGING DEC 2 ? 1997 SIGNED STEPHNICIAN) FORM CP-2/3	
DATE 12/23/99 Conservation Division (2-22-99) Wellia, Kansas (2-22-99)	