FORM CP-4

STATE OF KANSAS STATE CORPORATION COMMISSION CONSERVATION DIVISION P. O. BOX 17027 WICHITA, KANSAS 67217

WELL PLUGGING RECORD

ن ا		JOSE DIE		ty. Sec. 11 Tv			
NORTH				om lines C			
1	•			duction Co			
		Lease Name Slease #1 Well No. Office Address Wichita, Kansas 67202					
	ĭ		as Oil, Gas o	r Dry Hole)		10	
	Date well com				,		
	Application for					19	
	Plugging comm	enced Spro	18/2 75)	,	19	
i li	Plugging comp		7/23/75			19	
	Reason for abai				epleted.		
			· · · · · · · · · · · · · · · · · · ·			·	
	If a producing	If a producing well is abandoned, date of last production					
	→ Was permission	obtained from	the Conserv	ration Division or	its agents befor	e plugging was com-	
Locate well correctly on above Section Plat	menced?	yes	T)				
une of Conservation Agent who supe	rvised plugging of thi	s well	Dewey	· · · · · · · · · · · · · · · · · · ·		7777	
oducing formation	I	Depth to top	Botton	n 1	Total Depth of V	Vell 2133 Feet	
ow depth and tlackness of all water,	oil and gas formation	15.	•	-			
OIL, CAS OR WATER RECORD	os ·			•	C.	ASING RECORD	
		FROM					
FORMATION	CONTENT	FROM	מד	10-3/4	175	PULLED DUT	
		 	 	7"	2733	1958'	
		 	 	 	- 2133	1970	
	·	 	 	 			
			1				
			1			• .	
	ent or other plugs we						
	ent or other plugs we et. and ran 7 sau 1681, pulled 0	ere used, state tooks cemen	he character of the cha	of same and depth ced hole, s I hole to 2	hot pipe		
introducing it into the hole. If cem feet for each plug se Sanded to 2690! at 2022!	ent or other plugs we et. and ran 7 sau 1681, pulled 0	ere used, state tooks cemen	he character of the cha	of same and depth ced hole, s I hole to 2	placed, from thot pipe 20', rock	CELVED COMMISSION COMMISSION	
Introducing it into the hole. If cem fect for each plug se Sanded to 2690! at 2022!, 198 19	ent or other plugs we and ran 7 sac 2681, pulled (and filled ho	ere used, state tooks cemen	he character of the cha	of same and depth ced hole, s I hole to 2	placed, from thot pipe 20', rock	CEIVED COMMISSI	
Introducing it into the hole. If cem fect for each plug se Sanded to 2690! at 2022!, 198 19 bridge to 200! a	ent or other plugs we and ran 7 sac 2681, pulled (and filled ho	ere used, state tooks cemen	he character of the cha	of same and depth ced hole, s I hole to 2	hot pipe	CELVED COMMISSION COMMISSION	
fintroducing it into the hole. If cem fect for each plug se Sanded to 2690! at 2022!, 198 19 bridge to 200! a	ent or other plugs we and ran 7 sac 2681, pulled (and filled ho	ere used, state tooks cemen	he character of the cha	of same and depth ced hole, s I hole to 2	placed, from thot pipe 20', rock	CELVED COMMISSION COMMISSION	
fintroducing it into the hole. If cem fect for each plug se Sanded to 2690! at 2022!, 198 19 bridge to 200! a	ent or other plugs we et. and ran 7 sac 268!, pulled (and filled ho	ere used, state to cks cements 3 joints 1e with 5	t. Check Bailed	same and depth ced hole, s hole to 2 eady mix.	shot pipe 20', rock RE	CFIVED CORATION COMMISSION CT 3 1975	
introducing it into the hole. If cemfect for each plug se	ent or other plugs we et. and ran 7 sag 168!, pulled (and filled ho.	cks cements joints. Le with 5	t. Check Bailed yards re	of same and depth ced hole, so hole to 2 eady mix.	placed, from shot pipe 20', rock RE STATE COR	CFIVED CRATION COMMISSION CT 3 1975	
introducing it into the hole. If cem	ent or other plugs weet. and ran 7 sac 68', pulled (and filled ho.) EL (If additional KNIGH)	cks cements joints. Le with 5 description is need	t. Check Bailed yards re	of same and depth ced hole, so hole to 2 eady mix.	placed, from shot pipe 20', rock RE STATE COR	CELVED COMMISSION COMMISSION	
introducing it into the hole. If cem	ent or other plugs weet. and ran 7 sac 68', pulled (and filled ho.) EL (If additional KNIGH)	cks cements joints. Le with 5	t. Check Bailed yards re	of same and depth ced hole, so hole to 2 eady mix.	placed, from shot pipe 20', rock RE STATE COR	CFIVED COMMISSION COMMISSION	
Introducing it into the hole. If cem fect for each plug se Sanded to 2690! at 2022!, 198 19 bridge to 200! a PLUGGING COMPLET	ent or other plugs we t. and ran 7 sac 268', pulled (and filled ho CEL (If additional KNIGH'	cks cements joints Le with 5 description is nee	t. Check Bailed yards re	of same and depth ced hole, so hole to 2 eady mix.	placed, from shot pipe 20', rock RE STATE COR	CFIVED CORATION COMMISSION CT 3 1975 SERVATION DIVISION Wichita, Kansas	
Sanded to 2690' at 2022', 198 19 bridge to 200' a PLUGGING COMPLET	ent or other plugs we t. and ran 7 sac 268', pulled (and filled ho CEL (If additional KNIGH CH	cks cements joints. Le with 5 description is need. P. CASTING ASE, KANS	t. Check Bailed yards re	of same and depth ced hole, so hole to 2 eady mix.	placed, from shot pipe 20', rock RE STATE COR	CFIVED CORATION COMMISSION CT 3 1975 SERVATION DIVISION Wichita, Kansas	
Introducing it into the hole. If cem	ent or other plugs we t. and ran 7 sag 168', pulled (and filled ho EL (If additional KNIGH CH SAS NOEL J. KNIG	cks cements joints. Le with 5 CASTING ASE, KANSA	t. Check Bailed yards re	owner) or (owner)	Shot pipe 220', rock RE STATE CON	CFIVED CORATION COMMISSION SERVATION DIVISION Wichita, Kansas	
Introducing it into the hole. If cem fect for each plug se Sanded to 2690! at 2022!, 198 19 bridge to 200! a PLUGGING COMPLET DATE OF KANS KANS Ell. being first duly sworn on oath, a	ent or other plugs we t. and ran 7 sag 268!, pulled (and filled ho. CH CH CH NOEL J. KNIG	cks cements joints. I description is need to CASING ASE, KANSA	t. Check Bailed yards re casery, use BACR PULLING (AS ICE (employee of facts, statem	owner) or (owner ents, and matters	Shot pipe 220', rock RE STATE CON	CEIVED CORATION COMMISSION SERVATION DIVISION Wichita, Kansas	
Introducing it into the hole. If cem fect for each plug se Sanded to 2690! at 2022!, 198 19 bridge to 200! a PLUGGING COMPLET Idress FATE OF KANS	ent or other plugs we t. and ran 7 sag 268!, pulled (and filled ho. CH CH CH NOEL J. KNIG	cks cements joints. I description is need to CASING ASE, KANSA	t. Check Bailed yards re casery, use BACR PULLING (AS ICE (employee of facts, statem	owner) or (owner ents, and matters	Shot pipe 220', rock RE STATE CON	CEIVED CORATION COMMISSION SERVATION DIVISION Wichita, Kansas	
Sanded to 2690! at 2022!, 398 19 bridge to 200! a PLUGGING COMPLET ame of Plugging Contractor Idress TATE OF KANS	ent or other plugs we t. and ran 7 sag 268!, pulled (and filled ho. CH CH CH NOEL J. KNIG	cks cements joints. I description is need of CASTING ASE, KANSA	t. Check Bailed yards re casery, use BACR PULLING (AS ICE (employee of facts, statem	of same and depth ced hole, so hole to 2 hady mix. Cof this sheet) CO., INC.	con contained from placed, from pipe 20', rock STATE CON CON	CEIVED CORATION COMMISSION SERVATION DIVISION Wichita, Kansas	
Sanded to 2690! at 2022!, 398 19 bridge to 200! a PLUGGING COMPLET ame of Plugging Contractor Idress FATE OF KANS c)l. being first duly sworn on oath, a sove-described well as filed and that	ent or other plugs we t. and ran 7 sac 268!, pulled (and filled ho EL (If additional KNIGH CH SAS NOEL J. KNIG says: That I have kn the same are true ar	cks cements joints. I description is need of CASTING ASE, KANSA	t. Check Bailed yards re casary, use BACK PULLING (AS ICE (employee of facts, statem help me God	of same and depth ced hole, seed hole, seed hole to 2 and mix. Cof this sheet) Co, INC. Owner) or (owner ents, and matters CHASE,	Shot pipe 20', rock RE STATE CON CON Sa. ar or operator) of herein contains KANSAS	CEIVED CRAFION COMMISSION CT 31975 SERVATION DIVISION Wichita, Kansas (0-3-7) I the above described and the log of the	
Introducing it into the hole. If cem	ent or other plugs we t. and ran 7 sac 268!, pulled (and filled ho EL (If additional KNIGH CH SAS NOEL J. KNIG says: That I have kn the same are true ar	cks cements joints. I description is need of CASTING ASE, KANSA	t. Check Bailed yards re essury, use BACK PULLING (AS ICE (employee of facts, statem help me God	of same and depth ced hole, so hole to 2 hady mix. Cof this sheet) CO., INC.	Shot pipe 20', rock RE STATE CON CON Sa. ar or operator) of herein contains KANSAS	CFIVED CORATION COMMISSION SERVATION DIVISION Wichita, Kansas	
Sanded to 2690! at 2022!, 198 19 bridge to 200! a PLUGGING COMPLET Ame of Plugging Contractor ddress Ell, being first duly sworn on oath, a sove-described well as filed and that	ent or other plugs we t. and ran 7 sac 268!, pulled (and filled ho EL (If additional KNIGH CH SAS NOEL J. KNIG says: That I have kn the same are true ar	description is need of the correct. So (Signature)	t. Check Bailed yards re essury, use BACK PULLING (AS ICE (employee of facts, statem help me God	of same and depth ced hole, seed hole, seed hole to 2 and mix. Cof this sheet) Co, INC. Owner) or (owner ents, and matters CHASE,	Shot pipe 20', rock RE STATE CON CON Sa. ar or operator) of herein contains KANSAS	CELVED CRAFION COMMISSION CT 3 1975 SERVATION DIVISION Wichita, Kansas 10-3-7 If the above described and the log of the	
Introducing it into the hole. If cem	ent or other plugs we t. and ran 7 sac 268!, pulled (and filled ho EL (If additional KNIGH CH SAS NOEL J. KNIG says: That I have kn the same are true ar	description is need of the correct. So (Signature)	t. Check Bailed yards re essury, use BACK PULLING (AS ICE (employee of facts, statem help me God	of same and depth ced hole, seed hole, seed hole to 2 and mix. Cof this sheet) Co, INC. Owner) or (owner ents, and matters CHASE,	Shot pipe 20', rock RE STATE CON CON Sa. ar or operator) of herein contains KANSAS	CELVED CRAFION COMMISSION CT 3 1975 SERVATION DIVISION Wichita, Kansas 10-3-7 If the above described and the log of the	

. ninl

100 000

00'

The constant of the state of t

MICHER MEICHER
Rice County, Ks.
Wy Comm. Exp. Feb. 15, 1979

end id in



SPRINGER & HARRER BOX 101 CUNNINGHAM, KANSAS

December 22, 1947

The Drillers Gas Company, Wichita, Kansas,

THE DITTIELS		Live, hansas,
61	11 7	Sedgwick County, Kansas.
Slease	T -	bedgwick county, hairsas,
		(71/2 NE /4 mw/4 11-2
	The state of the s	The state of the s
	60	The part of the second
sand	60	Poting
shale & shell		
lime	451	
shale lime	477	
·····································	520	Day 175 04 0 10 7 /1 0 0000 100 100 H
lime & shale	570	Run 175 ft.of 10 3/4 seamless 40#
lime	640	second hand surface pipe and cemented
green shale	650	with 175 sacks of cement.
lime	665	
shale	675	
lime & shale	745	Run 2736 ft. of 22# 7" used casing
lime	835	and cemented with 150 sacks of cement.
lime & shale	980 1 000	and demented with 190 sacks of Cemente.
lime		
lime & shale	1065 1100	6 levation 1376 KC 7586
lime		6 revaluer
shale	1310	
shale & lime	1545	amost and Odor 2706-2713
lime	1595 1680	Gorosty and Odor 2706-2713
lime & shale		
	1710 1795	46 Shoto 27061/2 -27131/2
lime & shele	1935	그리고, 뭐하게 있다는 방송에 많이 떨어진 그녀를 가 먹었다고 하게 되었다. 그를 받아갔다고 말하는 것
sand	1975	Est 3 BopH
sandy lime	2060	
shale	2080	그는 이 문화 목표를 하는 수 있다고 말하고 있다. 그렇게 하는 것은 사람들은 사람들이 되었다. 그는 사람들이 되었다.
lime	2100	1000 gae aud
shale	2120	
lime	2145	
lime & shale	2165	State Potential 170 BOPD.
shale	2310	
lime	2340	
shale & lime		
shale	2390	
lime & shale	2527	SESURV
shalo	2589	NOISINIG NOURAN
lîme	2736	$\sim 10^{-10}$ MeV ~ 10
T. D.	2736	27978 S JUA
		A CONTRACT TO THE TOTAL OF THE CONTRACT OF THE
		NOISSIMMOO NOI VNO TOO THE COLOR COLOR
		STATE CORPORATION CONTINUED