

TYPE

AFFIDAVIT OF COMPLETION FORM

ACO-1 WELL HISTORY

SIDE ONE

Compt. _____

Two (2) copies of this form shall be filed with the Kansas Corporation Commission, 200 Colorado Derby Building, Wichita, Kansas 67202, within thirty (30) days after the completion of a well, regardless of how the well was completed.

F Attach separate letter of request if the information is to be held confidential. If confidential, only file one copy. Information on Side One will be of public record and Side Two will then be held confidential.

Applications must be made on dual completion, commingling, salt water disposal, injection and temporarily abandoned wells.

C Attach one copy only wireline logs (i.e. electrical log, sonic log, gamma ray neutron log, etc.). (Rules 82-2-105 & 82-2-125) KCC# (316) 263-3238.

LICENSE # 6438 EXPIRATION DATE 6-30-83

OPERATOR Lamoreaux Homes, Inc. API NO. 103-20,189 00-00

ADDRESS Box 8 COUNTY Leavenworth

Waterville, Kansas 66548 FIELD Wildcat

** CONTACT PERSON Jon Stuart Lamoreaux PROD. FORMATION McLouth Sand
PHONE 913-785-2206

PURCHASER Eureka Crude Purchasing LEASE Stein

ADDRESS Eureka, Kansas 67045 WELL NO. 1

DRILLING Michael Drilling Co. WELL LOCATION NW 1/4 of SE 1/4 of SE 1/4

CONTRACTOR Box 278 330 Ft. from S Line and

ADDRESS Chanute, Kansas 66720 330 Ft. from W Line of

the SE (Qtr.) SEC 25 TWP 7 RGE 21.

PLUGGING N/A WELL PLAT

CONTRACTOR _____ (Office Use Only)

ADDRESS _____ KCC _____

TOTAL DEPTH 1430 PBTD _____ KGS _____

SPUD DATE 6-7-82 DATE COMPLETED 9-21-82 SWD/REP _____

ELEV: GR 905.73 DF _____ KB _____ PLG. _____

DRILLED WITH (CABLE) (ROTARY) (AIR) TOOLS.

DOCKET NO. OF DISPOSAL OR REPRESSURING WELL BEING USED TO DISPOSE OF WATER FROM THIS LEASE _____

Amount of surface pipe set and cemented 150 ft. DV Tool Used? no

THIS AFFIDAVIT APPLIES TO: (Circle ONE) Oil Gas, Shut-in Gas, Dry, Disposal, Injection, Temporarily Abandoned, OWWO, Other _____

ALL REQUIREMENTS OF THE STATUTES, RULES AND REGULATIONS PROMULGATED TO REGULATE THE OIL AND GAS INDUSTRY HAVE BEEN FULLY COMPLIED WITH.

A F F I D A V I T

Jon Lamoreaux, being of lawful age, hereby certifies that:

I am the Affiant, and I am familiar with the contents of the foregoing Affidavit. The statements and allegations contained therein are true and correct.

Jon Stuart Lamoreaux
(Name)

SUBSCRIBED AND SWORN TO BEFORE ME this 4th day of NOVEMBER 1983.

MY COMMISSION EXPIRES: DEC. 10, 1983

Bois K. Andersen
(NOTARY PUBLIC)

The person who can be reached by phone regarding any questions concerning this information.

RECEIVED
STATE CORPORATION COMMISSION
NOV 11 1983
CONSERVATION DIVISION
Wichita, Kansas

FILL IN WELL INFORMATION AS REQUIRED:

WELL NO. 1

Show all important zones of porosity and contents thereof; cased intervals, and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries.

SHOW GEOLOGICAL MARKERS, LOGS RUN, OR OTHER DESCRIPTIVE INFORMATION.

FORMATION DESCRIPTION, CONTENTS, ETC.	TOP	BOTTOM	NAME	DEPTH
<input checked="" type="checkbox"/> Check if no Drill Stem Tests Run.				
Limestone, sandstone & shales	0	150		
Sandy shale	150	197		
Shaly sandstone & sandy shales	197	233		
Limestone	233	240		
Black Shale	240	245		
Sandstone	245	248		
Sandy shales	248	261		
Limestone	261	263		
Sandy shales	263	269		
Limestone	269	290		
Shale slty sandy	290	306		
Limestone	306	309		
Shale slty sandy	309	361		
Limestone with sh parting	361	382		
Shale	382	386		
Black shale	386	389		
Shaly sand	389	396		
Limestone	396	404		
Black shale	404	408		
Shale-sandy	408	419		
Sandstone	419	424		
Shale	424	427		
Black shale	427	431		
Shale	431	434		
Limestone shaly	434	442		
Shaly sandstone	442	454		
Sandstone	454	458		
Shaly sandstone	458	468		
Limestone	468	475		
V shaly limestone	475	493		
Shale	493	495		
Black shale	495	500		
Limestone	500	515	Dennis Ls	
Shale	515	521		
Black shale	521	525		
Limestone	525	542	Base KC Gp	

If additional space is needed use Page 2, Side 2

Report of all strings set— surface, intermediate, production, etc. CASING RECORD (New) or (Used)

Purpose of string	Size hole drilled	Size casing set (in O.D.)	Weight lbs/ft.	Setting depth	Type cement	Socks	Type and percent additives
Surface	12 in.	7 in.	25#	150	Class A	150	2% Calcium Chloride
Long String	6 1/2 in.	4 1/2 in.	10 1/2#	1430	Class A Pozmix	50	2% Calcium Chloride

LINER RECORD

PERFORATION RECORD

Top, ft.	Bottom, ft.	Socks cement	Shots per ft.	Size & type	Depth interval
			1285-3		
			1286-4	30 gram	1285-1287
			1287-3	hollow steel carriers	

ACID, FRACTURE, SHOT, CEMENT SQUEEZE RECORD

Amount and kind of material used	Depth interval treated
Sand Frac., with cross linked gel, 2,000# 100 mesh,	1285-1287
3500# 20/40 mesh, 3500# 10/20 mesh	

Date of first production 9-23-82	Producing method (flowing, pumping, gas lift, etc.) pumping	Gravity 25
Estimated Production -I.P. Oil 10 ?	Gas 243,000 MCF	Water 15 %
Disposition of gas (vented, used on lease or sold) Shut in		Perforations

OPERATOR Lamoreaux Homes, Inc. LEASE NAME Stein # 1

SEC. 25 TWP. 7 RGE. 21

FILL IN WELL LOG AS REQUIRED:

Show all important zones of porosity and contents thereof; core intervals, and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries.

SHOW GEOLOGICAL MARKERS, LOGS RUN, OR OTHER DESCRIPTIVE INFORMATION.

FORMATION DESCRIPTION, CONTENTS, ETC.	TOP	BOTTOM	NAME	DEPTH
Black shale	542	546		
Shaly sandstone	546	550		
Sandstone	550	554		
Shaly sandstone-shale	554	572		
Sandstone shaly	572	580		
Sandy shale	580	590		
Shale	590	600		
Shaly sandstone	600	618		
Shale slty sandy	618	640		
Shaly sand	640	644		
Shale	644	646		
Shaly sand	646	650		
Sandstone	650	655		
Shaly sandstone	655	660		
Sandstone	660	665		
Shaly sandstone	665	670		
Sandstone	670	676		
Sandy shale	676	680		
Shale	680	686		
Shaly sandstone	686	690		
Sandstone	690	695		
Black shale	695	699		
Sandstone slty shaly	699	713		
Sandy shale	713	718		
Black shale & coal	718	746		
Limestone-shaly	746	749		
Shaly sandstone	749	759		
Black shale	759	766		
Shale	766	770		
Sandy ls	770	775		
Sandy shale	775	782		
Black shale & coal	782	790	Base Marmaton Gp	
Sandy shale	790	794		
Sandstone	794	847		
Sandy shale	847	849		
Sandstone	849	885		
Black shale & coal	885	889		
Shaly sand	889	904		
Shale & coal	904	911		
Sandstone & shaly sandstone	911	920		
Sandy shale & shale	920	948		
Black shale & coal	948	966		
Limy sandstone	966	970		
Shale	970	974		
Black shale & coal	974	978		
Sandy shale	978	981		
Sandstone	981	1017		
Sandstone & shale	1017	1020		
Sandstone	1020	1082		
Sandy shale	1082	1087		
Shaly sandstone	1087	1130		
Shale	1130	1138		
Shaly, sandstone	1138	1154		
Shale	1154	1164		
Shaly sandstone	1164	1166		
Shale	1166	1174		
Limestone	1174	1177		
Shaly limey sand	1177	1182		
Limestone stly shaly	1182	1187		
Sandy shale	1187	1198		
Clean sandstone	1198	1210		
Shale	1210	1222		
Sandstone	1222	1224		
Shaly sandstone	1224	1227		
V Sandy shale	1227	1238		
Sandstone	1238	1265		
Sandy shale	1265	1268		
Sandstone	1268	1273		
Sandy shale	1273	1277		
	1277	1282		

OPERATOR Lamoreaux Homes, INCREASE NAME Stein # 1

SEC. 25 TWP. 7 RGE. 21

FILL IN WELL LOG AS REQUIRED:

Show all important zones of porosity and contents thereof; cored intervals, and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and resistivity.

SHOW GEOLOGICAL MARKERS, LOGS RUN, OR OTHER DESCRIPTIVE INFORMATION.

FORMATION DESCRIPTION, CONTENTS, ETC.	TOP	BOTTOM	NAME	DEPTH
Sandstone	1282	1290		
Cored interval	1285	1297		
Sandy shale	1296	1340		
Sandstone	1340	1372		
Mississippian lime	1372	TD		
	DRTD	1430		
	LTD	1420		