

To: 1 040691 8-20 API NUMBER 15- 151-21,493 - 00-00
STATE CORPORATION COMMISSION
CONSERVATION DIVISION - PLUGGING SECTION NE SW NW SW, SEC. 7, T. 28 S, R 15 W/E
200 COLORADO DERBY BUILDING
WICHITA, KANSAS 67202

TECHNICIAN'S PLUGGING REPORT
1978 feet from S section line
4770 feet from E section line

Operator License # 5822 Lease Name Ross Well # 1
Operator: VAL Energy Inc. County Pratt 154.31
Name & Address P.O. Box 322
Haysville, KS 67060 Well Total Depth 4748 feet
Conductor Pipe: Size _____ feet
Surface Casing: Size 8 5/8 feet 473

Abandoned Oil Well Gas Well _____ Input Well _____ SWD Well _____ D&A _____
Other well as hereinafter indicated _____

Plugging Contractor VAL Energy, Inc. License Number 5822
Address P.O. Box 322, Haysville, KS 67060

Company to plug at: Hour: 2:30 p.m. Day: 20 Month: 8 Year: 19 92

Plugging proposal received from Joe Stallard
(company name) VAL Energy (phone) 316-522-1560

work: 4 1/2" at 4792' w/170 sx cement, PBTD 4684', Perfs at 4693-4703, plug at 4684', 4634-46'
1st plug set CIBP at 4500' with 20 sx cement on top,
2nd plug pump 300 lbs. hulls, 10 sx gel, 50 sx cement, 10 sx gel, 1 sx hulls, release 8 5/8"
wiper plug and pump 150 sx cement.

Plugging Proposal Received by Duane Rankin
(TECHNICIAN)

Plugging Operations attended by Agent?: All Part _____ None _____

Operations Completed: Hour: 3 p.m. Day: 20 Month: 8 Year: 1992

ACTUAL PLUGGING REPORT 1st plug sanded back to 4575' and dumped 4 sx cement on top of sand
bridge through bailer,

2nd plug pumped down 8 5/8" surface pipe with 300 lbs. hulls, 10 sx gel, 50 sx cement, 10 sx
gel, 100 lbs. hulls, released 8 5/8" wiper plug and pumped 150 sx cement.

Maximum pressure 800 psi and shut in 500 psi.

Remarks: Used 60/40 Pozmix 6% gel by Allied. Recovered 3194' of 4 1/2" casing.
(If additional description is necessary, use BACK of this form.)

~~Observe this plugging.~~

DATE 9-14-92

INV. NO. 36132

Signed Stephan J. Puffer
(TECHNICIAN)

RECEIVED
STATE CORPORATION COMMISSION
8-25-92 AUG 25 1992
CONSERVATION DIVISION
Wichita, Kansas