

Operator Name: Edmiston Oil Co., Inc. Lease Name: Miller Well #: 1

Sec. 24 Twp. 129 S. R. 9 East West County: Kingman County, Kansas

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <i>(Attach Additional Sheets)</i> Samples Sent to Geological Survey <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Cores Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Electric Log Run <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <i>(Submit Copy)</i> List All E. Logs Run: <u>Dual Compensated Porosity</u> <u>Dual Induction</u>	<input type="checkbox"/> Log Formation (Top), Depth and Datum <input type="checkbox"/> Sample Name Top Datum
--	---

CASING RECORD <input type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacs Used	Type and Percent Additives
Surface	12-1/4"	8-5/8"	20#	292'	60/40 Poz	225	3%cc 2%gel

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate				
<input type="checkbox"/> Protect Casing				
<input type="checkbox"/> Plug Back TD				
<input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record <i>(Amount and Kind of Material Used)</i>	Depth

TUBING RECORD	Size	Set At	Packer At	Liner Run <input type="checkbox"/> Yes <input type="checkbox"/> No
---------------	------	--------	-----------	--

Date of First, Resumed Production, SWD or Enhr.	Producing Method				
	<input checked="" type="checkbox"/> Flowing	<input type="checkbox"/> Pumping	<input type="checkbox"/> Gas Lift	<input type="checkbox"/> Other (Explain)	
Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity

Disposition of Gas: Vented Sold Used on Lease Open Hole Perf. Dually Comp. Commingled Other (Specify) _____

(If vented, Sumit ACO-18.)



ALLIED CEMENTING CO., INC.
P.O. BOX 31
RUSSELL, KS 67665
PH (785) 483-3887
FAX (785) 483-5566
FEDERAL TAX ID# 48-0727860

149

ORIGINAL

INVOICE

Invoice Number: 086030

Invoice Date: 11/28/01

RECEIVED
KANSAS CORPORATION COMMISSION

SEP 03 2002

CONSERVATION DIVISION
WICHITA, KS

Sold Edmiston Oil Co., Inc.
To: P. O. Box 232
Great Bend, KS
67530

Cust I.D.....: Edmi
P.O. Number...: Miller #1
P.O. Date.....: 11/28/01

Due Date.: 12/28/01
Terms.....: Net 30

Item I.D./Desc.	Qty. Used	Unit	Price	Net	TX
Common	93.00	SKS	6.6500	618.45	E
Pozmix	62.00	SKS	3.5500	220.10	E
Gal	5.00	SKS	10.0000	50.00	E
Handling	160.00	SKS	1.1000	176.00	E
Mileage (30)	30.00	MILE	6.4000	192.00	E
160 sks @ \$.04 per sk per mi					
Rotary Plug	1.00	JOB	520.0000	520.00	E
Mileage pmp trk	30.00	MILE	3.0000	90.00	E
Plug	1.00	EACH	23.0000	23.00	E

All Prices Are Net, Payable 30 Days Following
Date of Invoice. 1 1/2% Charged Thereafter.
If Account CURRENT take Discount of \$ 188.96
ONLY if paid within 30 days from Invoice Date

Subtotal: 1889.55
Tax.....: 0.00
Payments: 0.00
Total...: 1889.55

- 188.96

1,700.59

Cement for plugging

5030-635 5475

RECEIVED
KANSAS CORPORATION COMMISSION

SEP 03 2002

CONSERVATION DIVISION
WICHITA, KS

ORIGINAL #00149

ALLIED CEMENTING CO., INC.

P.O. BOX 31
RUSSELL, KS. 67665
PH (785) 483-3887
FAX (785) 483-5566
FEDERAL TAX ID# 48-0727860

* I N V O I C E *

Invoice Number: 086030

Invoice Date: 11/28/01

RECEIVED
KANSAS CORPORATION COMMISSION

SEP 03 2002

CONSERVATION DIVISION
WICHITA, KS

Sold Edmiston Oil Co., Inc.
To: P. O. Box 232
Great Bend, KS
67530

Cust I.D. : Edm
P.O. Number : Miller #1
P.O. Date : 11/28/01
Due Date : 12/28/01
Terms : Net 30

Item I.D./Desc.	Qty. Used	Unit	Price	Net	TX
Common	93.00	SKS	6.6500	618.45	E
Pozmix	62.00	SKS	3.5500	220.10	E
Gel	5.00	SKS	10.0000	50.00	E
Handling	160.00	SKS	1.1000	176.00	E
Mileage (30)	30.00	MILE	6.4000	192.00	E
160 sks @\$.04 per sk per mi					
Rotary Plug	1.00	JOB	520.0000	520.00	E
Mileage pmp trk	30.00	MILE	3.0000	90.00	E
Plug	1.00	EACH	23.0000	23.00	E

All Prices Are Net, Payable 30 Days Following
Date of Invoice. 1 1/2% Charged Thereafter.
If Account CURRENT take Discount of \$ 188.96
ONLY if paid within 30 days from Invoice Date

Subtotal: 1889.55
Tax: 0.00
Payments: 0.00
Total: 1889.55

01-5030-529-5475-01
Plug DRY HOLE - #1

ALLIED CEMENTING CO., INC.

08879

Federal Tax I.D.# 48-0727860

REMITTO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:

Med. Lodge

DATE <u>11-15-01</u>	SEC. <u>24</u>	TWP. <u>29s</u>	RANGE <u>7W</u>	1	CALLED OUT <u>6:00 pm</u>	ON LOCATION <u>7:30 pm</u>	JOB START <u>11:00</u>	JOB FINISH <u>1:00 AM</u>
LEASE <u>Miller</u>	WELL # <u>1</u>	LOCATION <u>Zenda 4N 1 1/4 E N/S</u>			COUNTY <u>Kingman</u>	STATE <u>KS</u>		
OLD OR NEW (Circle one)								

CONTRACTOR Duke Dalg. Co.
 TYPE OF JOB Battery Plug
 HOLE SIZE 7 7/8 T.D. 4300'
 CASING SIZE 8 5/8 DEPTH 292'
 TUBING SIZE DEPTH
 DRILL PIPE 4 1/2 DEPTH 1250'
 TOOL DEPTH
 PRES. MAX 150 MINIMUM 25
 MEAS. LINE SHOE JOINT

OWNER E. Edmiston Oil Co.
 CEMENT AMOUNT ORDERED 155sx 60:40:4
 COMMON 93 @ 6.35 618.45
 POZMIX 62 @ 3.55 220.10
 GEL 5 @ 10.00 50.00

PERFS.
 DISPLACEMENT Mud - H₂O

RECEIVED
 KANSAS CORPORATION COMMISSION

EQUIPMENT
 SEP 03 2002
 PUMP TRUCK CEMENTER Shane W.
 # 352 HELPER David F.
 BULK TRUCK DRIVER Walter H.
 # 364
 BULK TRUCK DRIVER

HANDLING 160 @ 1.10 176.00
 MILEAGE 160 X 30 @ .04 192.00
 TOTAL 1256.55

REMARKS:

On location Rig up - Pump 1st Plug at 1250' 35sx 11:00 pm - Pump 2nd Plug at 900' 35sx 11:30 pm - Pump 3rd Plug at 340' 35sx 12:15 am - Pump 60' to surface 25sx 12:45 am - Plug Rods 15sx - Plug Mousehole 10sx 1:00 AM.

SERVICE

DEPTH OF JOB 1250'
 PUMP TRUCK CHARGE 520.00
 EXTRA FOOTAGE @
 MILEAGE 30 @ 3.00 90.00
 PLUG Wooden 8 5/8' @ 23.00 23.00

CHARGE TO: E. Edmiston Oil Co.
 STREET
 CITY STATE ZIP

RECEIVED
 KANSAS CORPORATION COMMISSION TOTAL 633.00

SEP 03 2002 FLOAT EQUIPMENT

CONSERVATION DIVISION @
 WICHITA, KS @
 @
 @
 @

To Allied Cementing Co., Inc.
 You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TOTAL 1889.55

SIGNATURE John J. Edmiston

TAX
 TOTAL CHARGE 1889.55
 DISCOUNT 100.00 IF PAID IN 30 DAYS
1000.55
 John J. Edmiston
 PRINTED NAME

ALLIED CEMENTING CO., INC. 08879

Federal Tax I.D.# 48-0727860

ORIGINAL

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT: Med. Lodge

DATE <u>11-15-01</u>	SEC. <u>24</u>	TWP. <u>29</u>	RANGE <u>9W</u>	CALLED OUT <u>4:00 am</u>	ON LOCATION <u>7:30 am</u>	JOB START <u>11:00</u>	JOB FINISH <u>1:00 am</u>
LEASE <u>M. Har</u>		WELL # <u>1</u>		LOCATION <u>Zanda 4W 174E N/S</u>		COUNTY <u>Kingman</u>	STATE <u>KS</u>
OLD OR NEW (Circle one)							

CONTRACTOR Duke Drilling Co.
 TYPE OF JOB Rotary Plug
 HOLE SIZE 7 7/8" T.D. 4300'
 CASING SIZE 2 3/4" DEPTH 292'
 TUBING SIZE _____ DEPTH _____
 DRILL PIPE 4 1/2" DEPTH 1250'
 TOOL _____ DEPTH _____
 PRES. MAX 150 MINIMUM 25
 MEAS. LINE _____ SHOE JOINT _____
 CEMENT LEFT IN CSG. _____
 PERFS. _____
 DISPLACEMENT H₂O - H₂O

OWNER F. DIXONSON Drilling Co.
 CEMENT AMOUNT ORDERED 155 cu yd @ 60:40:4

EQUIPMENT

PUMP TRUCK CEMENTER Shane W.
 # 352 HELPER David F.
 BULK TRUCK DRIVER Walter H.
 # _____ DRIVER _____

COMMON _____ @ _____
 POZMIX _____ @ _____
 GEL _____ @ _____
 CHLORIDE _____ @ _____
 _____ @ _____
 _____ @ _____
 _____ @ _____
 _____ @ _____
 HANDLING CONSERVATION DIVISION @ _____
 WICHITA, KS @ _____
 MILEAGE _____ @ _____

REMARKS:

at location Rig up - Pump 2 1/2" Plug at 1250' 35 cu 11:00 am - Pump 2 1/2" Plug at 900' 35 cu 11:30 am - Pump 3" Plug at 700' 35 cu 12:15 am - Pump 1 1/2" Plug surface 25 cu 12:45 am - Plug Ratchet 15 cu Plug Ratchet 10 cu 1:00 am.

SERVICE

DEPTH OF JOB 1250'
 PUMP TRUCK CHARGE _____
 EXTRA FOOTAGE _____ @ _____
 MILEAGE _____ @ _____
 PLUG Wooden _____ @ _____
 _____ @ _____
 _____ @ _____

CHARGE TO: F. DIXONSON Drilling Co.
 STREET _____
 CITY _____ STATE _____ ZIP _____

FLOAT EQUIPMENT

_____ @ _____
 _____ @ _____
 _____ @ _____
 _____ @ _____
 _____ @ _____

To Allied Cementing Co., Inc.
 You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

SIGNATURE [Signature]

TOTAL _____
 TAX _____
 TOTAL CHARGE _____
 DISCOUNT _____ IF PAID IN 30 DAYS

PRINTED NAME F. DIXONSON