Form CP-4

## WELL PLUGGING RECORD

15-097-20026-0000

Give All information Completely
Make Required Affidavit
Mail or Deliver Report to:
Conservation Division
State Corporation Commission
212 No. Market Kiowa

State Corporation Commission 212 No. Market	<u>Ki.owa</u>	a	Cour	ty. Sec. 27	rwp. 28 Rge.	(W) I			
Wichita, Kansas <b>NORTH</b>		E/CNW#SW#"	or footage fr	om lines	3/2 SE NE				
	Lease Owner Mull Drilling Company, Inc.  Lease Name Durkee Well No. 1  Office Address P. O. Box 349 Russell, Kansas								
<b> </b>	Character of Well (completed as Oil, Gas or Dry Hole)								
i   i	Dec								
	Application for plugging filed 10-8-69 STATE CORFUS FID								
	Application for	plugging approv	/ed	10-9-69	N.	OLGO COMPARSION			
	Plugging comm	nenced	<del></del>	10-21-05	, , ,	1777			
	1	leted ndonment of wel			Non-	RVATION DIVISION			
	Ticason for aba	ndonnient of wel	or produce	ng roim adou		chita, Kansas			
	If a producing	well is abandon	ed, date of	last production_					
Leaste well correctly on shove					or its agents bef	ore plugging was com-			
Locate well correctly on above Section Plat	menced?	. 11	<del></del>	Les Ralah Wa					
Name of Conservation Agent who supe Producing formation	rvised plugging of th	is well	Rotto	m tearbit se	Total Depth of	Wall 1979 Feet			
Show depth and thickness of all water,			Doi:		Total Depth of				
<del>-</del>						CASING RECORD			
OIL, CAS OR WATER RECORD			<del></del>			CASING RECORD			
FORMATION	CONTENT	FROM	TO	SIZE	PUT IN	PULLED OUT			
			ļ	8 5/8 4 1/2	1495	None			
				_ 4 1/2	None	1978			
		-	-	-					
			ļ	<del> </del>	- <del> </del>	<b></b>			
		<del>-</del>							
Describe in detail the manner in		<u> </u>	<u> </u>			<del></del>			
Rigged up pole  Tried to run b Rigged up jack lbs pull.  Plugged bottom with bailer. 2500' and 2200  Pulled 63 join  Bailed hole fr cement. Fille well with 10 s	s. Started to ailer to bott s. Working p back to 4900 Loaded hole w '. Worked pi ts of pipe. om 225' to 30 d hole with m	odig out comestopped ipe = 16";  with sandith saltware pe loose are  O'. Set 10  ud to 40'.	ellar. ed at 32 stretch d. Dump ter. Sh t 2000'	295' Digg at 1,600 p ed 3 sacks ot pipe at after shot	ing out ce si or 69,00 of cement 3250 = 26	on bottom 800' =			
Name of Plugging Contractor		d description is nece Forbes Ca	ssury, use BAC asing Pu	A or this sheet)  11ing Compa	any. Inc.				
Address					i, Kansas				
STATE OF Kansas  James W. Roc  well, being first duly sworn on oath, s above-described well as filed and that	khold says: That I have kr	nowledge of the	employee of facts, stater	owner) or (ownents, and matte	ner or operator)	of the above-described ined and the log of the			
Charles A			P <b>∥</b> 0	. Box 221	<u> Great Be</u> (Address)	end, Kansas			
SUBSCRIBED AND SYORN TO before	re me this 1)1	day of_	<u></u>	November		<u>69</u>			
(0,0)	T.O.T.C.	<u></u>	<u> </u>	lead (	Lehol_	Notary Public.			
My commission parphyes Q May 37	1973			-		мо <i>шту е цонс</i> .			
EOU M. Commen									

## KANSAS GEOLOGICAL SOCIETY WELL LOG BUREAU - KANSAS WELL SAMPLE KANSAS GEOLOGICAL SOCIETY BUILDING

508 EAST MURDOCK - WICHITA, KANSAS WALTERS DRILLING & MULL DRILLING DEC. 27 28 R. . S SE NE FARM Durkee KANBAS Walters Drlg. 11-25-67 20 2327 KB cem w/ 225 sx 12 PRODUCTION 14 BOPD, 75% MISS 4975, GR 35.

				FIGURES INDICA	TE BOTTOM OF FORMATIONS		
	Ō	-	315	· · · · · · · · · · · · · · · · · · ·	Surface Clay, Sand and	Shale	_
	315	· 🗕	· 345		Sand	TOPS: SMP	
	345		491	1	Shale	Cheyenne 315	
	491	-	496		Anhydrite	Base Cheyenne · 320	,
	496		512		Cement Plug and Blaine	Blaine 491	
•	-		1100	30 .	Red Bed and Shale	Anhydrite 1264	4 _
	1100		1264	7 9	Shale	Base Anhydrite 1283	•
	1264	_	1283		Anhydrite	Base Wellington2556 Council Grove 2958	
į	1283	-	2095	5.0	Shale	Council Grove 2958 Pennsylvania 3524	
,	2095	-	2435		Shale and Lime	Heebner 4170	·
	2435	-	2620		Lime and Shale	Brown lime 4334	
	2620	-	2750		Shale and Lime	Lansing Kansas	
	2750	-	3060		Lime and Shale	City 1/2 4344	٠,
	3060	;—	3305		Shale and Lime	Kansas City 4517	
	3305	-	4015	* 4	Lime and Shale	Base Kansas City 4753	
-	4015	,=	4055	A- 3 22	Lime, Sandy	Marmaton 4772	
	4055	_	4475		Lime and Shale	Pawnee 4810 Upper Cherokee	
			4979		Lime	shale 4869.	
	🗨		4979	•	Rotary Total Depth	Lower Cherokee	•
	?	•			Maran Andrew	Shale 4890	,
	+			•		Base Cherokee lime 4949	3

The undersigned, Robert F. Walters, hereby certifies, in behalf of said company that the above log is a true and correct log of the formations encountered in drilling the above well Mississippi Dolomite 5970 as reflected by the Daily Drilling Reports.

WALTERS DRILLING CO.

Subscribed and sworn to before me ithis 20th day of July, 1967.

ฟุงGreen, Notary Public

Commission Expires: October 4, 1967

RECEIVED STATE CORPORATION COMMISSION

OCT 1 4 1969

CONSERVATION DIVISION Wichita, Kansas