

STATE OF KANSAS
STATE CORPORATION COMMISSION

Form CP-4

WELL PLUGGING RECORD

Give All Information Completely
Make Required Affidavit
Mail or Deliver Report to:
Conservation Division
State Corporation Commission
212 No. Market
Wichita, Kansas

Haskell County, Sec. 6 Twp. 28S Rge. 34 (W)

Location as "NE/CNW/SW" or footage from lines 600' FWL & 797' ENL

Lease Owner Pan American Petroleum Corporation

Lease Name A. R. Berger Well No. 1

Office Address P. O. Box 432, Liberal, Kansas

Character of Well (completed as Oil, Gas or Dry Hole) Dry Hole

Date well completed 12-13 1966

Application for plugging filed 12-28 1966

Application for plugging approved 12-29 1966

Plugging commenced 1-17 1967

Plugging completed 1-20 1967

Reason for abandonment of well or producing formation

No Productive Zones

If a producing well is abandoned, date of last production -----19-----

Was permission obtained from the Conservation Division or its agents before plugging was commenced? Yes

NORTH

X			

Locate well correctly on above Section Plat

Name of Conservation Agent who supervised plugging of this well Edjar J. Eves

Producing formation ----- Depth to top ----- Bottom ----- Total Depth of Well 4250 Feet

Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS

CASING RECORD

FORMATION	CONTENT	FROM	TO	SIZE	PUT IN	PULLED OUT
Lansing "B"	Water	4146	4208	8 5/8 4 1/2	723 4264	None 1387

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from ----- feet to ----- feet for each plug set.

15 Sacks Cement	4147 - 4000
Heavy Mud	4000 - 1400
20 Sacks Cement	1400 - 1340
Heavy Mud	1340 - 640
35 Sacks Cement	640 - 540
Heavy Mud	540 - 45
10 Sacks Cement	45 - 0

RECEIVED
STATE CORPORATION COMMISSION

JAN 31 1967

CONSERVATION DIVISION
Wichita, Kansas

(If additional description is necessary, use BACK of this sheet)

Name of Plugging Contractor Sargent's Casing Pulling Service

Address Liberal, Kansas

STATE OF Kansas, COUNTY OF Seward, ss.

I, D. M. LILES (employee of owner) or (owner/operator) of the above-described

well, being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.


(Signature) *D M Liles*

P. O. Box 432 Liberal, Kansas (Address)

Subscribed and Sworn to before me this 27 day of January, 1967

My commission expires February 11, 1968

R. Banks
Notary Public.



PAN AMERICAN PETROLEUM CORPORATION

WELL RECORD

SUPPLEMENTAL (ENTER "X" WHEN APPLICABLE)

Grid for locating well correctly with section number 6 in the center.

LOCATE WELL CORRECTLY

LEASE A. R. Berger WELL NO. 1

LOCATION OF WELL: 797 FT. NORTH SOUTH OF THE NORTH SOUTH LINE AND 600 FT.

EAST WEST OF THE WEST LINE OF THE 1/4 1/4 NW 1/4.

OF SECTION 6 TOWNSHIP 28 NORTH SOUTH RANGE 34 EAST WEST.

Haskell COUNTY Kansas STATE

ELEVATION: Ground 3066 RDB 3075

COMPLETED AS: OIL WELL GAS WELL WATER WELL DRY HOLE

DRILLING COMMENCED 8-31 19 66 COMPLETED 9-19 19 66

OPERATING COMPANY Pan American Petroleum Corporation ADDRESS P. O. Box 432, Liberal, Kansas

OIL OR GAS SANDS OR ZONES

Table with columns: NAME, FROM, TO, NAME, FROM, TO. Row 1: Lansing "B", 4146, 4208, 4.

WATER SANDS

Table with columns: NAME, FROM, TO, WATER LEVEL, NAME, FROM, TO, WATER LEVEL. Row 1: Not Known, 3.

CASING RECORD (OVERALL MEASUREMENT)

LINER SCREEN RECORD

Tables for Casing and Liner Screen records with columns for size, weight, description, quantity, etc.

PACKER RECORD

Table for Packer Record with columns: SIZE, LENGTH, SET AT, MAKE AND TYPE.

CEMENTING RECORD

MUDDING RECORD

Tables for Cementing and Mudding records with columns for size, where set, cement type, method, final press, etc.

WHAT METHOD WAS USED TO PROTECT SANDS WHEN OUTER STRINGS WERE PULLED?

WERE BOTTOM HOLE PLUGS USED?

IF SO, STATE KIND, DEPTH SET, AND RESULTS OBTAINED

ROTARY TOOLS WERE USED FROM 0 FEET TO 4250 FEET, AND FROM FEET TO FEET

CABLE TOOLS WERE USED FROM to test FEET TO FEET, AND FROM FEET TO FEET

24-HOUR PRODUCTION OR POTENTIAL TEST Dry Hole

WATER BBLs.

IF GAS WELL, CUBIC FEET PER 24 HOURS SHUT-IN PRESSURE LBS. PER SQUARE IN.

I, THE UNDERSIGNED, BEING FIRST DULY SWORN UPON OATH, STATE THAT THIS WELL RECORD IS TRUE AND CORRECT ACCORDING TO THE RECORDS OF THIS OFFICE AND TO THE BEST OF MY KNOWLEDGE AND BELIEF.

SUBSCRIBED AND SWORN TO BEFORE ME THIS 27 DAY OF January 19 67

MY COMMISSION EXPIRES February 11, 1968

NOTARY PUBLIC

Handwritten notary stamp: JAN 27 1967, HASKELL COUNTY, KANSAS

Handwritten signatures and titles: Area Supt., Notary Public



FORMATION RECORD

DESCRIBE EACH FORMATION DRILLED. INDICATE THICKNESS, CONTENT AND WHETHER DRY, OR OIL, GAS, OR WATER BEARING.

FORMATION	TOP	BOTTOM	FORMATION	TOP	BOTTOM
Sand, Clay	0	70			
Sand	70	400			
Shale, Red Bed	400	725			
Red Bed	725	800			
Shale	800	1415			
Sand	1415	1650			
Shale, Sand	1650	1902			
Anhydrite	1902	1916			
Shale	1916	2415			
Shale, Lime	2415	2535			
Lime, Shale	2535	4250			
Total Depth		4250			
Plug Back Depth		4208			

