STATE OF KANSAS
STATE CORPORATION COMMISSION
CONSERVATION DIVISION
500 INSURANCE BUILDING
212 NORTH MARKET
WICHITA 2, KANSAS

WELL PLUGGING APPLICATION FORM File One Copy

RECEIVED
STATE CORPORATION SOMMISSION

JUN 2 9 1961

CONSERVATION DIVISION Wichita, Kansas

Lease Owner Herman Geo. Kaiser, Oil Pr	oducer
(Applicant) Address 909 Palace Building, Tulsa	, Oklahoma
Lease (Farm Name) Schwarm "B"	Well No. 1
Well Location C SE SW Sec. 32	
County Kiowa	Field Name (If any)
Total Depth 4864' Oil Well Gas We	Input Well SWD Well D & A X
Was well log filed with application? No	If not, explain:
Log filed by Leben Drill	ing, Inc.
<u> </u>	
Date and hour plugging is desired to begin_	Immediately
Plugging of the well will be done in accordance	,
Corporation Commission.	
-	ell owner W. J. Hall, General Superinten-
	dent dress P. O. Box 666, Ellinwood, Kansas
Plugging Contractor R & D Casing Pullin	
Address P. O. Box 154, Ellinwood,	
Invoice covering assessment for plugging this	well should be sent to Herman Geo. Kaiser,
Oil ProducerAddre	ss 909 Palace Building, Tulsa 3, Okla.
and payment will be guaranteed by applicant.	\
	HERMAN GEO. KAISER, OIL PRODUCER
Si	gned: Johnal Jamala
	Applicant or Acting Agent

Date:

June 28, 1961

State of Kansas

JOHN ANDERSON, Jr.
RICHARD C. BYRD
ALVIN F. GRAUERHOLZ
HARRY G. WILES
RAYMOND B. HARVEY
CHARLES C. McCARIER

Governor
Chairman
Commissioner
Socretary
Gen. Counsel



State Corporation Commission

CONSERVATION DIVISION

(Oil, Gas and Water)
500 Insurance Bldg. 212 N. Market
WICHITA, KANSAS

WELL PLUGGING AUTHORITY

June 29, 1961

Well No. 1
Lease Schwarm "B"
Description C SE SW 32-29-17W
County Kiowa

Herman Geo Kaiser, Oil Producer 909 Palace Bldg. Tulsa, Oklahoma

Gentlemen:

This is your authority to plug the above subject well in accordance with the Rules and Regulations of the State Corporation Commission.

This authority is void after 90 days from the above date.

Very truly yours,

J. P. ROBERTS

Assistant Petroleum Conservation
Director

is hereby assigned to supervise the plugging of the above named well.

In the event you need any further information regarding this well, feel free to write or call me at any time.

Harold J. Hollis Kansas Field Supervisor P. O. Box 85 Great Bend, Kansas Phone: GL 3-2126

State of Kansas

GEORGE DOCKING Governor MARION BEATTY Chairman HARRY G. WILES Commissioner RICHARD C. BYRD Commissioner RAYMOND B. HARVEY Secretary CLYDE E. MILLIGAN Counsel



State Corporation Commission

CONSERVATION DIVISION
(Oil, Gas and Water) 500 Insurance Bldg. 212 N. Market WICHITA, KANSAS JEWEL M. OGDEN, Director

	The state of the s
Jewel M. Ogden, Director	OCHONORATION COMMISSION
500 Insurance Building	No World
212 North Market	CONSTRUCTION SOME DOWN
Wichita 2, Kansas	Steller O 100 MS/ON
	TON TON
Dear Sir:	hepolivier
Dear Sir: I have this date June 27, 196/	ON DIVISION DIVISION AUTHORIZED THE FOLLOWING
plugging operation:	
Operator's Full Name: Herman Hea K	aiser
Complete Address: 909 Palace Bla	la. Julsa Opla
Lease Name: Schwarm "B"	Well No.
Location: C.SE. Su. Sec. 32 Twp. 3	29 Rge. 17 (E) (W) $1/1$
County: // rowa	otal Depth: 4864
Oil Well Gas Well Input Well S	WD Well D & A
Oil Well Gas Well Input Well S Other well as hereafter indicated:	WD Well D & A
Other well as hereafter indicated:	WD Well D & A
Other well as hereafter indicated: Operator was instructed to plug well as follows:	
Other well as hereafter indicated: Operator was instructed to plug well as follows: 1. 1864 = 8. 1. 399	
Operator was instructed to plug well as follows: 1. 1.4864 = S. P. 87 - 399 4860'-1500 C. Joh Perf	1'cuc=53" 4778- Bottom
Other well as hereafter indicated: Operator was instructed to plug well as follows: 1. 1864 = 8. 1. 399	1'cuc=53" 4778- Bottom
Operator was instructed to plug well as follows: 1. 1.4864 = S. P. 87 - 399 4860'-1500 C. Joh Perf	1'cuc=53" 4778- Bottom
Other well as hereafter indicated: Operator was instructed to plug well as follows: 1. 1.4864 = S. P. 87 - 399 4860'-1500 C. Joh Perf Squeeced by Hailburton a tubing, Pulled pipe, much	1'cuc=5'2' 4778'- Bottom with 50 4 c through to 350' sef R.B.
Operator was instructed to plug well as follows: 1. 1.4864 = S. P. 87 - 399 4860'-1500 C. Joh Perf	1'cuc=5'2' 4778'- Bottom with 50 4 c through to 350' sef R.B.
Other well as hereafter indicated: Operator was instructed to plug well as follows: 1. 1.4864 = S. P. 87 - 399 4860'-1500 C. Joh Perf Squeeced by Hailburton a tubing, Pulled pipe, much	1'cuc=5'2' 4778'- Bottom with 50 4 c through to 350' sef R.B.
Other well as hereafter indicated: Operator was instructed to plug well as follows: 1. 1.4864 = S. P. 87 - 399 4860'-1500 C. Joh Perf Squeeced by Hailburton a tubing, Pulled pipe, much	1'cuc=5'2' 4778'- Bottom with 50 4 c through to 350' sef R.B.

Very truly yours,

Conservation Division Agent