

STATE OF KANSAS  
STATE CORPORATION COMMISSION  
CONSERVATION DIVISION  
200 Colorado Derby Building  
Wichita, Kansas 67202

FORM CP-1  
Rev. 6/4/84

WELL PLUGGING APPLICATION FORM  
(File One Copy)

API NUMBER 15-151-21,013-00-50 (of this well) 4/88  
(This must be listed; if no API# was issued, please note drilling completion date.)

LEASE OPERATOR TARRANT OPERATORS, INC. OPERATORS LICENSE NO. 4934  
ADDRESS 6212 Indian Creek Dr., Fort Worth, TX 76107 PHONE # (817) 737-3434  
440' FSL &  
LEASE (FARM) Stevens WELL NO. 2 WELL LOCATION 440' FEL SE/4 COUNTY Pratt  
SEC. 3 TWP. 29 RGE. 13W (E) or (W) TOTAL DEPTH 4774' PLUG BACK TD 4754'

Check One:

OIL WELL  GAS WELL \_\_\_\_\_ D & A \_\_\_\_\_ SWD or INJ WELL \_\_\_\_\_ DOCKET NO. \_\_\_\_\_  
SURFACE CASING SIZE 8 5/8" SET AT 535' CEMENTED WITH 375 SACKS  
CASING SIZE 4 1/2" SET AT 4773" CEMENTED WITH 175 SACKS  
PERFORATED AT 4730-36

CONDITION OF WELL: GOOD  POOR \_\_\_\_\_ CASING LEAK \_\_\_\_\_ JUNK IN HOLE \_\_\_\_\_

OPERATOR'S SUGGESTED METHOD OF PLUGGING THIS WELL \_\_\_\_\_

We will plug well according to the rules and regulations of the State of Kansas

(If additional space is needed use back of form)

IS WELL LOG ATTACHED TO THIS APPLICATION AS REQUIRED? Yes IS ACO-1 FILED? Yes  
(If not, explain)

DATE AND HOUR PLUGGING IS DESIRED TO BEGIN ASAP

PLUGGING OF THIS WELL WILL BE DONE IN ACCORDANCE WITH K.S.A. 55-101 et seq AND THE RULES AND REGULATIONS OF THE STATE CORPORATION COMMISSION.

NAME OF COMPANY REPRESENTATIVE AUTHORIZED TO BE IN CHARGE OF PLUGGING OPERATIONS:

Phil Laughlin PHONE # (817) 921-2661

ADDRESS Same As Above

PLUGGING CONTRACTOR Kelso Casing Pulling, Inc. LICENSE NO. 6050 6/88

ADDRESS P.O. Box 347  
Chase, Kansas, 67524 PHONE # (316) 938-2457

PAYMENT WILL BE GUARANTEED BY OPERATOR OR AGENT SIGNED: R. Daniel Fisher  
(Operator or Agent)

DATE: 7-29-87

①

State of Kansas



Mike Hayden Governor  
Keith R. Henley Chairman  
Rich Kowalewski Commissioner  
Margalee Wright Commissioner  
Judith A. McConnell Executive Director

State Corporation Commission

CONSERVATION DIVISION

(Oil, Gas and Water)  
200 Colorado Derby Building  
202 West 1st Street  
WICHITA, KANSAS 67202-1286

THIS NOTICE

OCT 31 '87

July 31, 1987

EXPIRES

WELL PLUGGING NOTICE

Stevens #2  
440'FSL 440'FEL SE/4  
Sec. 03-29S-13W  
Pratt County

Tarrant Operators, Inc.  
6212 Indian Creek Drive  
Fort Worth, TX 76107

Gentlemen:

This is your notice to plug the above subject well in accordance with the Rules and Regulations of the State Corporation Commission.

This notice is void after ninety (90) days from the above date.

Sincerely,

Shari Feist  
Acting Director  
State Corporation Commission

Please contact the district office to review your suggested method of plugging

DIST. #1 302 West McArtor, Dodge City, KS 67801 (316) 225-6760

five days prior to plugging the well (KAR-82-3-113).

MARKERS, LOGS RUN,  
DEPTIVE INFORMATION.



# SIMULTANEOUS DUAL LATEROLOG

DEPTH

COUNTY PRATT  
FIELD SWISHER EXTENSION  
LOCATION SEC. 3-29S-11W  
WELL STEVEN'S NO. 2  
COMPANY BEN HOGAN

COMPANY BEN HOGAN

WELL STEVEN'S NO. 2

FIELD SWISHER EXTENSION

COUNTY PRATT STATE KANSAS

LOCATION 440' ESL. & 440' FEL.

Other Services:  
CNI - FDC - CR

API SERIAL NO. SEC. TWP RANGE  
                  3      29S      11W

Permanent Datum GROUND LEVEL; Elev.: 1924

Log Measured From K.B. H. Above Perm. Datum 0.5

Drilling Measured From K.B. G.L. 1924

Date	9-28-81				
Run No.	ONE				
Depth-Driller	4775.5				
Depth-Logger (Schl.)	4774				
Btm. Log Interval	4759				
Top Log Interval	656				
Casing-Driller	8 5/8	@ 527	@	@	@
Casing-Logger					
Bit Size	7 7/8				
Type Fluid in Hole	STARCH				
Dens.	9.3	45			
pH	7.0	12.8 ml	ml	ml	ml
Source of Sample	CIRCULATED				
Rm @ Meas. Temp.	.17 @ 96 °F	.14 @ 112 °F	@ °F	@ °F	@ °F
Rmf @ Meas. Temp.	.13 @ 96 °F	.11 @ 112 °F	@ °F	@ °F	@ °F
Rmc @ Meas. Temp.	.18 @ 96 °F	.145 @ 112 °F	@ °F	@ °F	@ °F
Source: Rmf   Rmc	C   C				
Rm @ BHT	@ °F	@ °F	@ °F	@ °F	@ °F
Circulation Stopped	1200				
Logger on Bottom	1530				
Max. Rec. Temp.	112 °F	°F	°F	°F	°F
Equip.   Location	7756	GREAT BEND			
Recorded By	ISBISTER				
Witnessed By Mr.	HOLKE				

Type and percent  
additions

2% Gel + 3% CaCl<sub>2</sub>

10% Salt + .75% CFR

LINER RECORD			PERFORATION RECORD		
Top, ft.	Bottom, ft.	Seals cement	Shots per ft.	Size & Type	Depth Interval
			4	SSB (Welex)	4730-4736'
TUBING RECORD					
Size	Setting depth	Pecker bit wt			
	4 7/8"				