Form CP-4 Rev. 12-15-80

STATE OF KANSAS STATE CORPORATION COMMISSION 200 Colorado Derby Bldg. Wichita, Kansas 67202

WELL PLUGGING RECORD

	COUNTY PRAY	rr		SEC. <u>1</u>	2 TWP	28	RGE. _{15w} ₹		
*		s in quar		r footage	from lines	5:			
· · · · · · · · · · · · · · · · · · ·				TNC					
							No		
	4								
	Character .	Office Address_BOX 280; LIBERAL, KS. 67901 Character of Well (Completed as Oil, Gas or Dry Hole): OIL							
									
							·		
	Application for plugging filed 2-17-83								
	Plugging commenced 5_9_83								
	i i								
7	Reason for	abandonn	ent of	well or p	roducing f	format	cion _{DRY}		
Locate Well correctly on above	-			_		<u> </u>			
Section Platt.	Was permis	sion obta	ined fr	om the Con	nservation	ı Div	ision or it's		
	Agent's be	fore plug	ging wa	is commence	ed? <u>YES</u>				
Name of Conservation Age	nt who superv	ised plug	ging of	this well	1 R	ICHAR	D LACEY		
Producing formation									
Show depth and thickness	=								
•		•	J				0 · · · · · · · · · · · · · · · · · · ·		
OIL, GAS OR WATER RECORD							Casing Reco		
Formation	Content	From	To	Size 41/2"	Put in		Pulled Out		
				41/2			1900,45		
				i			,		
				 					
Describe in detail t	method or met	thods use	d in in	troducing	it into t	:he h	old. If cemen		
fluid was placed and the or other plugs were used tofeet for ea	method or me , state the cl ch plug set	thods use haracter	ed in in of same	troducing and depti	it into t	the ho	old. If cemer fee		
fluid was placed and the or other plugs were used	method or me , state the cl ch plug set	thods use haracter	ed in in of same	troducing and depti	it into t	the ho	old. If cemer fee		
fluid was placed and the or other plugs were used tofeet for ea	method or me , state the cl ch plug set	thods use haracter	ed in in of same	troducing and depti	it into t	the ho	old. If cemer fee		
fluid was placed and the or other plugs were used tofeet for eaHALLIBURTON_SERVICES_CA TO 4510.	method or me, state the cl ch plug set	thods use haracter	d in in of same	troducing and depth	it into to placed,	the ho	old. If cemer fee		
fluid was placed and the or other plugs were used tofeet for eaHALLIBURTON_SERVICES_CA TO 4510.	method or me, state the clech plug set ME OUT AND PURES PUMPED DOW	thods use haracter IMPED DOW	d in in of same	troducing and depth	it into to placed,	the ho	old. If cemer fee		
fluid was placed and the or other plugs were used tofeet for ea	method or me, state the clech plug set ME OUT AND PURES PUMPED DOW	thods use haracter IMPED DOW	d in in of same	troducing and depth	it into to placed,	the ho	old. If cemer fee		
fluid was placed and the or other plugs were used tofeet for ea	method or me, state the clech plug set ME OUT AND PURES PUMPED DOW	thods use haracter IMPED DOW	d in in of same	troducing and depth	it into to placed,	the ho	old. If cemer fee		
fluid was placed and the or other plugs were used to feet for ea HALLIBURTON SERVICES CA TO 4510' TOP: HALLIBURTON SERVICES 1 HULL: 85/8" PLUG: 10	method or me, state the clech plug set ME OUT AND PI ES PUMPED DOWN O SACKS OF CE	thods use haracter IMPED DOW IN 3HULL EMENT.	ed in in of same	atroducing and depth	it into the placed, F CEMENT I	CEME	old. If cemer fee		
fluid was placed and the or other plugs were used tofeet for ea	method or me, state the clech plug set ME OUT AND PROPERTY OF CHAPTER AND P	thods use haracter IMPED DOW IN 3HULL EMENT.	ed in in of same N #% 3 S: 10	stroducing and depth	it into the placed, F CEMENT I SACKS OF	CEME	old. If cemer fee		
fluid was placed and the or other plugs were used to	method or me, state the clech plug set ME OUT AND PROPERTY OF CHAPTER AND P	thods use haracter IMPED DOW IN 3HULL EMENT.	ed in in of same N #% 3 S: 10	stroducing and depth	it into the placed, F CEMENT I SACKS OF	CEME	old. If cemer fee		
fluid was placed and the or other plugs were used to	method or me, state the clean plug set ME OUT AND PROCESS PUMPED DOWN OO SACKS OF CE 1 description tor HSH CASIN	thods use haracter MPED DOW N 3HULL EMENT, is neces IG PULLIN	ed in in of same N #% 3 S: 10 Esary, u	atroducing and depth SACKS OF	it into the placed, F CEMENT I SACKS OF	CEME	old. If cemer fee		
fluid was placed and the or other plugs were used to	method or men, state the clean plug set ME OUT AND PROPER PUMPED DOWN DO SACKS OF CENTER CASING COUNTY OF	thods use haracter IMPED DOW IN 3HULL EMENT. is neces IG PULLIN RENO (employ	ed in in of same N #% 3 S: 10 ssary, ug.co.	se BACK of	it into the placed, F CEMENT I SACKS OF	opera	old. If cemer fee		
fluid was placed and the or other plugs were used to	method or men, state the clean plug set. ME OUT AND PROCESS PUMPED DOWN DO SACKS OF CENTER CASING COUNTY OF Ling first duly	thods use haracter IMPED DOW IN 3HULL EMENT, is neces is pullin RENO (employ y sworn o	sary, use of contract, on the contract of	se BACK of says: Ti	it into the placed, F CEMENT I SACKS OF this she (owner or nat I have	opera know	old. If cemer feet feet feet feet feet feet feet fe		
fluid was placed and the or other plugs were used to	method or men, state the clean plug set. ME OUT AND PROCESS PUMPED DOWN DO SACKS OF CENTER CASING COUNTY OF Ling first duly atters herein	thods use haracter IMPED DOWN IN 3HULL EMENT. is neces is PULLIN RENO (employ y sworn of contained	sary, use of con oath, d and t	se BACK of says: The log of	it into the placed, F CEMENT I SACKS OF this she (owner or nat I have	opera know	old. If cemer feet feet feet feet feet feet feet fe		
fluid was placed and the or other plugs were used to	method or men, state the clean plug set. ME OUT AND PROCESS PUMPED DOWN DO SACKS OF CENTER CASING COUNTY OF Ling first duly atters herein	thods use haracter IMPED DOWN IN 3HULL EMENT. is neces is PULLIN RENO (employ y sworn of contained	sary, use of control of same	se BACK of says: The log of p me God.	it into the placed, F CEMENT I SACKS OF Cowner or nat I have the above	opera know	old. If cemer feet feet feet feet feet feet feet fe		
fluid was placed and the or other plugs were used to	method or men, state the clean plug set. ME OUT AND PROCESS PUMPED DOWN DO SACKS OF CENTER CASING COUNTY OF Ling first duly atters herein	thods use haracter IMPED DOWN IN 3HULL EMENT. is neces is PULLIN RENO (employ y sworn of contained	sary, use of con oath, dand to So hel	se BACK of says: The log of p me God.	it into the placed, F CEMENT I SACKS OF Cowner or nat I have the above	operate know	ator) of the wledge of the cribed well as		
fluid was placed and the or other plugs were used to	method or men, state the clean plug set. ME OUT AND PROCESS PUMPED DOWN OF CENTER OF CENTER OF CENTER OF CENTER OF CENTER OF CENTER OF COUNTY OF LING first duly atters herein are true and center of center	thods use haracter IMPED DOWN IN 3HULL EMENT. IS RECES IG PULLIN RENO (employ y sworn of contained correct.	sary, use of con oath, dand to So hel	se BACK of says: The log of p me God.	it into the placed, F CEMENT I SACKS OF Cowner or nat I have the above	operate know	old. If cemer feet feet feet feet feet feet feet fe		
fluid was placed and the or other plugs were used to	method or men, state the clean plug set. ME OUT AND PROCESS PUMPED DOWN OF CENTER OF CENTER OF CENTER OF CENTER OF CENTER OF CENTER OF COUNTY OF LING first duly atters herein are true and center of center	thods use haracter IMPED DOWN IN 3HULL EMENT. IS RECES IG PULLIN RENO (employ y sworn of contained correct.	sary, use of concept of and to So held (Sign 2900 A	gend depth and depth and depth and depth and depth as a second of the second of the log	it into the placed, F CEMENT I SACKS OF SACKS OF this she (owner or nat I have the above APT. 107:1	operate known church	ator) of the wledge of the cribed well as		
fluid was placed and the or other plugs were used to	method or men, state the clock plug set. ME OUT AND PRODUCT OF CES PUMPED DOWN OF CES PU	thods use haracter IMPED DOWN IN 3HULL EMENT. IS RECES IG PULLIN RENO (employ y sworn of contained correct.	sary, use of concept of the concept	se BACK of says: The log of p me God.	it into the placed, F CEMENT I SACKS OF SACKS OF this she (owner or nat I have the above APT. 107:1	operate known church	ator) of the wledge of the cribed well as		
fluid was placed and the or other plugs were used to	method or men, state the clech plug set. ME OUT AND PRODUCT OF CES PUMPED DOWN OF CES PU	is neces is	sary, use of con oath, dand to So hell (Sign 2900 A	se BACK of Secretary or says: The log of period of cres RD.	it into the placed, and placed	che ho from WITH CEME eet) opera know e-desc	ator) of the wledge of the cribed well as		
fluid was placed and the or other plugs were used to	method or men, state the clock plug set. ME OUT AND PRODUCT OF CES PUMPED DOWN DO SACKS OF CES PUMPED DOWN DOWN DOWN DOWN DOWN DOWN DOWN DOW	is neces is	sary, use of con oath, dand to So hell (Sign 2900 A	se BACK of Secretary or says: The log of period of cres RD.	it into the placed, and placed	che ho from WITH CEME eet) opera know e-desc	ator) of the wledge of the cribed well as		
fluid was placed and the or other plugs were used to	method or men, state the clech plug set. ME OUT AND PRODUCT OF CES PUMPED DOWN OF CES PU	is neces is	sary, use of con oath, dand to So hell (Sign 2900 A	ge and depth sand depth sand depth sand depth sand depth sand depth se BACK of gell: 50 Gell: 60 Gell: 6	it into the placed, and placed	che ho from WITH CEME eet) opera know e-desc	ator) of the wledge of the cribed well as		

	KANSAS		(~ ~		.)	•			
	WELL COMPLETION REPORT AND COPY									28 R. 15	√ €X	
\bigcirc	API.No. 15	151 County		20!	597-A	ON	WD	1	Loc. C NW			
٠.	Operator	troleum, In				.			County6	Pratt		
	Address				7							
	P. O. E		160		7							
	Well No. 1 Lease Name Bunsold										_	
ļ	Footage Location 660	(N) YW line	1980		fact	4no (E) 0000	lino		- - -		-{	
•	Principal Contractor	feet from (N) XX line feet from (E) XXX line Principal Contractor Geologist							160			
	Spud Date	Date Completed		Ralph M. Reynolds Total Depth P.B.T.D.				<u> </u>	Locate	2046	4	
O	12-30-78	9-6-8	1		4700'		4615'	. '	lev.; Gr			
	Directional Deviation		j	Oil a	nd/or Gas Pure Derby R] .	2049'	кв2051	·	
		<u></u>				RECORD	-					
\bigcirc	Report of all string	gs set—surfoce,	intermedi	ate,	production, et					·		
	Purpose of string	Size hole drilled	Size cosin (in O.D	g set	Weight Ibs/ft.	Setting depth	Туре с	ement	Sacks	Type and po additive	ercent	
	Surface	12 1/4"	8 5/	8	20	345'	Class 'H'		225	3% CaCl		
	Production	7 7/8"	4 1/	2	10⅓	4670'	50/50 F	osmix	175	18% CaCl		
\cap					·		-					
			<u> </u>									
		LINER RECOR	D					PERFORA	ORATION RECORD			
	Top, ft. Bottom, ft. So				ment	Shots			& type	Depth inte	140]	
						Two			Jet	4496' -	45201	
$\bigcirc $	Sixe Setting depth Pa 2 3/8" OD 4500'				ocker set at			 				
Ì	ACID, FRACTURE, SHOT, CEMENT SQUEEZE RECORD											
_[Amount and kind of material used STATE CORPORATION COM						CIVEU Tion contry	SSION Depl	th interval treate	d		
\mathcal{I}	2000 gal. 7½% De-mud acid 54,000 gal. Gelled Water and 39,400# 20/40 sand CONSERVATION DIVISION.							บ เอชอ	4496' - 4520'			
								UN DIVICION				
	- Wichita, Kansas											
	INITIAL PRODUCTION											
İ	Date of first production Producing method (flowing, pumping, gas lift, etc.) Pumping Producing method (flowing, pumping, gas lift, etc.)											
_ [RATE OF PRODUCTION PER 24 HOURS 25 bbls. TST				MT2	Water	140	bbls.	O O	CIPB		
Disposition of gas (vented, used on lease or sold) Used on lease Producing interval(s) 4496' - 4520'									0'			

INSTRUCTIONS: As provided in KCC Rule 82-2-125, within 90 days after completion of a well, one completed copy of this Drillers Log shall be transmitted to the State Geological Survey of Kansas, 4150 Monroe Street, Wichita, Kansas 67209. Copies of this form are available from the Conservation Division, State Corporation Commission, 245 No. Water, Wichita, Kansas 67202. Phone AC 316-522-2206. If confidential custody is desired, please note Rule 82-2-125. Drillers Logs will be on open file in the Oil and Gas Division, State Geological Survey of Kansas, Lawrence, Kansas 66044.

USE ADDITIONAL SHEETS, IF NECESSARY, TO COMPLETE WELL RECORD.

Data Received

Hodney K. Keyrolds

Vice President

Title 11-4-81

Date