Give All Information Completely Make Required Affidavit Mail or Deliver Report to Conservation Division State Corporation Commission 245

FORM CP-4

## WELL PLUGGING RECORD

hita. KS 67202	<u> </u>				IMDEAD WRO	X <u>.~Y</u> Y ( <i>E)</i>			
artu, iii oraca	Ford County. Seg. 6 Twp28S Rge22W (E) (E) Cocation as "NE/CNVESWE" or footage from lines C SE NE								
		leve Owner Isern Petroleum Company							
		Lease Name KA					AY Well No. 1		
f i i i	Office Address	n. /o/	, Ellin	wood, Kans	sas 67526				
		Well (completed	er Oil Gas	or Dry Hole)	D	rv Hole	•		
1 1 1	Date well con					=25=76	19		
] i   i	Application for	r plugging filed_			_		19		
11		r plugging appro			4	-25-76	19		
1 1 1		menced			4.	-25-76_	19_		
1 i i i						≈25 <del>-</del> 76	19		
<u> </u>	Plugging completed. 4=25-76 19 Reason for abandonment of well or producing formation lost circ.								
1 : 1 :	If a producing well is abandoned, date of last production								
<u> </u>		on obtained from		-					
Locate well correctly on above	menced?		dio consci	VALUE DIVISION	Of its paces of	-ore progam	g \		
Section Plat			eo Mass	ev. Havs.	Kansas 67	601			
Name of Conservation Agent who sup	ervised plugging or u						32		
Producing formation			notto	m	Total Debruo:	r Well	<i>,</i> <u> </u>		
Show depth and thickness of all water	r, oil and gas tormatic	ons.							
OIL, CAS OR WATER RECORD	DS					CASING R	ECOR		
	<del></del>		<del></del>	T		<b>T</b>			
FORMATION	CONTENT	FROM	10	SUZE	PUT IN	+	דעט ס		
<del></del>		<del> </del>	<del>                                     </del>	<del></del>	NONE	_NON	<u> </u>		
	<u> </u>	<del></del>	<del> </del>	<del> </del>		- <b> </b>			
	ļ		ļ	<b>_</b>	<b></b>	. <b> </b>			
<u></u>	<u> </u>		<u> </u>	<u> </u>	<del></del>				
- <u></u>			ļ	<u> </u>	<u> </u>	<b>-</b>			
			1	1		_l			
Describe in detail the manner is in introducing it into the hole. If cer-fect for each plug s	ment or other plugs v								
in introducing it into the hole. If cer fect for each plug s	ment or other plugs weet.	were used, state t	he character	of same and der	oth placed, from				
in introducing it into the hole. If cer	ment or other plugs weet.	were used, state t	he character	of same and der	oth placed, from	<del></del>	fe		
in introducing it into the hole. If cer fect for each plug s Run 180' drill pipe	in hole - pu	were used, state t	he character	of same and dep	8% Gel		fe		
in introducing it into the hole. If cer fect for each plug s	in hole - pu	were used, state t	he character	of same and der	8% Gel	<del></del>	fe		
in introducing it into the hole. If cer fect for each plug s Run 180' drill pipe	in hole - pu	were used, state t	he character	of same and dep	8% Gel	5-76	fe		
in introducing it into the hole. If cer fect for each plug s Run 180' drill pipe	in hole - pu	were used, state t	he character	of same and dep	8% Gel	<del></del>	fe		
in introducing it into the hole. If cer fect for each plug s Run 180' drill pipe	in hole - pu	were used, state t	he character	of same and deport of the same and deport of	8% Gel.	8-76 1970	fe		
in introducing it into the hole. If cer fect for each plug s Run 180' drill pipe	in hole - pu	were used, state t	he character	of same and deport of the same and deport of	8% Gel.	8-76 1970	fe		
in introducing it into the hole. If cer fect for each plug s Run 180' drill pipe	in hole - pu	imp 200 sac	ks cemen	of same and depoint 3% C.C.	8% Gel.	8-76 1970	fe		
in introducing it into the hole. If cer fect for each plug s Run 180' drill pipe	in hole - pu	imp 200 sac	ks cemen	of same and deport 3% C.C.  Sifical  Sifical  Word this about	8% Gel.	8-76 1970	fe		
Run 180' drill pipe Plugged and abandone	in hole - pu	ump 200 sac	ks cemen	of same and deport 3% C.C.  Sifical  Sifical  Word this about	8% Gel.	8-76 1970	fe		
Run 180' drill pipe Plugged and abandone	in hole - pu	imp 200 sac	ks cemen	of same and deport 3% C.C.  Sifical  Sifical  Word this about	8% Gel.	8-76 1970	fe		
Run 180' drill pipe Plugged and abandone  Name of Plugging Contractor  Address	in hole - pu  ad 3:00 p.m.  (Haddnion Gabbert 830 Sutt	mp 200 sac	ks cemen	of same and deport 3% C.C.  Sifical  Sifical  Word this about	8% Gel.	8-76 1970	fe		
Run 180' drill pipe Plugged and abandone  Name of Plugging Contractor  Address  STATE OF KANSAS	in hole - pu  ad 3:00 p.m.  (Haddnion Gabbert 830 Sutt	mp 200 sac alderintion is nee Jones, Inc. on Place,	ks cemen	of same and depoint 3% C.C.  S(A)  S(A)  K of this sheet)	8% Gel.  161-171-171-171-171-171-171-171-171-171-	8-76 1970 1973			
Run 180' drill pipe Plugged and abandone  Name of Plugging Contractor  Address  STATE OF KANSAS Willie E. Schultz	in hole - pu ed 3:00 p.m.  (Hadding Gabbert 830 Sutt	mp 200 sac and description is nee Jones, Inc. on Place,	ks cements with the barrens of the b	of same and depoint 3% C.C.  Strain  Koftbisheer)  Kansas 6	8% Gel.  8% Gel.  1012 S	8-76 1970	fe		
In introducing it into the hole. If cere for each plug a feet for each p	in hole - pu  d 3:00 p.m.  (Haddnice Gabbert 830 Sutt	mp 200 sac mp 200 sac and description is nee Jones, Inc. on Place,	ks cements with the barrens of the b	of same and depoint 3% C.C.  Strain  Kansas 6  Towner) or (overts, and matter)	8% Gel.  8% Gel.  1012 S	8-76 1970	fe		
Run 180' drill pipe Plugged and abandone  Name of Plugging Contractor  Address  STATE OF KANSAS	in hole - pu  d 3:00 p.m.  (Haddnice Gabbert 830 Sutt	mp 200 sac mp 200 sac and description is nee Jones, Inc. on Place,	ks cements with the barrens of the b	of same and depoint 3% C.C.  Strain  Kansas 6  Towner) or (overts, and matter)	8% Gel.  8% Gel.  1012 S	8-76 1970	fe		
In introducing it into the hole. If cere for each plug a feet for each p	in hole - pu  d 3:00 p.m.  (Haddnice Gabbert 830 Sutt	mp 200 sac mp 200 sac and description is nee Jones, Inc. on Place,	ks cements with the barrens of the b	of same and depoint 3% C.C.  Strain  Kansas 6  Towner) or (overts, and matter)	8% Gel.  8% Gel.  1012 S	8-76 1970	fe		
Run 180' drill pipe Plugged and abandone  Name of Plugging Contractor Address  STATE OF KANSAS Willie E. Schultz  well, being first duly swom on cath,	in hole - pu  d 3:00 p.m.  (Haddnice Gabbert 830 Sutt	mp 200 sac mp 200 sac and description is nee Jones, Inc. on Place,	ks cemer ks cemer wichita BARTON employee of facts, states help me Co	Signature and deposit of the sheet of the sh	8% Gel.  8% Gel.  161-172 8  Muchita Kar  67202	S-76 1970 1970 1988  Of the abouted and the	fe		
Run 180' drill pipe Plugged and abandone  Name of Plugging Contractor Address  STATE OF KANSAS Willie E. Schultz  well, being first duly swom on cath,	in hole - pu  d 3:00 p.m.  (Haddnice Gabbert 830 Sutt	mp 200 sac mp 200 sac and description is nee Jones, Inc. on Place,	ks cemer ks cemer wichita BARTON employee of facts, states help me Co	Signature and deposit of the sheet of the sh	8% Gel.  8% Gel.  101. 28  101	S-76 1970 1970 1988  Of the abouted and the	fe		
In introducing it into the hole. If cere for each plug a feet for each p	in hole - pu  in hole - pu  ad 3:00 p.m.  (Haddnion Gabbert 830 Sutt  Cu  says: That I have I	mp 200 sac mp 200 sac mp 200 sac Jones, Inc. on Place,	ks cemer ks cemer wichita BARTON employee of facts, states help me Co	Signature and deposit of the sheet of the sh	8% Gel.  8% Gel.  161-172 8  Muchita Kar  67202	S-76 1970 1970 1988  Of the abouted and the	fe		
In introducing it into the hole. If cere for each plug a feet for each p	in hole - pu  in hole - pu  ad 3:00 p.m.  (Haddnion Gabbert 830 Sutt  Cu  says: That I have I	mp 200 sac mp 200 sac on Place, DUNTY 01	ks cemer ks cemer wichita BARTON employee of facts, states help me Co	Signature and deposit of the sheet of the sh	8% Gel.  8% Gel.  101. 28  101	S-76 1970 1970 1988  Of the abouted and the	fe		
Name of Plugging Contractor  Address  STATE OF  KANSAS  Willie E. Schultz  well, being first duly swom on oath, above described well as filed and the	in hole - pu  in hole - pu  ad 3:00 p.m.  (Haddnion Gabbert 830 Sutt  Cu  says: That I have I	mp 200 sac mp 200 sac mp 200 sac Jones, Inc. on Place,	ks cemer ks cemer wichita BARTON employee of facts, states help me Co	Signature and deposit of the sheet of the sh	8% Gel.  8% Gel.  101. 28  101	S-76 1970 1970 1988  Of the abouted and the	fe		
Name of Plugging Contractor  Address  STATE OF KANSAS  Willie E. Schultz  well, being first duly swom on oath, above described well as filed and the	in hole - pu  in hole - pu  ad 3:00 p.m.  (Haddnion Gabbert 830 Sutt  Says: That I have I	mp 200 sac mp 200 sac mp 200 sac Jones, Inc. on Place,	ks cemer ks cemer wichita BARTON employee of facts, states help me Co	Signature and deposit of the sheet of the sh	8% Gel.  8% Gel.  101. 28  101	S-76 1970 1970 1988  Of the abouted and the	fe		
Run 180' drill pipe Plugged and abandone  Name of Plugging Contractor Address  STATE OF KANSAS Willie E. Schultz  well, being first duly swom on oath, above described well as filed and the	in hole - pu  in hole - pu  ad 3:00 p.m.  (Haddnion Gabbert 830 Sutt  Says: That I have I  at the same are true;  ore me this 27t	mp 200 sac  mp 200 sac  mp 200 sac  on Place,  con Place,  con Place,  con Place,  con Place,  day of	ks cemer ks cemer wichita BARTON employee of facts, states help me Co	Signature and deposit of the sheet of the sh	8% Gel.  8% Gel.  101. 28  101	S-76 1970 1970 1988  Of the abouted and the	fe		
In introducing it into the hole. If cere for each plug a feet for each p	in hole - pu  in hole - pu  ad 3:00 p.m.  (Haddnion Gabbert 830 Sutt  core me this 27t	mp 200 sac mp 200 sac mp 200 sac Jones, Inc. on Place,	ks cemer ks cemer wichita BARTON employee of facts, states help me Co	Signature and deposit of the sheet of the sh	8% Gel.  8% Gel.  101. 28  101	S-76 1970 1970 1988  Of the abouted and the	fe		

MY COMM. EXP. FEB. 10, 1979

<b>*</b>	4		IMPOR	ТАИТ		/	~		
		O Kan	is lien c		st.	1	J.	0.4	00 00 T
KANSAS DRILLE	RS LOG		ples on th	is well.		1	1		28 R 22 W
API No. 15	057		087 <b>- 000</b>				L	oc. <u>C</u>	SE NE
Operator	County	7	umber			·	с	ounty <u>F</u>	ord
· ·	eum Compan	V							640 Acres N
Address					<del>-</del>				
Box 486	Ellinwood,	N insas	6/320				$\dashv$	160	
# <sub>1</sub>	Kay								
Footage Location									
feet from Principal Contractor	(N) (S) line	Go	ologist	from (E) (W) lin	le		$\dashv$	160	50
	Jones, Inc.		D. W. M			,	_		
Spud Date		То	tal Depth	P.B.T.D.				Lo ev.: Gr	cate well correctly 2444
4-23-76 Date Completed		Oil	632 I Purchaser				<b>ા</b>		46 кв <u>244</u> 9
4-25-76							DI	F	КВ
			CASING	RECORD					
Report of all string	ne sat — sustasa	intormodiate					· -		
	<del></del>					•			Type and percent additives
Purpose of string	Size hole drilled	(in O.D.)	set Weight lbs/ft.	Setting Aeprin		Type cemi	enr	Sacks	additives
none									
none								-	
	<del>                                     </del>	<del> </del>	_						
				~~					,
}	<u> </u>	<u> </u>		<u> </u>					
	LINER RECOI	RD				F	ERFORA	TION REG	CORD
Top, ft.	Bottom, ft.	Sacks	i cement	Shots po	er ft.		Sixe	G type	Depth interval
		1	<del></del>	<b>-</b>			<u>.</u>		<del></del>
	TUBING RECO			·			•		
Size	Setting depth	Packe	er set at						
<del></del>		ACID, FRAC	TURE, SHOT,	CEMENT SOU	EEZI	E RECO	RD		<u></u>
			of material used				-		Depth interval treated
<del></del>	· · · · · · · · · ·						<del> </del>	<del> </del>	
						<del>- [</del>	<u> </u>	MED M COM	10010
						STATE C	95.2 <u>25.5</u>	idi Coma	315510.1
	_		<del></del>				MN7 O	8 1976	<del></del>
				<del></del>			19151 Z	0 15.0	•
			INITIAL PR	ODUCTION		CC	NSERVATI	CN DIVISI	ON
Date of first production		Produc	cing method (flow	ing, pumping, gas	i lift,	etc.)	-141011112)	1	
	Oil	l <u>.</u>	Gas	<del> </del>	Į v	Voter			Gas-oil ratio
RATE OF PRODUCTION PER 24 HOURS			bbls.	М				bbls.	СЕРВ
Disposition of gas (venter	i, used on lease or	sold)				Producir	g intervol	(2)	
	_								

INSTRUCTIONS: As provided in KCC Rule 82-2-125, within 90 days after completion of a well, one completed copy of this Drillers Log shall be transmitted to the State Geological Survey of Kansas, 4150 Monroe Street, Wichita, Kansas 67209. Copies of this form are available from the Conservation Division, State Corporation Commission, 3830 So. Meridian (P.O. Box 17027), Wichita, Kansas 66217. Phone AC 316-522-2206. If confidential custody is desired, please note Rule 82-2-125. Drillers Logs will be an open file in the Oil and Gas Division, State Geological Survey of Kansas, Lawrence, Kansas 66044.

15-057-20087-0000

Operator Isern Petroleum Company Well No. Lease Name Kay ' dry hole 36T 285 R 22W W Ford County, Kansas WELL LOG SHOW GEOLOGICAL MARKERS, LOGS RUN, OR OTHER DESCRIPTIVE INFORMATION. Show all important zones of porosity and contents thereof; cored intervals, and all drill-stem tests, including depth interval tested, cushion used; time tool open, flowing and shut-in pressures, and recoveries. FORMATION DESCRIPTION, CONTENTS, ETC. NAME DEPTH TOP BOTTOM 0 340 Soil-Shale 340 575 Snad Shale 575 632 Dry Drilled 632 Total Depth WAL 58 1818 CONSERVATION DIVISION Wichitz, Kanses USE ADDITIONAL SHEETS, IF NECESSARY, TO COMPLETE WELL RECORD. **Date Received** Signature General Manager 5-27-76