## KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

Type Test	:					(	See Ins	struci	tions on Rev	verse Side	9)				
Ор	en Flo	w				Test Date					۸۵	l No. 15			
Del	liverab	ilty				5/27/15						-185-20604 -	-0000		
Company Murfin D		Cor	mpany				_		Lease Seibert			-		Well No	umber
County Location Stafford NWSWNESE				Section 21			TWP 24S		RNG (E/W) 15W		Acres Attributed				
Field Farmington						Reservoir Mississippi				Gas Gathering Connection Lummen Midstream Partnership LLC					
Completion Date 1/14/76					Plug Back Total Depth 4459					Packer : None	Set at	KA	To 4210 JUN 20		
4.5				Internal Diameter 4.052			Set at 4495		Perforations 4156		то <b>4210</b>	To 4210 JUN 29 21			
Tubing Si	Tubing Size We 1" 1.1					Internal Diameter 1.059"			Set at 4160		Perforations N/A		το <i>c</i> c N/A	To CONSERVATION DIVISION Plunger? Yes / No	
Type Con Acid 50			escribe) 15%			Type Flui Water	d Produ	uction	1		Pump U	nit or Traveling			
Producing Thru (Annulus / Tubing) Annulus					% Carbon Dioxide 0.139					% Nitrog 6.769	-		Gas Gravity - G <sub>g</sub> 0.6427		
Vertical Depth(H)					Pressure Taps Flange				(Meter Run) (Prover) Size 2.070"						
Pressure	Buildu	p:	Shut in 5/	26	20	15 at 1	0:00		(AM) (PM)	Taken_5/	27	20	15 at 10:00		(AM) (PM)
Well on Li	ine:		Started		20	) at			(AM) (PM)	Taken		20	at		(AM) (PM)
							OBSE	RVE	D SURFACE	DATA			Duration of Shut-	<sub>-in_24</sub>	Hours
Static / Dynamic Property	ynamic Size		Meter Prover Pressure		Pressure Differential in Inches H <sub>2</sub> 0	Flowing Temperature t	Well H Temper t		Casing Wellhead Pressure (P <sub>w</sub> ) or (P <sub>1</sub> ) or (P <sub>c</sub> )		Tubing Wellhead Pressure (P <sub>w</sub> ) or (P <sub>1</sub> ) or (P <sub>c</sub> )		Duration Liq (Hours)		id Produced Barrels)
Shut-In			prig (r iii		mones rigo				290	psla	290	psia	24		
Flow															
							FLOW	STR	EAM ATTRI	BUTES			1		
Plate Coefficelent (F <sub>b</sub> ) (F <sub>p</sub> ) Mefd		Circle one: Meter or Prover Pressure psia			Press Grav Extension Fact  ✓ P <sub>m</sub> x h F <sub>g</sub>		/ity tor	Flowing Temperature Factor F <sub>11</sub>		Dev Fa	iation actor <sub>pv</sub>	Metered Flo R (Mcfd)	w GOR (Cubic Fe Barrel)		Flowing Fluid Gravity G <sub>m</sub>
						(OPEN FL	OW) (DI	ELIV	ERABILITY)	CALCUL	ATIONS		(P <sub>a</sub> )	<sup>2</sup> = 0.2	207
(P <sub>c</sub> ) <sup>2</sup> =		<u>-i</u> _	(P <sub>w</sub> ) <sup>2</sup>		se formula 1 or 2:	P <sub>d</sub> =			% <u>(Р</u>	<sub>c</sub> - 14.4) +	14.4 = _	<del>:</del> _	(P <sub>d</sub> )	<sup>2</sup>	
(P <sub>c</sub> ) <sup>2</sup> - (P <sub>a</sub> ) <sup>2</sup> or (P <sub>c</sub> ) <sup>2</sup> - (P <sub>d</sub> ) <sup>2</sup>		(P <sub>c</sub> ) <sup>2</sup> - (P <sub>w</sub> ) <sup>2</sup>		1	$P_{c}^{2} - P_{a}^{2}$ $P_{c}^{2} - P_{d}^{2}$ $P_{c}^{2} - P_{d}^{2}$ $d by: P_{c}^{2} - P_{w}^{2}$	LOG of formula 1. or 2. and divide by:	formula 1. or 2. and divide P2-P2		Backpressure Curv Slope = "n" or Assigned Standard Slope		n x LOG		Antilog Del		pen Flow liverability s R x Antilog (Mcfd)
	-														_
Open Flov	<u> </u> v			,	Mcfd @ 14.6	 65 psia			Deliverabi	ility			Mcfd @ 14.65 ps	 ia	
The u	ındersi	igned	authority,	on be	half of the	Company, s	tates th	at h	e is duly au	thorized to	o make ti	he above repo	ort and that he ha	as know	vledge of
					eport is true					_		June			20 15.
			Witness	(if any)				_	_			hours	a Nell	of	
		_						_							
			For Com	mission	,			_				Che	cked by		

exempt status und and that the foreg correct to the best of equipment insta I hereby reque	er penalty of perjury under the laws of the state of Kansas that I am a er Rule K.A.R. 82-3-304 on behalf of the operator Marsh brill oing pressure information and statements contained on this application of my knowledge and belief based upon available production summarialitation and/or upon type of completion or upon use being made of the gast a one-year exemption from open flow testing for the Seibert 1 bunds that said well:	ion form are true and ies and lease records as well herein named.
_	is a coalbed methane producer is cycled on plunger lift due to water is a source of natural gas for injection into an oil reservoir undergoing is on vacuum at the present time; KCC approval Docket No is not capable of producing at a daily rate in excess of 250 mcf/D to supply to the best of my ability any and all supporting documents of to corroborate this claim for exemption from testing.	
	Signature: Thomas a hell  Title: Production Engineer	and

Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under OBSERVED SURFACE DATA. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption IS denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.