STATE OF KANSAS
STATE CORPORATION COMMISSION Give All Information Completely
Make Required Affidavit

Vall or Deliver Report to:
Conservation Division
State Correction Completely

WELL PLUGGING RECORD

FORMATION PLUGGING RECORD

Strike out upper line when reporting plug-ging off formations.

State Corporation Commission 300 Bitting Building Wichita, Kansas						Rge(W)
NORTH						E. K. Carey Contract
	Lease NameE	E. L. McBri	de			Well No1
	Office Address	2101 Miss	couri Pac	ific Build	ling, St. L	ouis, Mo.
	Character of We	ll (completed as	s Oil, Gas or l	Dry Hole)	Dry Hole	19
	Date well comp.	leted nlugging filed		11 /13/47		1919
	Application for a	nlugging approv	red			10
	Plugging comme	nced	***************************************	11/11/47	***************************************	19
	· Plugging comple	eted		1711/47	Des Holo	19
	1		-	-	•	
d .						19
	Was permission	obtained from t	the Conservat	tion Division o	or its agents be	fore plugging was com-
Locate well correctly on above Section Plat ame of Conservation Agent who su	menced?	Yes. W.	Kerr		, 	,
ame of Conservation Agent who su roducing formation	ipervised plugging of the	to top	Botton	 1	Total Depth o	f Well 4667 Feet
how depth and thickness of all water						t II waannii Transcommine www
OIL, GAS OR WATER RECORD	DS					CASING RECORD
Formation	Content	From	То	Size	Put In	Pulled Out
Arbuckle Lime	Dry	4577 ×	4667	8 5/8	817	None.

		••••••••••		*************************		
					••••	
		·	<u></u>			
ntroducing it into the hold. If cemo feet for each plu 4667 to 820 muc Hole bridged 10	ug set. dHoldbri.dg.ed	used, state the cl 1.820 - 15 	character of sai	me and depth ment	placed, from	feet to
ntroducing it into the hold. If cemo feet for each plu 4667 to 820 muc Hole bridged 10	ent or other plugs were use set. d. Hold bridg.ed D.sacks cement.	used, state the cl 1.820 - 15 	character of sai	me and depth ment	placed, from	feet to
atroducing it into the hold. If cemo feet for each plu 4667 to 820 muc Hole bridged 10	ent or other plugs were use set. d. Hold bridg.ed D.sacks cement.	used, state the cl 1.820 - 15 	character of sai	me and depth ment	placed, from	feet to
ntroducing it into the hold. If cemo feet for each plu 4667 to 820 muc Hole bridged 10	ent or other plugs were use set. d. Hold bridg.ed D.sacks cement.	used, state the cl 1.820 - 15 	character of sai	me and depth ment	placed, from	feet to
atroducing it into the hold. If cemo feet for each plu 4667 to 820 muc Hole bridged 10	ent or other plugs were use set. d. Hold bridg.ed D.sacks cement.	used, state the cl 1.820 - 15 	character of sai	me and depth ment	placed, from	feet to
atroducing it into the hold. If cemo feet for each plu 4667 to 820 muc Hole bridged 10	ent or other plugs were use set. d. Hold bridg.ed D.sacks cement.	used, state the cl 1.820 - 15 	character of sai	me and depth ment	placed, from	feet to
ntroducing it into the hold. If cemo feet for each plu 4667 to 820 muc Hole bridged 10	ent or other plugs were use set. d. Hold bridg.ed D.sacks cement.	used, state the cl 1.820 - 15 	character of sai	me and depth ment	placed, from	feet to
troducing it into the hold. If ceme feet for each plu 4667 to 820 much Hole bridged IC top of surface	ent or other plugs were up set. d. Hold bridged D. sacks cement. at base of cell (If additional deswell should be addressed	used, state the classed, state the classed, state the classed, state the classed at the classed	Sacks cense of cel	me and depth nent. Muc llar. 6 s this sheet) Inc.	placed, from	feet to
Correspondence regarding this values. Box 433, MoPhe	ent or other plugs were up set. d. Hold bridged D. sacks cement. at base of cell (If additional deswell should be addressed erson, Kansas	used, state the classed, state the classed, state the classed, state the classed at the classed	Sacks cense of cel	me and depth nent. Muc llar. 6 s this sheet) Inc.	placed, from	feet to
Correspondence regarding this vidress Box 433, MoPhe	ent or other plugs were up set. d. Hold bridged D sacks cement. at base of cell (If additional deswell should be addressed trson, Kansas COUNT	scription is necessar to W. C. M.	Secks cents of cells of cells of cells of cells of cells of mobride,	me and depth nent. Mucilar. 6 s this sheet) Inc.	placed, from	feet to
Correspondence regarding this videress Box 453, MoPhe TATE OF KANS AS FRANK ZIMMER) feet for each plu 4667 to 820 muc 4667	ent or other plugs were up set. d. Hold bridged D. sacks cement. at base of cell (If additional deswell should be addressed trson, Kansas COUNT MAN That I have knowledge	scription is necessar to W. C. M. M. C. M. M. C. M. M. C. M.	secks cents of cells of cells. y, use BACK of McBride, CPHERSON oployee of own tatements, and	me and depth nent. Muc llar. 6 s this sheet) Inc. er) or (owner of matters herei	placed, from	he above-described well, d the log of the above-
Correspondence regarding this vidress Box 453, MoPhe TATE OF KANS AS FRANK ZIMMER) feet for each plu 4667 to 820 muc 4667 t	ent or other plugs were up set. d. Hold bridged D. sacks cement. at base of cell (If additional deswell should be addressed er son, Kansas COUNT MAN That I have knowledge ame are true and correct	scription is necessar to W. C. M. M. C. M. M. C. M. M. C. M.	secks cents of cells of cells. y, use BACK of McBride, CPHERSON oployee of own tatements, and	me and depth nent. Muc llar. 6 s this sheet) Inc. er) or (owner of matters herei	placed, from	he above-described well, d the log of the above-
Correspondence regarding this v ddress Box 433, MoPhe FATE OF KANS AS FRANK ZIMMER) eing first duly sworn on oath, says:	ent or other plugs were up set. d. Hold bridged D. sacks cement. at base of cell (If additional deswell should be addressed er son, Kansas COUNT MAN That I have knowledge ame are true and correct	scription is necessary to W. C. MC Y OF MC (em) e of the facts, st t. So help me G	secks cents of cells of cells. y, use BACK of McBride, CPHERSON uployee of own tatements, and lod	me and depth nent. Muci llar. 6 s this sheet) Inc. der) or (owner of matters herei	placed, from	he above-described well, d the log of the above-
Correspondence regarding this values. Correspondence regarding this values. Box 433, MoPhe FATE OF. KANS AS. FRANK ZIMMERIES Escribed well as filed and that the secretary in the secretary i	ent or other plugs were up set. d. Hold bridged D. sacks cement. at base of cell (If additional description of the second se	scription is necessary to W. C.) Y OF MC e of the facts, st t. So help me G (Signature)	secks cents of cells of cells. y, use BACK of McBride, CPHERSON aployee of own tatements, and lod	this sheet) Inc. Inc. Much and depth and the sheet and t	placed, from	he above-described well, d the log of the above-
Correspondence regarding this videress Box 453, MoPhe TATE OF KANS AS FRANK ZIMMER) feet for each plu 4667 to 820 muc 4667	ent or other plugs were up set. d. Hold bridged D. sacks cement. at base of cell (If additional description of the second se	scription is necessary to W. C.) Y OF MC e of the facts, st t. So help me G (Signature)	secks cents of cells of cells. y, use BACK of McBride, CPHERSON aployee of own tatements, and lod	this sheet) Inc. Much and depth and the sheet and the she	placed, from	he above-described well, d the log of the above-

:	AA "	C. MEE	sriae,	INC,	
DIVISION		WELL	LOG	DATE	F LOG 11/13/
StateKenses		<u>į</u>		evation 1938 D.F.	
County Pratt				ase E. L. McBri	de
Location SW SW S	B			c27 Twp	
Description SE2		·		rvey	
Rotary tools from				ntractor GlEn Pecl	
				mpleted 11-11-47	
Cable tools from				ontractor	**************************************
, •	•	. "		mpleted*	•
(Note: Date of comswabbing, agitation, etc.;	pletion is date at which when finally removed,	h drilling and cleanout of operations succeeding	operations are finis date of completion	shed. Tools may still be ken n should be described in Jol	ot at well to produce by Record, Form O813.
	_	PRODUCIN	G SANDS		•
$ au_{ m op}$	Bottom	Name	•	Remark	and Analyzed.)
4577	4667	Arbuckle Lin	<u>.e D</u>	ry. Drill pipe mer	murcment
4 66 7	4656	Arbuckle Lin	<u>s</u>	ch lumborger measu	rement
***************************************				,	
***************************************		. ;			<u></u>
	}			;;··· •································	

*					***************************************
			······································		
.,	, 10-2	·			
,		k -			,
		, ,,,			
<u> </u>				***************************************	
	· · · · · · · · · · · · · · · · · · ·	PRODUCTIO		•	? ~
First production	None b	bls. in	hrs		19
Natural production fi	irst 24 hrs	······································	bbls	·	19
				1	
Production first 24 h	rs. on pump		bbls	·	19
,		SHOT RI	ECORD		
Date	Prod'n	Amount			Prod'n
Date	before	of shot	from	to	after
-		,	-	***************************************	
			************************************	***************************************	
(man			-		**********
				***************************************	*
·	·	CASING R	RECORD	Top	if Amount
Size W	eight Bran	d Şet o	r cemented	Bottom line	
	***************************************			· · · · · · · · · · · · · · · · · · ·	***************************************
		-		***************************************	• • • • • • • • • • • • • • • • • • • •
	۱	***************************************	``		
- '	***************************************	***************************************	·····	***************************************	
	************	***************************************			

			***************************************		·······
				***************************************	***************************************
- Jan 1	·	FURTHER I		- 20	
Gravity of oil	•	-			,
Rig contractor					
			Complet	ed	***************************************
Remarks			······································		<u></u>
	•		***************************************		
		***************************************		***************************************	
	A+45	, 		<u>/</u>	
1		*			
***************************************	,			*	
		-	***************************************		r
·	·		·	~*************************************	-
.1				***	
***************************************			-		
***************************************			7		
		, , ,	•	***************************************	,
n	**************************************	• 1	•	***************************************	
rotal cost of well:					
Estimated salvage to					
Lotal return well mu					

	•			***************************************	
***************************************				-	•
**************************************			***************************************		
·		FORMATION	RECORD	(Note: W	hether Electrical made.)
Depth from	To Fe	et		Formation	, .
	145	-	<u> </u>		
145	145 225	Sand Sand-& S	halo	•	
225	478	Shalo & S		•	· .
478 510	510 817	Smd		·	1
817	817 840	Send & Sl Lime	uste .	`\	
840 -	1170	Red Rock	Sholo & Sh	rolls	
1170	1270	Shole & S	Shel ls	, .	•

	<u>-</u> <u>-</u>	· F	ORMATION RECORD	. , ,	(Note: Whether Elect Log was made.)	trical
Depth from	То	Feet		Formation		,
- ° O	145	-	Sand -		-	
145	225	· · ·	Sand & Shalo		1	_
225	478] . }	Shalo & Shells	,	•	ι
478	510	· .	Smd	•		
510	817		Sand & Shale		•	1
817	840	\ -	Lime	,	`	
840 .	1170	.	Red Rock, Shale & S	holls		
1170	1270	1 .	Shale & Shells	, ,	;	•
· 1270·	1310	`	Salt	Sec. 12		
1310	1500	` <i>;</i> '	Shale & Shells		•	
1500 -	1775		Broken limo	•		
1775	1850	1. 1	Lime & Shale		,	,
1850	2000	1 .	Broken Line	•	,	• ,
2000	`211 5	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	Broken Lime	•	•	
2115	2340		Line		,	•
2340	2495		Lime & Shelo		•	-
2495	2575		Lime	, ,	4	
2575	3100	•	Shele & Shells	-	•	
,31,00	3160		Lime	•	,	•
3160	3320	-	Lime & Shale	í	•	
.•	•	, ,				•

 -	FORMATION RECORD, Cont'd.				
Depth from	To	Feet	Formation		
3320 3385 3520 3585 3885 4257 4307 4502 4576 4667	3365 3520 3585 3885 4257 4307 4502 4676 4667	C	Lime & Shale Lime & Shale Lime Lime & Shale Lime Conglomerate Lime & Chort Shale & Lime Lime T.D. D. & A. Ariller Log		