STATE OF KANSAS
STATE CORPORATION COMMISSION
Give All Information Completely
Make Required Affidavit
Mail or Deliver Report to:
Conservation Division
State Companying Commission

## WELL PLUGGING RECORD

State Corporation Commission 212 North Market, Insurance Bldg.	Se	eward	Commi	co. 34 r	'32S	33 Will (W)			
Wichita, Kansas NORTH	Location as "NE	E/CNW#SW#"			40 FNL &	2340 FWL			
		Lease Owner Pan American Petroleum Corporation							
	Lease Name B. H. Lemert Well No. 2								
			•	Kansas					
,	1	Character of Well (completed as Oil, Gas or Dry Hole) Gas  Date well completed 11-30 19.63							
x	1 -								
	Plugging comme								
	Plugging comple								
<del> </del>	Reason for abandonment of well or producing formation								
1 i i	Economical								
	If a producing	well is abandon	ied, date of la	ast production_	7-	1619_65			
Locate well correctly on above			the Conserv	vation Division	or its agents bef	ore plugging was com-			
Section Plat	menced?		-b C4+	<u>_</u> .	<del></del>				
Name of Conservation Agent who super Producing formation Herring to	ervised plugging of this	well 1	gn scott 532 p	2562		26/5 -			
Producing formation			Bottor	<u> 2302</u>	Total Depth of	Well 2043 Feet			
· · · · · · · · · · · · · · · · · · ·		.S.							
OIL, GAS OR WATER RECORD	OS '					CASING RECORD			
FORMATION	CONTENT	FROM	TO	SIZE	PÙT IN	PULLED OUT			
Herrington	Gas	2532	2562	8-5/8	507	None			
				4-1/2	2648	None			
			<u> </u>		<u> </u>				
			<u> </u>	i					
	<del></del>	<del>,</del>	<del> </del>	<del>                                     </del>	<del> </del> -	<del></del>			
•		<del></del>	<del> </del>	<del> </del>		<del> </del>			
	····	<del>-</del>				<del> </del>			
Describe in detail the manner in						<del>'                                    </del>			
			<u> </u>	<del>-</del>	<del></del>				
	<del></del>	<del></del>	<del></del>	<del></del> .	·	<del></del>			
	<u> </u>			.03					
				37.17F	EPA				
					URPOS ES 11	~			
	<u> </u>				A TON S	A. S.			
<del>-</del>	· · · · · · · · · · · · · · · · · · ·	· · · · · ·		<i>J</i> A	$N = \frac{3O_h}{m}$	MASSIOR .			
<del>-</del>	····			- CO///O-	1960	- COR			
<u>.</u>	<del></del>			Jan VA	700				
	· · · · · · · · · · · · · · · · · · ·	<del></del>	<del></del>	11/6	TION DING				
					Tenson VIC	SI			
						E-1966			
·						) 1100			
	(If additional	description is nece	PACT 1150 RACT	K of this shoot		<del>-</del>			
Name of Plugging Contractor Ha	alliburton Com	pany	Sany, use DACA						
AddressLiberal,	Kansas		_						
		<u> </u>							
STATE OF KANSAS	, cou	NEW OR	SEWAR	) TS	:				
I, D. M. Liles	, coo				i, 58. Teninoszamsegtere)	of the above-described			
well, being first duly sworn on oath,	says: That I have kno								
above-described well as filed and that						and the job of the			
		(Signature)	/	1/18/12		,			
	•	( Signature);	7 (0		7	·			
		<u></u>	вох 43	2, Liberal	, Kansas Address)				
Subscribed and Sworn to befo	re me this4	day of.	Ja	ruary	, 19_	66			
Whenes and					L ,	<del></del>			
Wante				//D //	11/				
	11 1000	, -	KU	V Dank		Notan B. Li			
My commission expires February	11, 1968	<u> </u>	- Ku	v Dank	<u> </u>	Notary Public.			

FORM 90 2-57

PAN AMERICAN PETROLEUM CORPORATION

uF

WELL RECORD

					WELL	RECORD		□ st	JPPLEMENT	'AL	
	T			T	 EASE	B. H.	Lemert	(ENTI	ER "X" WHE	N APPLICABL	2
	+ +	1	<del></del>				0				
_	+	+ +-		1			LINE OF THE	_	•		
	<del> </del>			⊣							
	×	' <u></u>			F SECTION	<b>34</b> . , tow	NSHIP 32	№ поятн <b>;::</b> south.	RANGE	33 🕌 🖔	AST /EST.
		,		]	Sewa					Kans	88
		1 —		1 -		COUNTY	94 DF	2602		STATE	
$\vdash$	+ + -	+ + +	<del></del>	- E	LEVATION:	VD SA	74 <u>DE</u> (	EUDE (	34 2000		
_				c	OMPLETED AS:	OIL WE	ILL DGA	S WELL	WATER V	WELL	DRY HOLE
				] ,	RILLING COM	MENCED	11-16	19 <b>63</b> CO	MPLETED_	11-3	0 19 6
	OCATE WE							-			
PERATING	COMPANY.	Pan Ame	rican Pe		OR GAS SA		ADDRESS	0x 507,	ulysses	Kansa	<u> </u>
		NAME		FROM			NA NA	ME		FROM	то
Ha	rringto	n			2532	4					
2			,			5	•	<u> </u>	•		
					<del></del>						+
<u> </u>	<u> </u>				\A/AT#B	SANDS				<u> </u>	
	NAME		FROM	то	WATER LEVEL		NAME		FROM	τo	WATER LEVEL
						3					
					is:	4	<u>-</u>	,			
	CASING	RECOR	D (OVERALL M	EASUREMENT	<u> </u>	<u> </u>	LIN	ER SCREE	N RECOR	d D	
CSG. SIZE	WEIGHT	DESCRIPTION THREADS	ON MAKE	GRADE	QUANTITY FEET	SIZE	QUANTITY	TOP	T AT BOTTON	MAK	E AND TYPE
3-5/8"	28,55	8R		nd 2	507			U			
<i>!</i> n!!	9.5	On	J-55 -	Cond 1	2648						
<u>-1/2</u>	200	7.0	<u> </u>	CORU E	2640						
		<u>-</u>	<u> </u>	<del> </del>		<del> </del>		PACKED D	FCORD '	_	<del></del>
			ļ			SIZE	LENGTH	PACKER R		MAKE AND T	YPE
	٧.										
	9			•							
			CEMENT	ING RECO	DRD	<u> </u>			T MUDDING	RECOR	,
SIZE	WHERE SET FEET	SACKS	CEMENT BRAND	TYPE	METHO	<b>D</b>	FINAL PRESS	MET		TOOLS)	J SULTS /
3 <b>-</b> 5/8"	513	650	Pozmik	Bulk	' Howco		·		,		/
											/
4-1/2"	2643_	1000	Pozmix	Bulk	Howco			<u> </u>		!	
ī	-							100	E / S	A F20	
								RE:	ORATION C	OMMISSIO	R
HAT METH	HOD WAS US	SED TO PRO	TECT SANDS	WHEN OUT	ER STRINGS W	ERE PULLE		JAN	1 5 19	<b>e</b> c	
							•				cen:
								CU:WERE BO Wichia	TION DI	VISION	3ED (
ÇŞO, STAT	E-KIND, DE	PTH SET. AP <b>fox</b>	ND RESULTS	OBTAINED_	<del></del>			, , , , <sub>(1)</sub>	ta, Kansa		
OTARY TO	OLS WERE 1			ion Feet	r то	FEE	T. AND FROM_		FEET TO	<b></b>	FEET
_ ABLE TOO	LS WERE US	SED FROM_				'FEE	T, AND FROM_		FEET TO	5	FEET
1444											
4-HOUR P	RODUCTION	OR POTEN	NTIAL TEST					<del></del> .			- I
<del>, , , ,</del>		<del>5 1</del> -		<u> </u>	; ,			<u> </u>	WA	TER	BBLS.
GAS WEI				OF 367	MCFD	_ SHUT-	IN PRESSURE_	39	5	LBS. PFR	SQUARE IN.
			_				ECORD IS TRUE		ACCORDING	:	
FICE AND T	TO THE BEST	OF MY KNOW	LEDGE AND BEL	IEF.			(1)	- wan -	As	rea For	eman
				9th DA	Y OF	Dacembe	ř	1 KAME AND	VASENAL J. G. (	SIGNED	BY
T COMMIS	SION EXPIR	(E5 <u>1171</u>	<u>6-00</u>	<del></del>	· · · ·			NOTARY P		\\	
										•	

J. G. Chary

## FORMATION RECORD

DESCRIBE EACH FORMATION DRILLED. INDICATE THICKNESS, CONTENT AND WHETHER DRY, OR OIL, GAS, OR WATER BEARING.

Surface-sand-red-be	<b>d</b> . we consider	ТОР	1690	FORMATION	TOP	<u>Г ВОТТОМ</u>
Shale-lime Lime Shale-lime Shale-lime Lime		1690 1923 1940 2320 2438	1923 1940 2320 2438 2569 2645	·		
Total depth Plug back depth	•	2645 2562				
- · · · · · · · · · · · · · · · · · · ·		·, ·	.,			
	- :		. * * * \			, ,
' ( ', r					-	
, .	) 6	** • • • • • • • • • • • • • • • • • •		· · · · · · · · · · · · · · · · · · ·		
,			s,,, ( * *	· · · · · · · · · · · · · · · · · · ·		