

To: 1 080426
STATE CORPORATION COMMISSION
CONSERVATION DIVISION - PLUGGING SECTION
200 COLORADO DERBY BUILDING
WICHITA, KANSAS 67202

API NUMBER 15- 151-21,352 - 00-00
C NE NE , SEC. 26 , T 29 S, R 13
4620 feet from S section line
660 feet from E section line

TECHNICIAN'S PLUGGING REPORT
Operator License # 5087
Operator: Texas Energies, Inc.
Name & Address P. O. Box 947
Pratt, KS 67124

Lease Name Combs Well # 2-26
County Pratt 15-4.38 ✓
Well Total Depth 4750 feet
Conductor Pipe: Size 16 feet 55
Surface Casing: Size 8 5/8 feet 384

Abandoned Oil Well Gas Well Input Well _____ SWD Well _____ D&A _____
Other well as hereinafter indicated _____

Plugging Contractor Kelso Casing Pulling License Number 6050
Address P. O. Box 347, Chase, KS 67524

Company to plug at: Hour: 1:45 pm Day: 4 Month: October Year: 19 85

Plugging proposal received from Mark McCabe
(company name) Kelso (phone) 316-938-2941

were: 4 1/2" at 4741' PBDT 4620' Perfs at 4630-32'; 4482-4490'; Bridge Plug at 4620
1st plug sand back to 4430' and dump 4 sx cement on top of sand through bailer
2nd plug squeeze well with 3 sx hulls, 10 sx gel, 50 sx cement, 10 sx gel, 1 sack hulls,
release 8 5/8" rubber plug and pump 125 sx cement.

Plugging Proposal Received by Steve Durrant
(TECHNICIAN)

Plugging Operations attended by Agent?: All Part _____ None _____

Operations Completed: Hour: 2:30 pm Day: 4 Month: October Year: 19 85

ACTUAL PLUGGING REPORT 1st plug sanded back to 4430' and dumped 4 sx cement on top of
sand through bailer, 2nd plug squeezed well with 3 sx hulls, 10 sx gel, 50 sx cement,
10 sx gel, 1 sack hulls, and 125 sx cement.

RECEIVED
STATE CORPORATION COMMISSION
OCT 15 1985

Maximum pressure 200 psi and shut in 100 psi. Recovered on 3028' 4 1/2" casing.

Remarks: Used 60/40 Pozmix 6% gel by Halliburton
(If additional description is necessary, use BACK of this form.)

INVOLVED (If necessary) observe this plugging.

DATE 10-16-85
INV. NO. 10621

Signed J. A. [Signature]
(TECHNICIAN)