## KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

| Type Tes                                     | t:                            |                 |  |   | (                                  | See Instruc              | tions on Re   | everse Side   | <b>∌</b> )                      |  |   |                                |   |
|--|-------------------------------|-----------------|--|---|------------------------------------|--------------------------|---|---|---------------------------------|--|---|--------------------------------|---|
| <b>√</b> Ot                                  | en Flo                        | w               |  |   | Tool Date                          |                          |   |   | A DI                            | N- 4P  |   |                                |   |
| De   | liverab                       | ilty            |  |   | Test Date<br>8/12/15               |                          |   |   |                                 | No. 15<br>-20740-0000  | 1   |                                |   |
| Company                                      |                               | . Ga            | as LLC   |   |                                    |                          | Lease<br>DeGoo                                      | d   |                                 |  | 1-  | Well N                         | umber   |
| •  |                               | Location SE-SE- |  |   | Section TWP<br>33 4 S              |                          |   | RNG (E/W)<br>40   |                                 |  | Acres Attributed  KANSAS CORPORATION COMMING CONO. 1 25 |                                |   |
| Field<br>Cherry                              | Cree                          | k               |  |   | Reservoir<br>Beeche                | r<br>r Island/ N         | iobrara   |   |                                 | hering Conne<br>/ Oil & Gas                                    |   | NANSAS CO                      | Received  |
| Completi<br>03/22/07                         |                               | е               |  | 1   | Plug Bac<br>1409'                  | k Total Dep              | th  |   | Packer S                        | et at  |   | CONS                           | 0 1-2015  |
| Casing S<br>4.5 in                           | lize                          |                 |  | Weight Internal Diameter Set a 10.5 # 4.052 141   |                                    |                          | Perforations<br>1256 <sup>4</sup>                   |   | To<br>12                        | 294' WICHIT,   | 0 1-2015<br>10N DIVISION                                |                                |   |
| Tubing S<br>NONE                             | ize                           |                 | Weigh  | t   | Internal [                         | Diameter                 | Set   | at  | Perfo                           | rations  | То  |                                | <sub>1</sub> 3 ,O <sub>A</sub> y                    |
| Type Cor<br>single (                         |                               | n (Do           | escribe)   |   | Type Flui<br>none                  | d Productio              | n   |   | Pump Un                         | it or Traveling  | Plunger?  | Yes /(No)                      |   |
| Producing casing                             | g Thru                        | (Anı            | nulus / Tubing   | )   | % C<br>0.425                       | arbon Dioxi              | ide   |   | % Nitrog<br>3.374               | en   |   | as Gravity -<br>586            | G <sub>g</sub>                                      |
| Vertical I                                   | Depth(H                       | 1)              |  |   |                                    | Pres                     | sure Taps   |   |                                 |  |   |                                | Prover) Size  |
| Pressure                                     | Buildu                        | p:              | Shut in <u>8/12</u>  | 2 2   | 0_15_at_1                          | 0:17                     | (PM)  | Taken   |                                 | 20 .   | at  |                                | (AM) (PM)   |
| Well on L                                    | .ine:                         | •               | Started 8/13   | 3 2   | 0_15_at_1                          |                          | _   |   |                                 | 20 .   |   |                                |   |
|  |                               |                 |  |   |                                    | OBSERVE                  | D SURFAC  | E DATA  |                                 |  | Duration of   | Shut-in 24                     | .05_Hours   |
| Static /<br>Dynamic<br>Property              | Orifi<br>Siza<br>(inch        | е               | Gircle ene:<br>Meter<br>Prover Pressu<br>psig (Pm)             | Pressure Differential in Inches H <sub>2</sub> 0  | Flowing<br>Temperature<br>t        | Well Head<br>Temperature | Wellhead<br>(P <sub>w</sub> ) or (I                 | sing<br>Pressure  | Wellher<br>(P <sub>w</sub> ) or | ubing<br>ad Pressure<br>(P <sub>t</sub> ) or (P <sub>c</sub> ) | Duration<br>(Hours)                                     |                                | id Produced<br>(Barrels)                            |
| Shut-In                                      |                               | -               |  |   |                                    | _                        | pig   | psia  | psig                            | psia   |   |                                |   |
| Flow   | .500                          | )               | ,  |   |                                    |                          | 175   | 189.4   |                                 |  | _   |                                |   |
|  |                               |                 |  |   | <u> </u>                           | FLOW STR                 | REAM ATTE   | RIBUTES   | 1                               | <u>.</u>   | <del></del>   |                                |   |
| Plate<br>Coeffied<br>(F <sub>b</sub> ) (F    | ient<br>,)                    | Pro             | Circle one:<br>Meter or<br>over Pressure<br>psia               | Press<br>Extension<br>P <sub>m</sub> x h  | Grav<br>Fact<br>F                  | tor                      | Flowing<br>remperature<br>Factor<br>F <sub>ft</sub> | Fa  | iation<br>actor<br>pv           | Metered Flow<br>R<br>(Mcfd)                                    | (Cui  | GOR<br>bic Feet/<br>Barrel)    | Flowing<br>Fluid<br>Gravity<br>G <sub>m</sub>       |
| <u>.                                    </u> |                               |                 |  |   |                                    |                          |   | 1   |                                 |  |   |                                | <u></u>   |
| (P <sub>c</sub> ) <sup>2</sup> =             |                               | _:              | (P <sub>w</sub> ) <sup>2</sup> =                               | :   | (OPEN FL                           | OW) (DELIV<br>^          |   | ') CALCUL<br>P <sub>a</sub> - 14.4) +                     | •                               | <u> </u>   |   | $(P_a)^2 = 0.3$<br>$(P_d)^2 =$ | 207   |
| (P <sub>c</sub> ) <sup>2</sup> -(l           | P <sub>a</sub> ) <sup>2</sup> | (F              | P <sub>c</sub> ) <sup>2</sup> - (P <sub>w</sub> ) <sup>2</sup> | Choose formula 1 or 2.<br>1. $P_c^2 - P_a^2$<br>2. $P_c^2 - P_d^2$<br>Iivided by: $P_c^2 - P_a^2$ | LOG of formula 1, or 2. and divide | P.2- P.2                 | Sto<br>As   | essure Curve<br>pe = "n"<br>- or<br>ssigned<br>lard Slope | n x l                           | .og [ ]  | Antilog   | De                             | pen Flow<br>liverability<br>s R x Antilog<br>(Mcfd) |
|  |                               |                 |  |   |                                    |                          | 1   |   | -                               |  | -   |                                |   |
| Open Flo                                     | 1.<br>w                       |                 |  | Mcfd @ 14.  | <br>65 psia                        |                          | Deliverat   | oility  | !                               | L  | 1cfd @ 14.6   | l<br>35 psia                   |   |
| •  |                               | gned            | d authority, on  |   | <u> </u>                           | states that h            |   | <u> </u>  | o make th                       | e above report   |   |                                | vledge of   |
|  |                               |                 |  | id report is true   |                                    |                          |   |   | day of A                        |  |   |                                | 20 15 .   |
|  |                               |                 | Witness (if  | any)  |                                    |                          | -   | -9  | 2/5                             | For Co   | mpany   |                                |   |
|  |                               |                 | For Commi  | ssion   |                                    |                          | -   |   |                                 | Check  | ed by   |                                | <del></del>   |

| exempt status und<br>and that the fore-<br>correct to the best<br>of equipment inst | is a coalbed methane producer is cycled on plunger lift due to water is a source of natural gas for injection into an oil reser is on vacuum at the present time; KCC approval Dock   | on this application form are true and duction summaries and lease records g made of the gas well herein named.  DeGood 1-33   KANSAS CORPORATION COMM.  CONSERVATION DIVISION  TVOIT undergoing ER  et No |
|---|---|---|
| _   | is not capable of producing at a daily rate in excess on the capable of producing at a daily rate in excess of the control of the best of my ability any and all supporting to corroborate this claim for exemption from testing. | of 250 mcf/D  |
| Date: 8/20/15   |   |   |
|   | Signature:  |   |

## Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption **IS** denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.