


STATE OF KANSAS
STATE CORPORATION COMMISSION

Form CP-4

WELL PLUGGING RECORD

Give All Information Completely
Make Required Affidavit
Mail or Deliver Report to:
Conservation Division
State Corporation Commission
212 No. Market
Wichita, Kansas

NORTH



Locate well correctly on above
Section Plat

Kiowa County, Sec. 35 Twp. 27 Rge. 20 (E) (W) X

Location as "NE/CNW/SW" or footage from lines C NW NW

Lease Owner Mull Drilling Company, Inc.

Lease Name Brensing Well No. E-1

Office Address P. O. Box 319 Russell, Kansas

Character of Well (completed as Oil, Gas or Dry Hole) _____

Date well completed _____ 19__

Application for plugging filed 5-16-69 19__

Application for plugging approved 5-17-69 19__

Plugging commenced 5-30-69 19__

Plugging completed 6-1-69 19__

Reason for abandonment of well or producing formation _____

If a producing well is abandoned, date of last production _____ 19__

Was permission obtained from the Conservation Division or its agents before plugging was commenced? Yes

Name of Conservation Agent who supervised plugging of this well Ralph Warren

Producing formation _____ Depth to top _____ Bottom _____ Total Depth of Well 1940 Feet

Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS

CASING RECORD

FORMATION	CONTENT	FROM	TO	SIZE	PUT IN	PULLED OUT
				8 5/8	195	None
				1 1/2	None	2679

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from _____ feet to _____ feet for each plug set.

Moved in. Rigged up unit.

Sanded to 1840'. Dumped 4 sacks of cement. Cleaned out cellar. Working pipe.

Working pipe. Shot pipe at 4300' - 4100' - 4000' - 3900' and 3780'.

Working pipe. Shot pipe at 3600' - 3400' - 3200' - 3000' - 2800' - 2700' and 2620'. Pulling pipe.

Bailing water. Pushed plug to 300' rock bridge. Dumped 5 sacks of cement.

Bailed hole down. Dumped 20 sacks of cement. Mud hole and rock bridge. Capped well with 10 sacks of cement.

(If additional description is necessary, use BACK of this sheet)

Name of Plugging Contractor Forbes Casing Pulling Company, Inc.

Address P. O. Box 221 Great Bend, Kansas


STATE OF Kansas, COUNTY OF Barton, ss. James W. Rockhold (employee of owner) or (owner or operator) of the above-described well, being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.

(Signature) James W. Rockhold
P. O. Box 221 Great Bend, Kansas
(Address)

SUBSCRIBED AND SWORN TO before me this 6 day of June, 19 69

My commission expires May 27, 1973

Notary Public.



WELL LOG BUREAU—KANSAS GEOLOGICAL SOCIETY
508 East Murdock, Wichita, Kansas

COPY


69

Company: WALTERS DRILLING CO. ETAL
Farm: Breasing "E" No. 1.

SEC. 35 T. 27 R. 20W
C NW NW

Total Depth. 4940'
Comm. 3-18-64 Comp. 4-1-64
Shot or Treated.
Contractor. Company Tools
Issued. 7-25-64

County Kiowa
KANSAS



CASING:
8 5/8" 495' cem w/350 sx.
4" 4939' cem w/125 sx.

Elevation. 2280' DF

Production. 35 BOPD, Tr Wtr.

Figures Indicate Bottom of Formations.

sand	60
sand & shale	110
shale	490
sand	504
shale & sand	690
redbed & shale	700
Anhydrite	725
shale & redbed	1225
shale	1268
Anhydrite	1304
shale & shells	1587
shale	1985
shale & shells	2295
lime & shale	2460
lime	2530
lime & shale	2780
shale & lime	2880
lime & shale	3085
shale & lime	3250
shale	3410
shale & lime	4030
lime	4110
lime & shale	4310
lime	4375
lime & shale	4435
lime	4560
lime & shale	4615
lime	4710
lime & shale	4748
lime	4862
Core #1	4877
Core #2	4889
Mississippi Lime	4920
lime	4940 RTD
Total Depth	

TOPS: LOG

Chey Sand (sample)	490
Anhydrite	1268
Heebner	4088
Lansing	4248
Ft. Scott	4761
Mississippi Lime	4848
Mississippi Dolomite	4860

RECEIVED
STATE CORPORATION COMMISSION
MAY 19 1969
CONSERVATION DIVISION
Wichita, Kansas