

STATE OF KANSAS  
STATE CORPORATION COMMISSION  
200 Colorado Derby Building  
Wichita, Kansas 67202

WELL PLUGGING RECORD  
K.A.R.-82-3-117

API NUMBER 15-173-01,027-0002

LEASE NAME Porter

TYPE OR PRINT  
NOTICE: Fill out completely  
and return to Cons. Div.  
office within 30 days.

WELL NUMBER 1

2970 Ft. from S Section Line

1650 Ft. from E Section Line

LEASE OPERATOR C.T. Operating Company

SEC. 12 TWP. 26 RGE. 1 (E or W)

ADDRESS 8406 E. Harry #715 Wichita, Kansas 67207

COUNTY Sedgwick

PHONE# (316) 685 7407 OPERATORS LICENSE NO. 4756

Date Well Completed 5/25/90

Character of Well D&A failed attempt to re-enter CONOCO  
#1 Hudson - junked hole  
(Oil, Gas, D&A, SWD, Input, Water Supply Well)

Plugging Commenced 5/29/90

Plugging Completed 5/29/90

The plugging proposal was approved on 5/25/90 (date)

by Dave Wertz (KCC District Agent's Name).

Is ACO-1 filed? X If not, Is well log attached? \_\_\_\_\_

Producing Formation \_\_\_\_\_ Depth to Top \_\_\_\_\_ Bottom \_\_\_\_\_

RECEIVED  
STATE CORPORATION COMMISSION  
T.D.

Show depth and thickness of all water, oil and gas formations.

JUN 1 1 1990

OIL, GAS OR WATER RECORDS

CASING RECORD

CONSERVATION DIVISION  
Wichita, Kansas

Formation	Content	From	To	Size	Put in	Pulled out
				16"	161	0
				8 5/8"	3315	0
				7"	222.5'	0

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from \_\_\_\_\_ feet to \_\_\_\_\_ feet each set.

Swabbed and bailed hole dry to TD of 360'; filled with sand from 360' - 260'; cemented with slurry from 260' to surface

(If additional description is necessary, use BACK of this form.)

Name of Plugging Contractor Gressel Corporation License No. 5822

Address Haysville, Kansas

NAME OF PARTY RESPONSIBLE FOR PLUGGING FEES: C.T. Operating Company

STATE OF Kansas COUNTY OF Sedgwick, ss.

J. Corry Tinsmon (Employee of Operator) or (Operator) of above-described well, being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed that the same are true and correct, so help me God.

(Signature) \_\_\_\_\_

(Address) 8406 E. Harry #715 Wichita, Ks. 67207

PENNY SELVES  
NOTARY PUBLIC  
STATE OF KANSAS  
My appointment expires 6/2/92  
My Commission Expires: \_\_\_\_\_

Penny Selves  
Notary Public

# C.T. OPERATING COMPANY

Oil & Gas Exploration And Production

8406 E. HARRY, #715  
WICHITA, KANSAS 67206  
(316) 685-7407

RECEIVED  
STATE CONSERVATION COMMISSION

JUN 1 1 1990

DAILY REPORT #1 PORTER OWWO

CONSERVATION DIVISION  
Wichita, Kansas

- 4/1/90 Dug out cellar, located cut off 16" & 8 5/8" casing
- 4/21/90 Weld full bore collar & 4 1/2' 3 5/8" 32# nipple to 8 5/8" casing; level location; dug pits
- 4/24/90 2 7/8" tubing on location
- 4/25/90 Move in, rig up, gin tubing to well site, line pits, fill pits with water, will start to drill plugs AM 4/26/90
- 4/26/90 Drilled cement plug @ surface; drilled 2nd plug & rock to 170'; drilled & pushed wooden ? plug to 290'
- 4/27/90 Drilled on wooden plug with rock bit; drilled 2' - began to circulate metal cuttings; shut down, waiting on flat bottom mill
- 4/30/90 Milled metal (iron) to about 299' (7' of iron) - pulled out & had 3 1/2" tubing impression on mill
- 5/1/90 Ran Gressel fishing tool - could not get hold of fish - ran tar impression block - 3 1/2" tubing
- 5/2/90 After conference w/ Dialog - centered tubing with overshot & tried to run sand line down inside of tubing - stopped 20' in; tried to run Gressel overshot on 3 1/2" - would not go; shut down - conference w/ Kansas Fishing Tools, Great Bend, Ks. - hot shot impression block to Great Bend
- 5/3/90 Used overshot & grapples - pulled 15' section of 3 1/2" tubing, milled at top end; ran tar block - collar on 3 1/2" tubing looking up; ran overshot & grapples for collar - pulled 20' section of 3 1/2" tubing - collar at upper end - lower end cut w/ torch @ 45 degree angle; ran tar block - collar from 2" tubing looking up; shut down
- 5/7/90 Ran overshot and grapples - could not get hold of fish; ran tar block - shut down--
- 5/8/90 Tar block to Great Bend - picked up various size grapples to make attempt at fish - released rig @ Gressels request - will be back over hole approx. 5/24/90
- 5/24/90 Move in, rig up, fish w/ 3 1/2" grapples, pull 15' piece 3" upset tubing, threads up, cut @ lower end with torch @ 45 degree angle; back in hole with rock bit, drill wood & sand to 350'; started getting metal cuttings; ran tar block - got 4 1/4" impression, ran 4 1/2" grapple, no fish, shut down.
- 5/25/90 Run 4 1/4" grapple, no fish; run tar block on tubing - 4 3/8"; Run 4 3/8" grapple, pull 10' 3" tubing with milled collar up, bottom cut @ 45 degrees w/ 2" line pipe (4') stuck in lower end; back in w/ rock bit, drill fine sand and wood for 1' - began to get metal cuttings; shut down, call for plugging instructions
- 5/29/90 Plug hole w/ sand from 360' - 260' , cement slurry from 260' to surface.