


STATE OF KANSAS
STATE CORPORATION COMMISSION


Give All Information Completely,
Make Required Affidavit
Mail or Deliver Report to:
Conservation Division
State Corporation Commission
800 Blitting Building
Wichita, Kansas



WELL PLUGGING RECORD
OR
FORMATION PLUGGING RECORD

Strike out upper line
when reporting plug-
ging off formations.

NORTH



Locate well correctly on above
Section Plat

Ford County. Sec. 26 Twp. 27S Rge. ~~21~~ 22 (W)

Location as "NE 1/4 NW 1/4 SW 1/4" or footage from lines. C - SW/4

Lease Owner. OLSON OIL COMPANY

Lease Name. S. E. FOWLER Well No. 1

Office Address. Drawer 588, Tulsa, Oklahoma.

Character of Well (Completed as Oil, Gas or Dry Hole). DRY

Date, well completed. 12 - 4 - 1937

Application for plugging filed. 12 - 5 - 1937

Application for plugging approved. 12 - 6 - 1937

Plugging Commenced. 12 - 10 - 1937

Plugging Completed. 12 - 10 - 1937

Reason for abandonment of well or producing formation. DRY

If a producing well is abandoned, date of last production. 1937

Was permission obtained from the Conservation Division or its agents before plugging was commenced? Yes

Name of Conservation Agent who supervised plugging of this well. C. T. Alexander

Producing formation. Depth to top. Bottom. Total Depth of Well. 5907 Feet.

Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS

CASING RECORD

Formation	Content	From	To	Size	Put In	Pulled Out
Mississippi Lime	Dry	5053		13" O.D.	218'	None
Viola Lime	"	5655				
Simpson Lime	"	5805				
Siliceous Lime	"	5832				

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from _____ feet to _____ feet for each plug set.

Hole filled with rotary mud from 5907 (T.D.) to 40 ft. Drove a wood plug @ 40 ft. Dumped mud and filled hole to top of surface pipe with 15 sacks cement.

PLUGGING
FILE SEC 26 T 27 R 22 W
BOOK PAGE 129 LINE 21

(If additional description is necessary, use BACK of this sheet)

Correspondence regarding this well should be addressed to. Mr. C. L. Barrett,
Address. Box 408, Burrton, Kansas

STATE OF Kansas, COUNTY OF Reno, ss.
C. L. Barrett (employee of owner) or ~~(partner or proprietor)~~ of the above-described well,
being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.

(Signature) C. L. Barrett
Box 408 Burrton Kansas (Address)

SUBSCRIBED AND SWORN to before me this 14 day of December, 1937


My commission expires 4/30/38

G. J. Bryan, Notary Public.

B-1-2

D-A

OLSON OIL COMPANY
S. E. FOWLER # 1
C SW/4 Sec. 26-27S-22W
FORD COUNTY, KANSAS



COMMENCED 10 - 2 - 37
COMPLETED 12 - 4 - 37
ELEVATION 2419
INT. PROD. DRY

0		3331	Lime & shale
65	Sand & shale	3344	Lime
197	Red rock & shale	52	Shale, blue
225	Sand & shale	3410	Lime
235	Sand, hard	3735	Lime & shale
470	Shale & shells	55	Lime
542	Red bed	3862	Lime & shale
70	Shale & shells	3925	Lime
630	Red shale	91	Lime & shale
97	Gyp shale & shells	4060	Lime
730	Shale, black	67	Shale
860	Shale & shells	4127	Lime & shale
920	Shale, red	4256	Lime
28	Gyp.	4379	Lime & shale
1070	Shale & shells, Gyp	4410	Shale
1170	Shale & shells	37	Lime & shale
1329	Shale & Gyp. shells	64	Shale
1408	Shale & shells	4595	Lime & shale
38	Shale	4645	Lime, soft
82	Shale & lime shells	73	Lime
1522	Shale & shells	4700	Lime & shale
1783	Shale	4702	Lime
1897	Shale & shells	12	Core, Lime & shale
2031	Shale & lime shells	29	Core, Lime & shale
2135	Shale & lime shells	39	Shale
2368	Shale & shells	79	Lime & shale
2373	Lime & shale	90	Shale & shells
2430	Shale	5060	Lime & shale
2554	Lime	61	Lime & sand
93	Anhy. & shale	75	Lime, cherty
2612	Lime, cherty	5083	Correction, S.L.M.
16	Shale	91	Core
48	Shale & shells	5116	Lime & chert
2680	Anhy.	46	Lime
2746	Shale & shells	52	Lime, soft
87	Anhy. & shale	71	Broken lime
2844	Shale	5200	Lime
83	Lime, gray	16	Core
2951	Lime	37	Lime, soft
68	Shale, sticky	43	Lime, hard
3003	Lime & shale	5311	Lime & Dolo.
28	Shale & lime shells	30	Chert & Dolo.
61	Lime & shale	50	Lime & Dolo.
3104	Shale & lime shells	81	Chert & Dolo.
48	Lime & shale	93	Lime & Dolo.
3266	Lime	5430	Lime

PLUGGING
FILE SEC 26 T 27 R 22W
BOOK PAGE 129 LINE 21

OLSON OIL COMPANY
S. E. FOWLER # 1

COMMENCED 10 - 2 - 37
COMPLETED 12 - 4 - 37

WELL LOG (Continued)

5450 Chert
69 Lime
5514 Chert
42 Lime, cherty
68 Lime & chert
5655 Lime
80 Lime, soft
5695 Core - Lime
5709 Core - "
11 Core - "
16 Core - "
27 Core - "
55 Lime & chert
63 Lime & shale
5805 Lime
15 Lime & shale
33 Core - 10' Recovery
1' Shale
8' Sand (Wilcox)
1' Lime
5843 Core - 4' Recovery (Lime)
55 Core - 2' "
5907 Lime, Total Depth.

PLUGGING RECORD

Plugged on December 10, 1937

Hole filled with Rotary mud
from 5907 (T. D.) to 40 ft.
Drove a wood plug @ 40 ft.
Dumped mud and filled hole
to top of surface pipe with
15 sacks of cement.

SAND RECORD

Top of Mississippi Lime 5053
" Viola " 5655
" Simpson " 5805
" Silicious " 5832
Total Depth 5907

I hereby certify that the
above is a true and correct copy of
the log of S. E. Fowler # 1, C SW/4
Sec. 26-27S-22W, Ford County, Kansas.

C. L. Barrett

CASING RECORD

13" O.D. 40# L. W. 218'

Subscribed and sworn to before me
this 14th day of December, 1937

J. F. Bryant
Notary Public

My Commission expires 4/30/38