

STATE OF KANSAS
STATE CORPORATION COMMISSION

Give All Information Completely
Make Required Affidavit
Mail or Deliver Report to:
Conservation Division
State Corporation Commission,
800 Bittling Building,
Wichita, Kansas


WELL PLUGGING RECORD
OR
FORMATION PLUGGING RECORD

Strike out upper line
when reporting plug-
ging of formations.

NOV 19 1936
11-19-36
Ren

County. Sec. 5 Twp. 26 Rge. 4 (E) (W)

NORTH



Locate well correctly on above
Section Plat

Location as "NE 1/4 NW 1/4 SW 1/4" or footage from lines.....

Lease Owner..... The Dickey Oil Company

Lease Name..... G. G. Williams Well No. 1

Office Address..... Ellis-Singleton Bldg. Wichita, Kansas

Character of Well (Completed as Oil, Gas or Dry Hole)..... Dry Hole

Date, well completed..... October 30 1936

Application for plugging filed..... November 9, 1936 1936

Application for plugging approved..... Oral approval Nov. 9; Confirmation Nov. 10, 1936

Plugging Commenced..... November 10 1936

Plugging Completed..... November 11 1936

Reason for abandonment of well or producing formation..... Dry hole

If a producing well is abandoned, date of last production..... 1936

Was permission obtained from the Conservation Division or its agents before plugging was com-
menced?..... Yes

Name of Conservation Agent who supervised plugging of this well..... Smith

Producing formation..... Viola Lime Depth to top..... 4078 Bottom..... 4089 Total Depth of Well..... 4089 Feet

Show depth and thickness of all water, oil and gas formations.


OIL, GAS OR WATER RECORDS

CASING RECORD

Formation	Content	From	To	Size	Put In	Pulled Out
Viola Lime	Dry	4078	4085	10"	145	
" "	Water	4085	4089	7" O.D.	4048	3000 feet.

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from.....feet to.....feet for each plug set.

100 buckets of mud dumped in hole. 6 5/8" pipe out at 3,000 feet and pulled out. Wood plug and bridge at 200 feet. Filled with mud and rock to 145 feet. 12 sacks cement. Allowed to set, filled to top with surface dirt. Top capped with cement.



(If additional description is necessary use BACK of this sheet)

Correspondence regarding this well should be addressed to..... The Dickey Oil Co.
Address..... Wichita, Kansas

STATE OF Kansas, COUNTY OF Sedgwick, ss.

R. J. Lewis (employee of owner) or (owner or operator) of the above-described well, being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.

(Signature)..... R. J. Lewis
Andover, Kansas
(Address)

SUBSCRIBED AND SWORN to before me this 14th day of November, 1936.

My commission expires August 19, 1940
Lea Henninger
Notary Public.

THE DICKEY OIL COMPANY

Log of G. G. Williams No. 1

COMMENCED: 9/27/36
 COMPLETED: 10/23/36

LOCATION: SE/4 5-26-4W,
 Reno County, Kansas.

surface 145
 shale 195
 shale & shells 350
 shale & shells 500
 shale & shells 706
 shale & shells 827
 shale & shells 910
 shale & shells 995
 shale & shells 1045
 shale & shells 1100
 shale & shells 1105
 shale & shells 1125
 shale & shells 1208
 shale & shells 1248
 shale & shells 1342
 shale 1428
 shale 1478
 shale & shells 1567
 salt 1693
 shale 1717
 shale 1820
 shale 1913
 shale 1990
 shale & lime 2068
 lime 2100
 shale 2112
 shale 2203
 shale 2210
 lime 2245
 shale 2271
 lime 2303
 shale 2310
 lime 2333
 lime 2373
 lime 2395
 lime & shale 2425
 shale 2435
 lime 2450
 shale 2515
 shale 2530
 lime 2545
 shale 2575
 shale 2577
 shale 2700
 shale 2772
 shale 2843
 shale 2913
 shale 2923
 k.c.lime 2958
 lime 2985
 lime 3015
 shale & sand 3030
 lime 3048
 lime 3096
 lime 3144
 lime 3190
 lime 3223
 lime 3250
 lime 3292
 lime 3320
 lime 3339
 lime 3386
 lime 3427
 lime & shale 3457

lime broken 3506
 lime broken 3549 5 correction
 lime broken 3581 to 3544
 lime 3617
 chat 3628
 chat 3646
 chat 3720
 lime 3734
 chat & lime- 3763
 chat & lime 3804
 lime 3815
 lime hard 3833
 lime 3844
 lime 3880
 lime 3900
 lime 3919
 lime 3932
 lime 3935
 lime 3956
 lime 3958
 shale 3967
 shale & lime 3992
 shale 4039
 shale & lime 4050 TD

Casing Record

10" 140'
 7" O.D. 4048

PLUGGING
 FILE SEC 5-26-4W
 BOOK PAGE 69 LINE 10