CIDE ONE

Compt.

	JIDE OND	· · · · · · · · · · · · · · · · · · ·	
F	Two (2) copies of this form shall be filed with the Kansas Corporation Commission, 200 Colorado Derby Building, Wichita, Kansas 67202, within thirty (30) days after the completion of a well, regardless of how the well was completed. Attach separate letter of request if the information is to be held confidential. If confidential, only file one copy. Information on Side One will be of public		
	record and Side Two will then be held confidential.		
С	Applications must be made on dual completion, of injection and temporarily abandoned wells. Attach one copy only wireline logs (i.e. electroneutron log, etc.). (Rules 82-2-105 & 82-2-125) KG	cical log, sonic log, gamma ray	
		June 30 Yearly	
	LIDA 12- and T	API NO. 15-151-21,222-000	
	ADDRESS P. O. Box 30159	COUNTY Pratt	
	Amarillo, TX 79120	FIELD Tatlock	
	** CONTACT PERSON N. L. "Chip" Taylor	PROD. FORMATION	
	PHONE (806) 355-9418	PROD. FORMATION	
	PURCHASER N/A	LEASE Curtis "B"	
	ADDRESS	WELL NO. 1	
		WELL LOCATION SW SW SE	
	DRILLING WTA Drilling, Inc.	330 Ft. from SL Line and	
	CONTRACTOR	330 Ft. from WL Line of	
	ADDRESS P. O. Box 30159 Amarillo, TX 79120	the SE (Qtr.)SEC 21TWP 268RGE 15 (W)	
		-	
	PLUGGING Halliburton Services CONTRACTOR	WELL PLAT (Office Use Only)	
	ADDRESS P. O. Drawer 1431, Duncan, OK 73536	KCC KGS	
R	TOTAL DEPTH 4400' PBTD	SWD/REP	
		21 PLG.	
	2057		
		-	
	DRILLED WITH (CAMBLE) (ROTARY) CAMBO TOOLS. DOCKET NO. OF DISPOSAL OR REPRESSURING WELL BEING USED TO DISPOSE OF WATER FROM THIS LEASE	-4-	
		DV Tool Used? yes	
	THIS AFFIDAVIT APPLIES TO: (Circle ONE) - XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	- · · · · · · · · · · · · · · · · · · ·	
	ALL REQUIREMENTS OF THE STATUTES, RULES AND REGULATIONS PROMULGATED TO REGULATE THE OIL AND GAS INDUSTRY HAVE BEEN FULLY COMPLIED WITH.		
	•		
	A F F I D A V I T N. L. Taylor That: I am the Affiant, and I am familiar with the contents of the foregoing Affidavit. The statements and allegations contained therein are true and correct.		
		n/T	
SUBSCRIBED AND SWORN TO BEFORE ME this 16th day of March		(Name)	
		day of March	
	19_83.		
		- Catha Aneson	
	MY COMMISSION EXPIRES: January 26, 1986	(NOTARY PUBLIC)	
		CATHIE GREGORY Notary Public, State of Texas My Commission Expires	
	** The person who can be reached by phonence any questions concerning this information. STATE CORPORATION COMMISSION		
	**		

MAR 1 8 1983 3-18-85

ACO-1 WELL HISTORY LEASE Curtis "B" **OPERATOR** WTA Energy, Inc. SEC. 21 TWP,26S RGE.15 WELL NO. FILL IN WELL INFORMATION AS REQUIRED: SHOW GEOLOGICAL MARKER'S, LOGS RUN, OR OTHER DESCRIPTIVE INFORMATION. Show all important zones of perceity and contents thereof; cored intervals, and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries. contents thereof; cored intervals, and all drill-stem tests, in-FORMATION DESCRIPTION, CONTENTS, ETC. NAME BOTTOM Check if no Drill Stem Tests Run. Limestone & shale 2800 3751 BK shale 3751 3756 Heebner 3751 Limestone & shale 3756 3791 Shale 3791 3910 Douglas 3791 Brown lime & shale 3910 3928 Brown Lime 3908 · Lime & shale 3928 4.360 Lansing 3928 Mary White chert 4360 4400 . Miss 4360 TD 4400' DST #1 Lans. 4200-25, Op 70-90-60-70, WK.--Fair blow throughout. Rec: 70' SO & GCM IFP 42-56, ISIP 458; FFP 69-69; FSIP 486, T 112° If additional space is needed use Page 2, Side 2 Report of ell strings set - surface, intermediate, production, etc. CASING RECORD (New) or (Used) Size casing set (in O.D.) Type and percent odditives Purpose of string Size hole drilled Weight ibs/ft. Setting depth Type cement Sacks Hallib. light 200 6% gel Surface 12 1/4 8 5/8 20# 434! 100 3% CC, 2% gel Portland LINER RECORD PERFORATION RECORD Sacks coment Shots per ft. Size & type Depth Interval TUBING RECORD Setting depth ACID, FRACTURE, SHOT, CEMENT SQUEEZE RECORD

111.111 av :: т, Date of first production Producing method (flowing, pumping, ges lift, etc.) Gravity Gos bhis: 4:3(13) Gás-oll ratio Estimated

n of gas (vented, used on lease or sold)

Production

Perforations