KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST (See Instructions on Reverse Side)

Type Tes	St:						(See msu	ucuons on He	everse Side	"				
=	pen Fl elivera					Test Date	9:	API No. 15 025-20,873-0000						
Company Cohma Cil & Cas Company								Lease	or "?	711	Well Number			
Cobra Oil & Gas Corr				Section				Taylor "27		 ZW)		Acres Attribut	tod	
Clark							27		34S . 2		211,	,	TOTOS AUTIDOS	ied
Field						Reservoi	r	_			hering Conne			
Color					Chest				Engle	ewood Co	orporation	n KCC SEP REC	14.	
Completion Date				•	k Total Dep	oth	Р		Set at	•	500	MA		
1/26/85				5560'	N	0-1	Sol of			<u></u>	<u> </u>	25-		
Casing Size 4 - 1 / 2 "			Weight 11.7#			Internal E 3 • 995		Set at 5899 †		Perforations 5542		т _о 5562	· RED	2
Tubing Size			Weight			Internal Diameter		Set at		Perforations		To		ElVE
	2-3/8" 4.7#			' #	1.995			5549'						
Type Cor		n (De				Type Flui	d Production	on		Pump U	nit or Traveling	Plunger? Yes /	No	
Singl						Dry G					Ye:			
Producing Thru (Annulus / Tubing) Both					% Carboi	n Dioxide		% Nitrogen			Gas Gravity - G _e			
Vertical E 5899		1)		·			Pres	ssure Taps				(Meter R	lun) (Prover)	Size
Pressure	Buildu	ıp:	Shut in _0	7/2	2020	15 _{at} 2	:30pm	_ (AM) (PM)	Taken	07/21	20	15 at 2:30pr	m (AM) (——— (РМ)
Well on L			Started)at		_ (AM) (PM)	Taken		20	at	(AM) ((PM)
	1						OBSERV	ED SURFAC	E DATA			Duration of Shut-it	n	Hours
Static / Dynamic Property	c Size		Meter of Prover Pressure		Pressure Differential in (h) Inches H ₂ 0	Flowing Temperature t	Well Head Temperatur t	Wellhead (P _w) ∝ (f	Casing Wellhead Pressure (P _w) or (P _t) or (P _c)		Tubing ead Pressure r (P ₁) or (P _c)	Duration (Hours)	Liquid Prodi (Barrels	
Shut-In		_		_	THATAS TIZE			psig	110	psig	110	24		
Flow														
							FLOW ST	REAM ATTR	RIBUTES					
Plate Coeffiecient (F _b) (F _p) Mcfd		Cirple one: Meter or Prover Pressure psia			Press Extension Š P _m x H _w	Gravity Factor F _g		Flowing Temperature Factor F ₁₁	Temperature Factor Factor		Metered Flow R (Mcfd)	GOR (Cubic Fee Barrel)	et/ Fig Gra	wing luid avity 3 _m
 _	1			1	-	OPEN FLO	OW) (DELI	VERABILITY	CALCUL	ATIONS	_			
(P _c)² =		:	(P.)2	=	;	` P _d =			P _o - 14.4) +		•	(P _a)² (P _d)²	= 0.207 =	
(P _c) ² - (P _a) ² or (P _c) ² - (P _d) ²		(P _c) ² · (P _w) ²		Choose formula 1 or 2: 1. P _c ² -P _a ² 2. P _c ² -P _d ² divided by: P _c ² -P _a ²		LOG of formula 1. or 2. and divide by:		Backpre Sto	Backpressure Curve Slope = "n"		rog	Antilog	Open Flow Deliverability Equals R x Antilog McId	
		-												
Open Flow	pen Flow Mcfd @ 14.65 psia							 Deliverabi	lity		Mcfd @ 14.65 psia			
								is duly author	rized to ma		ove report and	that he has knowle	-	acts
_			Witness	(if any)			-		··	For	Company	•	
			For Com	missio	n			-			Chec	ked by		

I declare under penalty or perjury under the laws of the state of Kansas that I am authorized to request exempt status under Rule K.A.R. 82-3-304 on behalf of the operator Cobra Oil & Gas Corporation and that the foregoing information and statements contained on this application form are true and correct to the best of my knowledge and belief based upon gas production records and records of equipment installation and/or of type completion or upon use of the gas well herein named. I hereby request a permanent exemption from open flow testing for the Taylor "27" #1 gas well on the grounds that said well: (Check one) is a coalbed methane producer is cycled on plunger lift due to water is a source of natural gas for injection into an oil reservoir undergoing ER is on vacuum at the present time; KCC approval Docket No. SEP 25 201 RECEIVEL Date:	:: 5
Signature: <u>Barbara Pagan</u> Title: <u>Drlg & Prod Asst</u>	

Instructions:

All active gas wells must have at least an original G-2 form on file with the conservation division. If a gas well meets the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to obtain a testing exemption.

At some point during the succeeding calendar year, wellhead shut-in pressure shall be measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under "observed surface data." Shut-in pressure shall thereafter be reported yearly in the same manner.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than thirty (30) days after the taking of the pressure reading. The form must be signed and dated on the front side as though it was a verified report of test results.