## KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

Type les							TOOL MOINE	iions on ne	verse orac	7			
	en Flo eliverat					Test Date	:			API N	No. 15 11	9-20,777-	- 8000
Company Cobra Oil & Gas Corporat					ion		Lease Jack			Well Number 1 - 27			
County Location Meade NWSWSESE				Section 27		TWP 31S	RNG (E/W 29W		N)	A	cres Attributed		
Field Hocke	ett,					Reservoir Chest			-		ering Connect		n .
Completion 3 / 23 /	on Date	e e				Plug Back 5743	k Total Depti	1		Packer Se None			SEP 25 26
Casing Si 4-1/2	ing Size Weight 1/2" 11.6#			Internal Diameter 3 • 995		Set at 5575 !		Perforations 5498 '		то 5545'	SEP 25 2		
	ubing Size Weight 4.7#				Internal Diameter 1.995		Set at 5505 '		Perforations		То	RECEIVE	
Type Con		n (De	scribe)				d Production			Pump Un	it or Traveling F	Plunger? Yes /	No
			ulus / Tubing	3)		% Carbor	Dioxide			% Nitroge		Gas Gra	vity - G <sub>g</sub>
Vertical D	epth(F	ł) ′				Pressure Taps Flange					* . *	un) (Prover) Size	
Pressure	Buildu	p: \$	Shut in08	3/1	4 20	15 at 2:	00pm		Taken	08/15	201	5 at 2:00pm	
Well on L	ine:	8	started		20	)at	<del></del>	(AM) (PM)	Taken		20	at	(AM) (PM)
					<del></del>	_	OBSERVE	D SURFAC	E DATA			Duration of Shut-i	nHours
Static / Dynamic Property	amic Size		Prover Pressure		Pressure Differential in (h) Inches H <sub>2</sub> 0	Flowing Well Head Temperature t		Casing Wellhead Pressure (P <sub>w</sub> ) or (P <sub>t</sub> ) or (P <sub>c</sub> ) psig psia		Wellhea	ubing ad Pressure (Pt) or (Pc) psia	Duration (Hours)	Liquid Produced (Barrels)
Shut-In					-			pag	0		. 80	24	
Flow	L												
						<del></del>	FLOW STE	EAM ATTR	IBUTES			<del></del>	<del>- , -</del> -
Plate Coeffiecient (F <sub>b</sub> ) (F <sub>p</sub> ) Mcfd		Circle one: Meter or Prover Pressure psia		-	Press Extension Š P <sub>m</sub> x H <sub>w</sub>	Extension Fac		or Temperature		Deviation Metered Factor R F <sub>pv</sub> (Mcf		GOR (Cubic Fee Barrel)	Flowing Fluid Gravity G <sub>m</sub>
	1		<u> </u>			(OPEN FL	OW) (DELIV	ERABILITY	) CALCUI		<del></del> .	(D.)2	
(P <sub>c</sub> )² =		:	(P <sub>w</sub> ) <sup>2</sup> :	=	:	•	• •		-	14.4 =	:		= 0.207
$(P_c)^2 - (P_a)^2$ or $(P_c)^2 - (P_d)^2$		(P <sub>c</sub> ) <sup>2</sup> - (P <sub>w</sub> ) <sup>2</sup>		Choc 1	1. P <sup>2</sup> -P <sup>2</sup> LOG of formula 1. or 2.		Backpressi Slope		essure Curve pe = "n" - or signed lard Slope	e n x l	[ 7]	Antilog	Open Flow Deliverability Equals R x Antilog Mcfd
								_		-			· 
Open Flow	n Flow Mctd @ 14.65 psia				Deliverability			<u></u>	Mcfd @ 14.65 psia				
		gned	authority, or		-		tes that he is			ake the abo		<del></del>	edge of the facts
		-						•			•		
			Witness	(if any	)	<del>-</del>		-		<del></del>	For Co	этрапу	<del></del>
			For Com	missio	าก			-			Check	ed by	

I declare under penalty or perjury under the laws of the state of Kansas that I am authorized to request exempt status under Rule K.A.R. 82-3-304 on behalf of the operator <u>Cobra Oil &amp; Gas Corporation</u> and that the foregoing information and statements contained on this application form are true and correct to the best of my knowledge and belief based upon gas production records and records of equipment installation and/or of type completion or upon use of the gas well herein named.  Thereby request a permanent exemption from open flow testing for the <u>Jack 1-27</u>										
Thoroby request a permanent exemption from open now testing for the	KCC WICHIT. SEP 25 2015 RECEIVED									

Instructions:

All active gas wells must have at least an original G-2 form on file with the conservation division. If a gas well meets the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to obtain a testing exemption.

At some point during the succeeding calendar year, wellhead shut-in pressure shall be measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under "observed surface data." Shut-in pressure shall thereafter be reported yearly in the same manner.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than thirty (30) days after the taking of the pressure reading. The form must be signed and dated on the front side as though it was a verified report of test results.