

STATE OF KANSAS
STATE CORPORATION COMMISSION

Give All Information Completely
Make Required Affidavit
Mail or Deliver Report to:
Conservation Division
State Corporation Commission
800 Bittling Building
Wichita, Kansas


WELL PLUGGING RECORD

OR

FORMATION PLUGGING RECORD

Strike out upper line
when reporting plug-
ging off formations.

NORTH



Locate well correctly on above
Section Plat

Stafford County. Sec. 16 Twp. 25 Rge. 11 (W)
Location as "NE 1/4 NW 1/4 SW 1/4" or footage from lines NW/4 SW/4
Lease Owner Nadel & Gussman
Lease Name Stone Well No. 1
Office Address Box 996, Tulsa, Oklahoma
Character of Well (completed as Oil, Gas or Dry Hole) dry
Date, well completed February 23 19.42
Application for plugging filed same 19.
Application for plugging approved same 19.
Plugging Commenced same 19.
Plugging Completed February 24 19.42
Reason for abandonment of well or producing formation dry

If a producing well is abandoned, date of last production 19.
Was permission obtained from the Conservation Division or its agents before plugging was com-
menced? yes

Name of Conservation Agent who supervised plugging of this well C. T. Alexander
Producing formation none Depth to top Bottom Total Depth of Well 4170 Feet
Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS


CASING RECORD

Formation	Content	From	To	Size	Put In	Pulled Out
				8"	277	none

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from feet to feet for each plug set.

Mud circulated at total depth and every 500 feet to surface. Wood plug was set at 277 feet and cement placed 277 feet up to 247 feet. Hole then filled with mud to 35 feet from 247 feet and cement run from 35 feet to 5 feet. Filled with mud to surface from 5 feet.

PLUGGING
FILE 16 25 SW 1/4
BOOK PAGE 26 LINE 2



(If additional description is necessary, use BACK of this sheet)

Correspondence regarding this well should be addressed to Veeder Supply & Development Co.
Address Cherryvale, Kansas

STATE OF Kansas, COUNTY OF Montgomery, ss.

(employee of owner) or (owner or operator) of the above-described well, being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.

(Signature) The Veeder Supply & Development Co.
By: *Conrad C. Veeder* PRES.

SUBSCRIBED AND SWORN to before me this 25th day of February, 1942

My Commission Expires Oct. 14, 1944

Leo C. Veeder
Notary Public.

DRILLING LOG


Nadel & Gussman Et al.
 Stone #1 - NW Cor. of SW
 Section 16, Twp. 25 S., Rge. 11 W

Stafford County, Kansas

0	50	Sand
50	145	Gravel
145	170	Red Rock
170	277	Shale & Shells
277	350	Shale, red bed
350	550	Red bed
550	575	Anhydrite
575	680	Shale
680	875	Red bed
875	980	Shale
980	1340	Shale & shells
1340	1400	Shells & salt
1400	1455	Sandy shale
1455	1480	Shale & Salt
1480	1585	Anhydrite
1585	1740	Lime
1740	1800	Lime & shale
1800	1835	Sand & shale
1835	1948	Lime
1948	2120	Lime, broken
2120	2295	Lime & shale
2295	2310	Brown shale
2310	2345	Broken lime
2345	2600	Lime & shale
2600	2685	Shale & shells
2685	2710	Soft sandy lime
2710	2750	Shale
2750	2770	Gummy shale
2770	2860	Broken lime
2860	2900	Shale
2900	3000	Lime & shale
3000	3050	Broken lime
3050	3210	Lime & shale
3210	3270	Sandy lime
3270	3305	Lime
3305	3370	Lime & shale
3370	3400	Shale & shells
3400	3530	Shale, sandy
3530	3580	Lime
3580	3600	Broken lime
3600	3625	Cherty lime
3625	3650	Lime broken
3650	3710	Lime & shale
3710	3730	Cherty lime
3730	3835	Lime & shale
3835	3840	Mississippi lime
3840	3860	Cherty & shaly lime
3860	3875	Chat
3875	4007	Cherty shale & lime
4007	4080	Cherty lime - very hard
4080	4125	Lime & shale
4125	4149	Sandy shale
4149	4170	Arbuckle lime

TOTAL DEPTH 4170 feet.

PLACING
 FILE 16 25 11W
 BOOK PAGE 26



Continued - Page 2.

I hereby certify that this is a true and correct copy of the formations penetrated in this well and that the same was completed to a depth of 4170 feet on the 23rd day of February, 1942; that requests for information regarding this well should be addressed to EMMETT C. VEEDER, CHERRYVALE, KANSAS.

VEEDER SUPPLY & DEVELOPMENT COMPANY

By Emmett C. Veeder
Emmett C. Veeder, Pres.

SUBSCRIBED AND SWORN TO BEFORE ME THIS 25th day of
February, 1942.

Leo C. Veeder
Notary Public

My Commission Expires Oct. 14, 1944

