


STATE OF KANSAS
STATE CORPORATION COMMISSION

Form CP-4

Give All Information Completely
Make Required Affidavit
Mail or Deliver Report to:
Conservation Division
State Corporation Commission
212 No. Market
Wichita, Kansas 67202

WELL PLUGGING RECORD



Locate well correctly on above
Section Plat

Reno County, Sec. 6 Twp. 24 Rge. 4 (E) W (W)
Location as "NE/CNW/SE/SW" or footage from lines NE SE SW
Lease Owner WOCO, Inc.
Lease Name Levi Headings Well No. 1
Office Address Wichita, Kans.
Character of Well (completed as Oil, Gas or Dry Hole) _____
Date well completed _____ 19____
Application for plugging filed Oct. 13 19 71
Application for plugging approved Oct. 14 19 71
Plugging commenced Oct. 26 19 71
Plugging completed Oct 27 19 71
Reason for abandonment of well or producing formation _____

If a producing well is abandoned, date of last production _____ 19____
Was permission obtained from the Conservation Division or its agents before plugging was commenced? Yes

Name of Conservation Agent who supervised plugging of this well Gei Beet Toman
Producing formation _____ Depth to top _____ Bottom _____ Total Depth of Well _____ Feet
Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS

CASING RECORD

FORMATION	CONTENT	FROM	TO	SIZE	PUT IN	PULLED OUT

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from _____ feet to _____ feet for each plug set.

Sanded back to 2980! Dumped 5 sq. cement. Shot pipe off at 2624' 95" Pulled pipe & mudded hole to 220'. Set Rock Bridge from 220' to 200'. Finished filling hole with 3 yds. Ready-mix cement.

Rec'd 10-29-71

(If additional description is necessary, use BACK of this sheet)
Name of Plugging Contractor Beet Self
Address Hutchinson, Kans

STATE OF Kans., COUNTY OF Reno, ss.

Employer (employee of owner) or (owner or operator) of the above-described well, being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above described well as filed and that the same are true and correct. So help me God.

(Signature) Beet Self
R.R. # 4 Hutchinson (Address)

Sworn to before me this 28th day of October, 19 71 Kans

October 18, 1973
Norothy Self Notary Public.



15-155-20138-0000
DR

KANSAS GEOLOGICAL SOCIETY
KANSAS WELL LOG BUREAU - KANSAS WELL SAMPLE BUREAU
KANSAS GEOLOGICAL SOCIETY BUILDING
508 EAST MURDOCK - WICHITA, KANSAS

COMPANY WOCO, INC.

SEC. 6 T.24 R. 4W
LOG. NE SE SW

FARM LEVI HEADINGS NO. 1

TOTAL DEPTH 3,003'

COUNTY Reno

COMM. 12-31-69


COMP. 1-7-70

KANSAS

SHOT OR TREATED

CONTRACTOR HENRY WOFFORD DRILLING COMPANY, INC.

ISSUED



CASING

20	10		
15	8 5/8"	556'	(Cemented with 375 sacks of Pozmix HA-5)
12	6		
13	5		

ELEVATION

PRODUCTION

FIGURES INDICATE BOTTOM OF FORMATIONS

0 -	515	Sand
515 -	555	Shale & Lime
555 -	770	Shale & Lime
770 -	1,070	Lime & Shale
1,070 -	1,210	Lime, Shale & Shale
1,210 -	1,365	Lime & Shale
1,365 -	1,560	Shale
1,560 -	1,785	Shale, Shale & Streaks of Lime
1,785 -	1,956	Lime & Shale
1,956 -	2,080	Shale & Lime
2,080 -	2,278	Shale with Lime Streaks
2,278 -	2,390	Lime & Shale
2,390 -	2,505	Shale & Lime
2,505 -	2,630	Heebner Shale, Brown Lime, Lime & Shale
2,630 -	2,685	Shale & Lime
2,685 -	2,735	Shale & Lime
2,735 -	2,777	Lime
2,777 -	2,844	Lansing Lime & Shale
2,844 -	2,869	Top Kansas City
2,869 -	2,912	Lime & Shale
2,912 -	2,998	Lime
2,998 -	3,003	Kansas City Lime
3,003	-----	ROTARY TOTAL DEPTH

GEOLOGICAL REPORT

Contractor: Wofford Drlg. Co.
 Commenced: Dec. 31, 1969
 Completed: Jan. 7, 1970

Woco, Inc. #1 Headings
 NE SE SW Sec. 6-24-4W.
 Reno County, Kansas

Gentlemen:

Following is the geological report on the above captioned well. Samples were examined from 2800' to total depth. Measurements were taken from the Kelly Bushing.

Elevation: 1489' KB. 1484' GL.
 Surface Pipe: 8 5/8" @ 555 feet with 375 sacks.
 Production Pipe: 4 1/2" @ 3001 1/2 feet with 75 sacks.

Formation Summary

Kansas City	--	2875 (-1386)
Stark shale	--	2997 (-1508)
Swope lime	--	3001 (-1512)
Total Depth	--	3003 (-1514)

Sample DescriptionsKansas City

2925-2930 Limestone; buff, partly fossiliferous and chalky, spotted good pinpoint and vugular porosity, no shows.

3001-3003 Limestone; tan, fine crystalline, oolitic, good oolitic porosity, fair spotted staining, show of free oil, faint odor.

Rotary Total Depth 3003 feet.

No tests or logs were run.

The Kansas City zone will be tested further thru production pipe.

Very truly yours,

Lee Poulsen

Lee Poulsen

Wofford Oil Co. #1 Headings
 NE SE SW Section 6-24-4W.
 Reno County, Kansas

<u>Depth</u>	<u>Drilling Time</u>		<u>Remarks</u>
2700-2710	4-3-4-3-3	3-4-4-4-3	
2720	4-4-5-4-3	5-3-5-3-4	
2730	4-4-4-4-5	4-4-4-3-3	
2740	3-3-3-3-4	3-2-3-2-3	
2750	2-2-3-3-3	2-3-2-2-3	
2760	6-4-4-5-6	4-5-4-4-2	
2770	3-2-3-4-3	6-8-7-8-7	
2780	7-5-5-5-7	4-6-5-4-6	
2790	6-5-4-4-5	4-5-4-3-2	
2800	3-4-5-2-1	$\frac{1}{2}$ -1 $\frac{1}{2}$ -2-2-3	
2800-2810	3-4-3-3-3	2-3-4-1-2	
2820	2-1-2-3-2	4-4-5-5-5	
2830	5-7-7-7-7	7-7-4-7-6	
2840	6-6-6-7-10	6-3-3-3-4	
2850	8-3-6-3-7	2-3-5-7-5	
2860	6-4-5-5-6	5-5-6-7-8	
2870	7-8-11-8-8	11-7-9-6-12	
2880	13-10-6-6-8	7-11-11-8-6	
2890	7-7-8-10-11	10-11-5-5-7	
2900	14-16-12-20-16	22-13-17-15-16	
2900-2910	19-15-7-5-5	8-10-9-8-10	
2920	8-9-13-12-7	8-8-9-6-6	
2930	10-9-7-8-7	4-4-3-3-4	
2940	5-7-4-5-5	5-7-7-7-7	
2950	6-6-6-4-6	5-6-5-5-5	
2960	5-5-5-5-5	5-6-5-4-3	
2970	7-5-4-3-3	4-5-5-5-5	
2980	5-5-5-5-4	5-5-5-5-6	
2990	5-5-5-5-5	4-5-4-4-4	
3000	4-5-3-4-4	5-4-6-6-7	
3000-3010	5-1-2		

Circ. Samples @ 3003'